

**Data sheet | Item number: 826-155**

Locking cover; 1-pole; gray

[www.wago.com/826-155](http://www.wago.com/826-155)



## Data

### Connection data

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Connection 1

Pole number	1
-------------	---

## Mechanical Data

Mounting type	Locking claw
---------------	--------------

## Material Data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.06 MJ
Weight	0.8 g

## Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332607162
Customs tariff number	39269097900

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
------	----------	--------------------------	------------------

Subject to changes. Please also observe the further product documentation!



LR  
Lloyds Register

IEC 61984

96/20035  
(E5)

## Downloads

### Documentation

#### Additional Information

2019 年4月3日

pdf  
2.0 MB

Download

## CAD/CAE-Data

### CAD data

2D/3D Models 826-155

URL

Download

### CAE data

ZUKEN Portal 826-155

URL

Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 826-155

URL

Download

Locking cover; 1-pole; gray

## Installation Notes

Subject to changes. Please also observe the further product documentation!