Monolithic Quad SPST CMOS Analog Switches

(Obsolete for non-hermetic. Use DG201B/202B as pin-for-pin replacements.)

FEATURES

- BENEFITS
- ±15-V Input Range
- Low Off Leakage—I_{D(on)}: 0.1 nA
- Low On-Resistance— $r_{DS(on)}$: 115 Ω
- 44-V Maximum Supply Ratings
- TTL and CMOS Compatible
- Wide Innut Denn
- Wide Input RangeLow Distortion Switching
- Con Be Driven from Comparators or
- Op Amps Without Limiting Resistors

APPLICATIONS

- Disk Drives
- Radar Systems
- Communications Systems
- Sample-and-Hold

DESCRIPTION

The DG201A_MIL and DG202_MIL are quad SPST analog switches designed to provide accurate switching over a wide range of input signals. When combining a low on-resistance and a wide signal range (\pm 15 V) with low charge-transfer these devices are well suited for industrial and military applications.


Built on Vishay Siliconix' high voltage metal gate process to achieve optimum switch performance, each switch conducts equally well in both directions when on. When off these switches will block up to 30 V peak-to-peak and have a 44-V absolute maximum power supply rating.


These two devices are differentiated by the type of switch actions (See Truth Table).

The DG201A_MIL/202_MIL are available in hermetic packages. For plastic packages, use the DG201B/202B as pin-for-pin replacements.

FUNCTIONAL BLOCK DIAGRAM AND PIN CONFIGURATION

DG201A_MIL





Logic	DG201A_MIL	DG202_MIL		
0	ON	OFF		
1	OFF	ON		

DG201A_MIL/202_MIL

Vishay Siliconix



ORDERING INFORMATION				
Temp Range	Package	Part Number		
–55 to 125°C		DG201AAK		
	16-Pin CerDIP	DG201AAK/883, JM38510/12302BEA		
		7705301EA		
		DG202AK		
		DG202AK/883		
	16-Pin Sidebraze	JM38510/12302BEC		
–55 to 125°C		7705301EC		
	LCC-20	77053012A		

ABSOLUTE MAXIMUM RATINGS


Voltages Referenced to V-

V+
GND
Digital Inputs ^a V _S , V _D
Current, Any Terminal Except S or D
Continuous Current, S or D
Peak Current, S or D (Pulsed at 1 ms, 10% duty cycle max) 70 mA

Storage Temperature	(K, Z Suffix)
	(J, Y Suffix)
Power Dissipation (Package)b
16-Pin CerDIP and Sidebraz	
LCC-20 ^d	

Notes:

- Signals on S_X , D_X , or IN_X exceeding V+ or V– will be clamped by internal diodes. Limit forward diode current to maximum current ratings. All leads welded or soldered to PC Board. Derate 12 mW/°C above 75°C Derate 10 mW/°C above 75°C a.
- b.
- c. d.
- **SCHEMATIC DIAGRAM (TYPICAL CHANNEL)**







Vishay Siliconix

SPECIFICATIONS ^a								
		Test Conditions Unless Specified		A Suffix –55 to 125°C				
Parameter	Symbol	V+ = 15 V, V- = -15V $V_{IN} = 2.4 V, 0.8 V^{f}$	Temp ^b	Min ^d	Тур ^с	Max ^d	Unit	
Analog Switch	-				-			
Analog Signal Range ^e	V _{ANALOG}		Full	-15		15	V	
Drain-Source On-Resistance	r _{DS(on)}	$V_{D} = \pm 10 \text{ V}, \text{ I}_{S} = 1 \text{ mA}$	Room Full		115	175 250	Ω	
Source Off Leakage Current	I _{S(off)}	V_{S} = ±14 V, V_{D} = ∓14 V	Room Full	-1 -100	±0.02	1 100		
Drain Off Leakage Current	I _{D(off)}	$V_D = \pm 14 \text{ V}, V_S = \mp 14 \text{ V}$	Room Full	-1 -100	±0.02	1 100	nA	
Drain On Leakage Current	I _{D(on)}	$V_{S} = V_{D} = \pm 14 V$ Ref		-1 -200	±0.15	1 200		
Digital Control	-	-						
Input Current with Input Voltage High	INH	V _{IN} = 2.4 V	Room Full	-1 -1	-0.0004			
	INH	V _{IN} = 15 V	Room Full		0.003	1 10	μΑ	
Input Current with Input Voltage Low	I _{INL}	V _{IN} = 0 V	Room Full	-1 -10	-0.0004			
Dynamic Characteristics								
Turn-On Time	t _{ON}	See Switching Time	Room		480	600		
Turn-Off Time	t _{OFF}	Test Circuit	Room		370	450	ns	
Charge Injection	Q	$C_{L} = 1000 \text{ pF}, \text{ V}_{g} = 0 \text{ V}$ $R_{g} = 0 \Omega$	Room		20		рС	
Source-Off Capacitance	C _{S(off)}	V _S = 0 V, V _{IN} = 5 V, f = 1 MHz	Room		5			
Drain-Off Capacitance	C _{D(off)}	$v_{\rm S} = 0$ v, $v_{\rm IN} = 5$ v, $i = 1$ MHz	Room		5		pF	
Channel On Capacitance	C _{D(on)} + C _{S(on)}	$V_{D} = V_{S} = 0 \text{ V}, V_{IN} = 0 \text{ V}$ $f = 1 \text{ MHz}$	Room		16		·	
Off Isolation	OIRR	V _{IN} = 5 V, R _L = 75 Ω	Room		70			
Channel-to-Channel Crosstalk	X _{TALK}	$V_{\rm N} = 3.0, \text{ K}_{\rm L} = 70.52$ $V_{\rm S} = 2.0, \text{ f} = 100 \text{ kHz}$	Room		90		dB	
Power Supply	-		-		-	-		
Positive Supply Current	l+		Room		0.9	2		
Negative Supply Current	I–	All Channels On or Off	Room	-1	-0.3		mA	

Notes:

a.

b.

tes: Refer to PROCESS OPTION FLOWCHART. Room = 25°C, Full = as determined by the operating temperature suffix. Typical values are for DESIGN AID ONLY, not guaranteed nor subject to production testing. The algebraic convention whereby the most negative value is a minimum and the most positive a maximum, is used in this data sheet. Guaranteed by design, not subject to production test. V_{IN} = input voltage to perform proper function. c. d.


e. f.


DG201A_MIL/202_MIL

Vishay Siliconix




TYPICAL CHARACTERISTICS (25°C UNLESS NOTED)






 $r_{\text{DS(on)}}$ vs. V_{D} and Power Supply Voltage



V_D – Drain Voltage (V)











DG201A_MIL/202_MIL Vishay Siliconix

TYPICAL CHARACTERISTICS (25°C UNLESS NOTED)










DG201A_MIL/202_MIL

Vishay Siliconix



TEST CIRCUITS

Vo is the steady state output with switch on. Feedthrough via gate capacitance may result in spikes at leading and trailing edge of output waveform.






FIGURE 2. Switching Time




FIGURE 3. Off Isolation





FIGURE 4. Channel-to-Channel Crosstalk



 $[\]Delta V_O$ = measured voltage error due to charge injection The charge injection in coulombs is Q = C_L x ΔV_O






APPLICATION HINTS ^a				
V+ Positive Supply Voltage (V)	V– Negative Supply Voltage (V)	V _{IN} Logic Input Voltage V _{INH(min)} /V _{INL(max)} (V)	V _S or V _D Analog Voltage Range (V)	
15	-15	2.4/0.8	-15 to 15	
10	-12	2.4/0.8	-12 to 12	
12	-10	2.2/0.6	-10 to 10	
8 ^b	-8	2.0/0.5	-8 to 8	

Notes:

a. Application Hints are for DESIGN AID ONLY, not guaranteed and not subject to production testing.
b. Operation below ±8 V is not recommended.

APPLICATIONS





Vishay Siliconix

APPLICATIONS




FIGURE 7. Active Low Pass Filter with Digitally Selected Break Frequency




FIGURE 8. A Precision Amplifier with Digitally Programable Input and Gains



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.



Disclaimer

All product specifications and data are subject to change without notice.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

Vishay disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications unless otherwise expressly indicated. Customers using or selling Vishay products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Vishay for any damages arising or resulting from such use or sale. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.