


- NOTES:
- MATERIALS AND FINISHES:
BODY – BRASS, NICKEL PLATING
CONTACT – BRASS, SILVER PLATING
INSULATOR – PTFE, NATURAL
 - ELECTRICAL:
A. IMPEDANCE: 50 OHM
B. FREQUENCY RANGE: DC 0–11 GHz
C. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
 - MECHANICAL:
A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: –40°C to +85°C

THIRD ANGLE PROJ.

REVISIONS				
REV	DESCRIPTION	DATE	ECO	APPR
B	SEE SHEET 1	18-Aug-05	– –	ROCKY
T	REDRAWN TO UPDATE FORMAT	25-Mar-09	47238	SCOTT.H



CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: 0.5 – 6mm 6 – 30mm 30 – 120mm ANGLES ±0.1mm ±0.2mm ± 0.3mm ±1°	MATERIAL	DRAWN COCKY	DATE 18-Aug-05	TITLE TNC TEE ADAPTER		Amphenol RF	
	REFERENCE	ENGINEER SCOTT	DATE 18-Aug-05			Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenolrf.com	
		APPROVED SCOTT	DATE 18-Aug-05	SCALE: 3/1	SHEET 2 OF 2	DRAWING NO.	79700
	FINISH	F:\DWG\CNPD\79700-TSZ		DWG SIZE B	CODE ID 74868	REV T	PART NO. 79700