


KSK595H

Capacitor Microphone Applications Especially Suited for use in Audio, Telephone Capacitor Microphones

- Excellent Voltage Characteristic
- Excellent Transient Characteristic



1.Drain 2. Source 3. Gate

Si N-channel Junction FET

Absolute Maximum Ratings T_a =25°C unless otherwise noted

| Symbol | Parameter | Ratings | Units |
|------------------|----------------------|-----------|-------|
| V_{GDO} | Gate-Drain Voltage | -20 | V |
| I _G | Gate Current | 10 | mA |
| I _D | Drain Current | 1 | mA |
| P_{D} | Power Dissipation | 100 | mW |
| T _J | Junction Temperature | 150 | °C |
| T _{STG} | Storage Temperature | -55 ~ 150 | °C |

Electrical Characteristics $T_a=25$ °C unless otherwise noted

| Symbol | Parameter | Test Condition | Min. | Тур. | Max. | Units |
|-----------------------|------------------------------|---|------|------|------|-------|
| BV _{GDO} | Gate-Drain Breakdown Voltage | I _G = -100uA | -20 | | | V |
| V _{GS} (off) | Gate-Source Cut-off Voltage | $V_{DS}=5V$, $I_{D}=1\mu A$ | | -0.6 | -1.5 | V |
| I _{DSS} | Drain Current | V _{DS} =5V, V _{GS} =0 | 150 | | 350 | μΑ |
| IY _{FS} I | Forward Transfer Admittance | V _{DS} =5V, V _{GS} =0, f=1MHz | 0.4 | 1.2 | | ms |
| C _{iss} | Input Capacitance | V _{DS} =5V, V _{GS} =0, f=1MHz | | 3.5 | | pF |
| C _{rss} | Output Capacitance | V _{DS} =5V, V _{GS} =0, f=1MHz | | 0.65 | | pF |

©2002 Fairchild Semiconductor Corporation Rev. C1, October 2002

Typical Characteristics




Figure 1.




Figure 3.




Figure 5.




Figure 2.




Figure 4.




Figure 6.

Typical Characteristics (Continued)




Figure 7.







Figure 8.

Package Dimensions

SOT-23







Dimensions in Millimeters

TRADEMARKS

The following are registered and unregistered trademarks Fairchild Semiconductor owns or is authorized to use and is not intended to be an exhaustive list of all such trademarks.

| ACEx™ | FACT™ | ImpliedDisconnect™ | PACMAN™ | SPM™ |
|----------------------------|----------------------|------------------------|--------------------------|-----------------|
| ActiveArray™ | FACT Quiet series™ | ISOPLANAR™ | POP™ | Stealth™ |
| Bottomless™ | FAST [®] | LittleFET™ | Power247™ | SuperSOT™-3 |
| CoolFET™ | FASTr™ | MicroFET™ | PowerTrench [®] | SuperSOT™-6 |
| CROSSVOLT™ | FRFET™ | MicroPak™ | QFET™ | SuperSOT™-8 |
| DOME™ | GlobalOptoisolator™ | MICROWIRE™ | QS TM | SyncFET™ |
| EcoSPARK™ | GTO™ | MSX™ | QT Optoelectronics™ | TinyLogic™ |
| E ² CMOS™ | HiSeC™ | MSXPro™ | Quiet Series™ | TruTranslation™ |
| EnSigna™ | I^2C^{TM} | OCXTM | RapidConfigure™ | UHC™ |
| Across the board. | . Around the world.™ | OCXPro™ | RapidConnect™ | UltraFET® |
| The Power Franchise™ | | OPTOLOGIC [®] | SILENT SWITCHER® | VCX™ |
| Programmable Active Droop™ | | OPTOPLANAR™ | SMART START™ | |

DISCLAIMER

FAIRCHILD SEMICONDUCTOR RESERVES THE RIGHT TO MAKE CHANGES WITHOUT FURTHER NOTICE TO ANY PRODUCTS HEREIN TO IMPROVE RELIABILITY, FUNCTION OR DESIGN. FAIRCHILD DOES NOT ASSUME ANY LIABILITY ARISING OUT OF THE APPLICATION OR USE OF ANY PRODUCT OR CIRCUIT DESCRIBED HEREIN; NEITHER DOES IT CONVEY ANY LICENSE UNDER ITS PATENT RIGHTS, NOR THE RIGHTS OF OTHERS.

LIFE SUPPORT POLICY

FAIRCHILD'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF FAIRCHILD SEMICONDUCTOR CORPORATION.

As used herein:

- 1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, or (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user.
- 2. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

PRODUCT STATUS DEFINITIONS

Definition of Terms

| Datasheet Identification | Product Status | Definition |
|--------------------------|---------------------------|---|
| Advance Information | Formative or In Design | This datasheet contains the design specifications for product development. Specifications may change in any manner without notice. |
| Preliminary | First Production | This datasheet contains preliminary data, and supplementary data will be published at a later date. Fairchild Semiconductor reserves the right to make changes at any time without notice in order to improve design. |
| No Identification Needed | Full Production | This datasheet contains final specifications. Fairchild Semiconductor reserves the right to make changes at any time without notice in order to improve design. |
| Obsolete | Not In Production | This datasheet contains specifications on a product that has been discontinued by Fairchild semiconductor. The datasheet is printed for reference information only. |

©2002 Fairchild Semiconductor Corporation