



RECOMMENDED PCB(CONNECTOR SIDE VIEW)  
THICKNESS=1.6 TO 2.4 MM

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		<b>molex</b>	
	GENERAL TOLERANCES (UNLESS SPECIFIED)	ANGULAR TOL ± 3.0°	EC NO: 697101	2022/02/24		HEADER OF NANO-FIT, D/R, CLIP, VERTICAL POWER CONNECTOR
DIVISIONAL SYMBOLS	4 PLACES ±	3.0°	DRWN: GLLI	2022/02/25	PRODUCT CUSTOMER DRAWING	
	3 PLACES ± 0.1		CHK'D: XQZHANG	2022/02/25		DOCUMENT NUMBER: 1053121000-SD DOC TYPE: PSD DOC PART: 000 REVISION: B1
	2 PLACES ± 0.2		APPR: XQZHANG	2022/02/25	INITIAL REVISION: DRWN: GLLI APPR: YXZHENG	
	1 PLACE ± 0.3					2019/09/24 2020/03/16
0 PLACES ±						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING: A3-SIZE	SERIES: 105312	MATERIAL NUMBER: GENERAL MARKET	SHEET NUMBER: 1 OF 5




KEY A




KEY A

BLACK



KEY B



KEY B


NATURAL

COLOR OPTION















FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		<b>molex</b>				
	▽A = 0	mm						SCALE 5:1	
▽E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 697101 DRWN: GLLI 2022/02/24 CHK'D: XQZHANG 2022/02/25 APPR: XQZHANG 2022/02/25 INITIAL REVISION: DRWN: GLLI 2019/09/24 APPR: YXZHENG 2020/03/16		HEADER OF NANO-FIT, D/R, CLIP, VERTICAL POWER CONNECTOR				
▽E = 0	ANGULAR TOL ± 3.0°				PRODUCT CUSTOMER DRAWING				
DIVISIONAL SYMBOLS	4 PLACES	±			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
	3 PLACES	± 0.1			1053121000-SD		PSD	000	B1
	2 PLACES	± 0.2			MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
1 PLACE	± 0.3	THIRD ANGLE PROJECTION		DRAWING		SERIES			
0 PLACES	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3-SIZE		105312	GENERAL MARKET		


	10	9	8	7	6	5	4	3	2	1	
	PART NUMBER	DIM 'A'	DIM 'B'	DIM 'C'	CKT SIZE	PLATING	MYLAR				
F	105312-3504	8.66	5.94	6.84	4	TIN			TIN		
	105312-3506	11.16	8.44	9.34	6						
	105312-3508	13.66	10.94	11.84	8						
	105312-3510	16.16	13.44	14.34	10						
E	105312-3512	18.66	15.94	16.84	12	GOLD 0.38	YES			GOLD 0.38	
	105312-3514	21.16	18.44	19.34	14						
	105312-3516	23.66	20.94	21.84	16						
	105312-3704	8.66	5.94	6.84	4						
D	105312-3706	11.16	8.44	9.34	6	GOLD 0.76				GOLD 0.76	
	105312-3708	13.66	10.94	11.84	8						
	105312-3710	16.16	13.44	14.34	10						
	105312-3712	18.66	15.94	16.84	12						
C	105312-3714	21.16	18.44	19.34	14	GOLD 0.76 + LUBE				GOLD 0.76 + LUBE	
	105312-3716	23.66	20.94	21.84	16						
	105312-3604	8.66	5.94	6.84	4						
	105312-3606	11.16	8.44	9.34	6						
B	105312-3608	13.66	10.94	11.84	8	GOLD 0.76			GOLD 0.76		
	105312-3610	16.16	13.44	14.34	10						
	105312-3612	18.66	15.94	16.84	12						
	105312-3614	21.16	18.44	19.34	14						
A	105312-3616	23.66	20.94	21.84	16	GOLD 0.76 + LUBE			GOLD 0.76 + LUBE		
	105312-3804	8.66	5.94	6.84	4						
	105312-3806	11.16	8.44	9.34	6						
	105312-3808	13.66	10.94	11.84	8						
A	105312-3810	16.16	13.44	14.34	10	GOLD 0.76 + LUBE			GOLD 0.76 + LUBE		
	105312-3812	18.66	15.94	16.84	12						
	105312-3814	21.16	18.44	19.34	14						
	105312-3816	23.66	20.94	21.84	16						
COLOR: BLACK											

	10	9	8	7	6	5	4	3	2	1	
	PART NUMBER	DIM 'A'	DIM 'B'	DIM 'C'	CKT SIZE	PLATING	MYLAR				
F	105312-4504	8.66	5.94	6.84	4	TIN			TIN		
	105312-4506	11.16	8.44	9.34	6						
	105312-4508	13.66	10.94	11.84	8						
	105312-4510	16.16	13.44	14.34	10						
E	105312-4512	18.66	15.94	16.84	12	GOLD 0.38	YES			GOLD 0.38	
	105312-4514	21.16	18.44	19.34	14						
	105312-4516	23.66	20.94	21.84	16						
	105312-4704	8.66	5.94	6.84	4						
D	105312-4706	11.16	8.44	9.34	6	GOLD 0.76				GOLD 0.76	
	105312-4708	13.66	10.94	11.84	8						
	105312-4710	16.16	13.44	14.34	10						
	105312-4712	18.66	15.94	16.84	12						
C	105312-4714	21.16	18.44	19.34	14	GOLD 0.76 + LUBE				GOLD 0.76 + LUBE	
	105312-4716	23.66	20.94	21.84	16						
	105312-4604	8.66	5.94	6.84	4						
	105312-4606	11.16	8.44	9.34	6						
B	105312-4608	13.66	10.94	11.84	8	GOLD 0.76			GOLD 0.76		
	105312-4610	16.16	13.44	14.34	10						
	105312-4612	18.66	15.94	16.84	12						
	105312-4614	21.16	18.44	19.34	14						
A	105312-4616	23.66	20.94	21.84	16	GOLD 0.76 + LUBE			GOLD 0.76 + LUBE		
	105312-4804	8.66	5.94	6.84	4						
	105312-4806	11.16	8.44	9.34	6						
	105312-4808	13.66	10.94	11.84	8						
A	105312-4810	16.16	13.44	14.34	10	GOLD 0.76 + LUBE			GOLD 0.76 + LUBE		
	105312-4812	18.66	15.94	16.84	12						
	105312-4814	21.16	18.44	19.34	14						
	105312-4816	23.66	20.94	21.84	16						
COLOR: NATURAL											



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	CURRENT REV DESC:		<b>molex</b>		
	DIMENSION UNITS	SCALE	EC NO: 697101 DRWN: GLLI CHK'D: XQZHANG APPR: XQZHANG INITIAL REVISION: DRWN: GLLI APPR: YXZHENG		HEADER OF NANO-FIT, D/R, CLIP, VERTICAL POWER CONNECTOR	
	mm	5:1			PRODUCT CUSTOMER DRAWING	
	GENERAL TOLERANCES (UNLESS SPECIFIED)				DOCUMENT NUMBER	DOC TYPE
ANGULAR TOL ± 3.0°		1053121000-SD		PSD	000	B1
DIVISIONAL SYMBOLS	4 PLACES	±	2022/02/24	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
	3 PLACES	±	2022/02/25			
	2 PLACES	±	2022/02/25			
	1 PLACE	±	2019/09/24			
0 PLACES	±	2020/03/16				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES		
			A3-SIZE	105312	GENERAL MARKET 3 OF 5	

		4 CKT	6 CKT	8 CKT	10 CKT
F	BLACK				
E	NATURAL				
		12 CKT	14 CKT	16 CKT	
D	BLACK				
C	NATURAL				


FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		<b>molex</b>		
	$\nabla_A = 0$ $\nabla_E = 0$ $\nabla_V = 0$	DIMENSION UNITS: <b>mm</b> SCALE: <b>3:1</b> GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL $\pm 3.0^\circ$					
DIVISIONAL SYMBOLS	4 PLACES $\pm$ 3 PLACES $\pm 0.1$ 2 PLACES $\pm 0.2$ 1 PLACE $\pm 0.3$ 0 PLACES $\pm$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION 	DRAWING: <b>A3-SIZE</b> SERIES: <b>105312</b>	DOCUMENT NUMBER: <b>1053121000-SD</b> DOC TYPE: <b>PSD</b> DOC PART: <b>000</b> REVISION: <b>B1</b>	MATERIAL NUMBER: <b>105312</b> CUSTOMER: <b>GENERAL MARKET</b> SHEET NUMBER: <b>4 OF 5</b>		

NOTES FOR ALL PARTS

1> MATERIAL:  
 HOUSING: LCP, UL 94V-0.  
 TERMINAL: BRASS.  
 SOLDER CLIP: BRASS.

2> PLATING FINISHED:  
 TERMINAL:  
 CONTACT AREA: a. REFLOW MATTE TIN 1.5MICRONS MIN;  
 b. GOLD 0.38 MICRONS MIN;  
 c. GOLD 0.76 MICRONS MIN.  
 SOLDER AREA: MATTE TIN 1.5 MICRONS MIN, UNDER PLATING NICKEL 1.25 MICRONS MIN.  
 SOLDER CLIP: MATTE TIN 2.5 MICRONS MIN, UNDER PLATING NICKEL 1.25 MICRONS MIN.

3> PRODUCT SPECIFICATION: PS-105300-100.  
 4> PACKAGE: TAPE REEL, 1053121000-PK.  
 5> PRODUCT MATE WITH SERIES OF 105308(RECEPTACLE), 105300(CRIMP TERMINAL).  
 6> PARTS CONFORM TO CLASS 'B'REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.  
 7> DISCOLORATION IN THE BANDOLIER PIN CARRIER AREA OF THE PIN IS INHERENT TO THE PLATING PROCESS AND IS DUE TO THE MASKING DEFECT OF THE CARRIER, THIS DISCOLORATION IS IN A NON-FUNCTION AREA OF THE PIN AND WILL NOT AFFECT THE PERFORMANCE OF THE HEADER ASSEMBLY.



IF ANY NUMBER MARK APPEARS ON THIS SURFACE, PLEASE DISREGARD IT, IT IS NO ANY FUCTION AND NO ANY RELATION TO PIN NUMBER, IT IS JUST FOR MOLDING IDENDIFICATION.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		<b>molex</b>					
	△/A = 0	mm							SCALE 1:1	
DIVISIONAL SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 697101 DRWN: GLLI 2022/02/24 CHK'D: XQZHANG 2022/02/25 APPR: XQZHANG 2022/02/25		HEADER OF NANO-FIT, D/R, CLIP, VERTICAL POWER CONNECTOR					
	△/E = 0	ANGULAR TOL ± 3.0°			PRODUCT CUSTOMER DRAWING					
	△/F = 0	4 PLACES ±			INITIAL REVISION:		DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
		3 PLACES ± 0.1			DRWN: GLLI 2019/09/24		1053121000-SD	PSD	000	B1
		2 PLACES ± 0.2			APPR: YXZHENG 2020/03/16					
	1 PLACE ± 0.3	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
	0 PLACES ±				A3-SIZE	105312		GENERAL MARKET	5 OF 5	