

Display expansion board with resistive touch for Chorus family



Features

- 2.8 "(240x320 pixel) TFT SPI LCD with resistive touch managed by an SPI touch screen controller available on the board
- PCB header connector interfacing with SPC5 MCU discovery boards
- 3.3V LDO voltage regulator for I/O signals
- 53 mm x 87 mm
- WEEE and RoHS compliant

Description

The **AEK-LCD-DT028V1** evaluation board hosts a 2.8" LCD display with resistive touch for a graphical user interface (GUI) which interacts with SPC5 MCU discovery boards.

The TFT SPI LCD display has a resolution of 240x320 pixels and features resistive touch managed by an on-board SPI touch screen controller.

Product summary

2.8" LCD display and resistive touch for Graphical User Interface	AEK-LCD-DT028V1
AutoDevKit library plugin for SPC5-STUDIO	STSW-AUTODEVKIT
Code Generator, Quick resources configurator and Eclipse development environment for SPC5 MCUs	SPC5-STUDIO
Applications	Motor Control


1 Block diagram

Figure 1. AEK-LCD-DT028V1 block diagram



2 Schematic diagrams

Figure 2. AEK-LCD-DT028V1 circuit schematic



Revision history

Table 1. Document revision history

Date	Revision	Changes
04-Aug-2021	1	Initial release.

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2021 STMicroelectronics – All rights reserved