
T	۵	П	m	0







LAYOUT SHOWN AS

Keying Shown as example

## CHARACTERISTICS

ယ

 $\sim$ 

-Mass

BASIC SERIES:

SHELL SIZE : 11

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : W = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Aluminium			
-Shell Plating	: Olive drab Cadmium			
-Insulator	: Thermoplastic			
-Contacts	: Copper Alloy			
-Seals & Grommet	: Silicon Elastomer			
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
-Durability	: 500 Mating cycles			
-Delivered with Souriau contacts and Accessories				
-Temperature Range	: -65℃ to +175℃			
-Salt Spray	: 500 hours			

: 12.01 g ± 10%

8D 0

G

11

W

01

А


F

D

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recommend



Φ	₽ >				
				4	
S EXAMPLE				3	
any non-confo which does no of the Parties adation, technic intry J R 1W01AC	ot comply with s or by a third cal notice.) urisdiction & d Not Lis	h party Control List		2	
			MOD N°		
	CUSTO	MER DRAWING			
um Recept	n Receptacle 8D series				
ar	NPRDS / PROJECT 859				
.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission				1	
	U DRG N° SHEET				
W01AD-	C		1/2		
В		А		_	

		G	<del>ار</del> (	m		0
		Contact Layout				Panel Cutout
4		01			Â	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
		1#12 11-01	]		A - 2	
ω	Ctc A	X Y 0 0				Dim ØA ØAA R1 ØT
						SOURIAU shall not be liable for any due to a use of the Products whi the Specifications issued by either of
N						(professional recommendati Country FR PN: 8D011W
					A 07-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:
4					SCALE NA	Aluminium General linear Tolerances: ±
					FORMAT A3	J WWW.SOURIAU.Co SOURIAU 8D011W0
	Н	G	F	E	D	С

