

1420935

https://www.phoenixcontact.com/us/products/1420935

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Sleeve housing B24, for double locking latch, material: PA, cable outlets: 1, straight/lateral, height: 63 mm, cable gland: none, Standard

### Your advantages

- · Flexible cable outlet direction, lateral or straight
- · Lower costs than metal version
- · Low weight
- · Lower risk of condensation

### Commercial data

| Item number                          | 1420935             |
|--------------------------------------|---------------------|
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | BF57                |
| Product key                          | BF7APL              |
| Catalog page                         | Page 636 (C-2-2019) |
| GTIN                                 | 4055626249346       |
| Weight per piece (including packing) | 110.6 g             |
| Weight per piece (excluding packing) | 110 g               |
| Customs tariff number                | 85389099            |
| Country of origin                    | PL                  |



https://www.phoenixcontact.com/us/products/1420935



### Technical data

#### Notes

| General fo | for contact inserts HC-B24, BB46, D64, DD108, M, K, HV10 |
|------------|--|
|------------|--|

### Product properties

| Туре                 | B24                        |
|----------------------|----------------------------|
| Product type         | Housing with locking latch |
| Application          | Standard                   |
| No. of cable outlets | 1                          |
| Housing type         | Sleeve housing             |
| Shielded             | no                         |
| Cable outlet         | straight                   |
| Pg screw connection  | none                       |

#### **Dimensions**

| Dimensional drawing | 120 45.8 - 55 |
|---------------------|---------------|
| Width               | 43.8 mm       |
| Height              | 63 mm         |
| Length              | 120 mm        |

### Material specifications

| Flammability rating according to UL 94 | V0 (Housing) |
|--|--------------|
| Impact strength                        | IK09         |
| Housing material                       | PA           |

### Mechanical properties

| Mechanical data |
|-----------------|
|-----------------|

| Locking type | Pin |
|--------------|-----|
|              |     |

### Mounting

| Assembly instructions | The sleeve base housing must be supplemented with the EVO screw connection. The EVO screw connection is available in 4                         |
|-----------------------|--|
|                       | sizes. It enables the creation of a straight or a lateral cable outlet.  The EVO screw connection is assembled by hand or using a pipe wrench. |

### Environmental and real-life conditions

#### Ambient conditions

| Degree of protection | IP66 |
|----------------------|------|
|----------------------|------|



1420935

https://www.phoenixcontact.com/us/products/1420935

| Degree of protection (NEMA)     | 12 (UL 50e)   |
|---------------------------------|---------------|
| Impact strength                 | IK09          |
| Ambient temperature (operation) | -40 °C 125 °C |


1420935


https://www.phoenixcontact.com/us/products/1420935



### Drawings

### Dimensional drawing





Dimensional drawing



1420935

https://www.phoenixcontact.com/us/products/1420935

### **Approvals**

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1420935

DNV

Approval ID: TAE000037S



**cUL Recognized**Approval ID: E255026



**UL Recognized**Approval ID: E255026



**EAC** 

Approval ID: RU C-DE.Al30.B.01102



EAC

Approval ID: RU C-DE.BL08.B.00511

cULus Recognized



1420935

https://www.phoenixcontact.com/us/products/1420935

### Classifications

UNSPSC 21.0

### **ECLASS**

| ECLA   | ASS-11.0 | 27440202 |
|--------|----------|----------|
| ECLA   | ASS-12.0 | 27440202 |
| ECLA   | ASS-13.0 | 27440202 |
| ETIM   |          |          |
| ETIM   | 8.0      | EC000437 |
| UNSPSC |          |          |

31261500



https://www.phoenixcontact.com/us/products/1420935



### Environmental product compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
|            | No hazardous substances above threshold values          |



1420935

https://www.phoenixcontact.com/us/products/1420935

#### Accessories

### HC-B-G-M20-PLRBK - Cable gland

1407669

https://www.phoenixcontact.com/us/products/1407669



EVO plastic cable gland with bayonet locking, for housing series B, size M20, cable diameter: 7 mm  $\dots$  13 mm

### HC-B-G-M25-PLRBK - Cable gland

1407670

https://www.phoenixcontact.com/us/products/1407670



EVO plastic cable gland with bayonet locking, for housing series B, size M25, cable diameter: 9 mm  $\dots$  17 mm



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-G-M32-PLRBK - Cable gland

1407671

https://www.phoenixcontact.com/us/products/1407671



EVO plastic cable gland with bayonet locking, for housing series B, size M32, cable diameter: 11 mm  $\dots$  21 mm

### HC-B-G-M40-PLRBK - Cable gland

1407672

https://www.phoenixcontact.com/us/products/1407672



EVO plastic cable gland with bayonet locking, for housing series B, size M40, cable diameter: 19  $\dots$  28 mm



1420935

https://www.phoenixcontact.com/us/products/1420935

#### US-EMP (20X9) - Snap-in markers

0829439

https://www.phoenixcontact.com/us/products/0829439



Snap-in markers, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snapped, lettering field size: 20 x 9 mm, Number of individual labels: 70

#### HC-B24-HCWD-PLR-BK - Protective cover

1346552

https://www.phoenixcontact.com/us/products/1346552



Protective cover B24, with double locking latch, protective cover material: PC, height: 25.4 mm, seal: yes




1420935

https://www.phoenixcontact.com/us/products/1420935

### US-EMP (20X9) CUS - Snap-in markers

0830028

https://www.phoenixcontact.com/us/products/0830028





#### HC-B-TA-M40-PLR-BK - Adapter

1414246

https://www.phoenixcontact.com/us/products/1414246



Plastic thread adapter with bayonet lock, for EVO housing series B, M40 thread



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-TA-M32-PLR-BK - Adapter

1414245

https://www.phoenixcontact.com/us/products/1414245



Plastic thread adapter with bayonet lock, for EVO housing series B, M32 thread

### HC-B-TA-M25-PLR-BK - Adapter

1414244

https://www.phoenixcontact.com/us/products/1414244



Plastic thread adapter with bayonet lock, for EVO housing series B, M25 thread



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-TA-M20-PLR-BK - Adapter

1414243

https://www.phoenixcontact.com/us/products/1414243



Plastic thread adapter with bayonet lock, for EVO housing series B, M20 thread

### HC-B-TA-PG29-PLR-BK - Adapter

1414250

https://www.phoenixcontact.com/us/products/1414250



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg29 thread



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-TA-PG21-PLR-BK - Adapter

1414249

https://www.phoenixcontact.com/us/products/1414249



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg21 thread

### HC-B-TA-PG16-PLR-BK - Adapter

1414248

https://www.phoenixcontact.com/us/products/1414248



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg16 thread



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-TA-PG13-PLR-BK - Adapter

1414247

https://www.phoenixcontact.com/us/products/1414247



Plastic thread adapter with bayonet lock, for EVO housing series B, Pg13.5 thread

### HC-B-TA-NPT-1 1/4-PLR-BK - Adapter

1414254

https://www.phoenixcontact.com/us/products/1414254



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1 1/4" thread



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-TA-NPT-1/1-PLR-BK - Adapter

1414253

https://www.phoenixcontact.com/us/products/1414253



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/1'' thread

### HC-B-TA-NPT-3/4-PLR-BK - Adapter

1414252

https://www.phoenixcontact.com/us/products/1414252



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 3/4" thread



1420935

https://www.phoenixcontact.com/us/products/1420935

### HC-B-TA-NPT-1/2-PLR-BK - Adapter

1414251

https://www.phoenixcontact.com/us/products/1414251



Plastic thread adapter with bayonet lock, for EVO housing series B, NPT 1/2" thread

### HC-B-GB-M32-PLRBK - Cable gland

1414662

https://www.phoenixcontact.com/us/products/1414662



Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with bending armor rod 1415181, M32  $\,$ 



https://www.phoenixcontact.com/us/products/1420935



#### HC-B-GB-M25-PLRBK - Cable gland

1414661

https://www.phoenixcontact.com/us/products/1414661



Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with bending armor rod 1415180, M25

#### HC-B-GB-M20-PLRBK - Cable gland

1414660

https://www.phoenixcontact.com/us/products/1414660

Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with bending armor rod 1415179, M20  $\,$ 





https://www.phoenixcontact.com/us/products/1420935



### HC-B-GTRS-M32-PLRBK - Cable gland

1414654

https://www.phoenixcontact.com/us/products/1414654

Set consisting of: EVO plastic adapter 1414245 and plastic screw connection with terminal block 1415191, M32  $\,$ 



#### HC-B-GTRS-M25-PLRBK - Cable gland

1414652

https://www.phoenixcontact.com/us/products/1414652

Set consisting of: EVO plastic adapter 1414244 and plastic screw connection with terminal block 1415190, M25





https://www.phoenixcontact.com/us/products/1420935



### HC-B-GTRS-M20-PLRBK - Cable gland

1414651

https://www.phoenixcontact.com/us/products/1414651

Set consisting of: EVO plastic adapter 1414243 and plastic screw connection with terminal block 1415189, M20



### HC-B-GM8X6,5-M40-PLTBK - Cable gland

1414646

https://www.phoenixcontact.com/us/products/1414646



EVO plastic cable gland with bayonet locking; size M40, for 8 conductors with 6. 5 mm cable diameter



https://www.phoenixcontact.com/us/products/1420935



### HC-B-GM5X8,5-M40-PLTBK - Cable gland

1414645

https://www.phoenixcontact.com/us/products/1414645



EVO plastic cable gland with bayonet locking; size M40, for 5 conductors with 8. 5 mm cable diameter

### HC-B-GM4X10-M40-PLTBK - Cable gland

1414644

https://www.phoenixcontact.com/us/products/1414644



EVO plastic cable gland with bayonet locking; size M40, for 4 conductors with 10 mm cable diameter



https://www.phoenixcontact.com/us/products/1420935



### HC-B-GM0-M40-PLTBK - Cable gland

1414643

https://www.phoenixcontact.com/us/products/1414643



EVO plastic cable gland with bayonet locking; size M40, with filler plug

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com