# 1986300-4 ✓ ACTIVE

Buchanan

TE Internal #: 1986300-4

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size

View on TE.com >

Connectors > Terminal Blocks & Strips > PCB Terminal Blocks

Terminal Block Connector Type: **Plug**

Connector System: **Wire-to-Board**

Number of Positions: **4**

Centerline (Pitch): **5 mm [.197 in]**

Number of Rows: **1**

Features

Product Type Features

Terminal Block Connector Type	Plug
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Wire Entry Location	Top
Stacking Configuration	Side Stackable
Number of Positions	4
Number of Rows	1
Wire Entry Angle	180°

Electrical Characteristics

Operating Voltage	300 VAC

Body Features

Primary Product Color	Green
Product Orientation	Vertical

1986300-4

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size

Contact Features

Contact Mating Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	16 A

Mechanical Attachment

Screw Plating Material	Zinc
Screw Material	Steel

Housing Features

Housing Material	PA 66
Centerline (Pitch)	5 mm[.197 in]

Dimensions

Wire Size	.2 – 2 mm²

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Operation/Application

Circuit Application	Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

|	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 284046-4
TERMI-BLOK VERTICAL PLUG STACK

Customers Also Bought

TE Part #34856
TERMINAL,PG R 12-10 5/16

TE Part #34163
TERMINAL,PG R 16-14 5/16

TE Part #6-1437652-7
6PCV-04-006=6PCV ASSEMBLY

TE Part #1546551-3
3P,STRAIGHT,SIDE ENTRY,3.5MM

Documents

Product Drawings
Plug, 5.0mm, Gn, Sws & WE same side, 4p

English

CAD Files
Customer View Model
ENG_CVM_1986300-4_A.3d_igs.zip

English

Customer View Model
ENG_CVM_1986300-4_A.3d_stp.zip

English

Customer View Model
ENG_CVM_1986300-4_A.2d_dxf.zip

English

3D PDF

1986300-4

PCB Terminal Blocks, Plug, Wire-to-Board, 4 Position, .197 in [5 mm] Centerline, 1 Row, 180° Wire Entry Angle, 24 – 14 AWG Wire Size

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1986300-4_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1986300-4_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1986300-4_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG

English

FRONT_STYLE_TERMINAL_BLOCK_PLUGS

English