SIEMENS

Data sheet US2:52BP3H5XB



30mm BlackMax, Epoxy Coated Corrosion Resistant Complete Metal Unit Illuminated Push-Pull Operator Transformer type, 240V AC LED Lamp Mushroom Head Cap Small 1 3/4" (44.5 mm) Metal, Black with Blue Lens 3 Position Momentary UL Listed, CSA Certified NEMA 1,3,3R,4,4X,12,13 & Automotive Standards

Enclosure number of command points delivery state as a kit No Actuator product extension optional light source material of the actuating element type of unlocking device number of switching positions 3 Front ring product component front ring design of the front ring material of the front ring color of the front ring Holder material of the holder Contact block/ lampholders socket design number of LED modules 1 General technical data product component • lamp transformer Yes	design of the product	Actuator round
delivery state as a kit Actuator product extension optional light source material of the actuating element type of unlocking device number of switching positions Front ring product component front ring design of the front ring material of the front ring color of the front ring material of the holder material of the holder material of the holder material of the holder material of the holder material of the Dolder socket design BA 9s with LED number of lampholders 1 Display number of LED modules 1 General technical data product component	Enclosure	
Actuator product extension optional light source material of the actuating element type of unlocking device number of switching positions Front ring product component front ring design of the front ring material of the front ring material of the front ring color of the front ring material of the holder material of the holder Fontact block/ lampholder socket design number of lampholders Display number of LED modules 1 General technical data product component	number of command points	1
product extension optional light source material of the actuating element type of unlocking device number of switching positions Front ring product component front ring design of the front ring material of the holder material of the holder Metal Contact block/ lampholder socket design number of lampholders Display number of LED modules 1 General technical data product component	delivery state as a kit	No
material of the actuating element type of unlocking device without number of switching positions 3 Front ring product component front ring Yes design of the front ring standard material of the front ring metal color of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design BA 9s with LED number of lampholders 1 Display number of LED modules 1 General technical data product component	Actuator	
type of unlocking device number of switching positions Front ring product component front ring design of the front ring material of the front ring color of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design number of lampholders Display number of LED modules feeding without mittout	product extension optional light source	Yes
number of switching positions Front ring product component front ring design of the front ring material of the front ring color of the front ring black Holder material of the holder Contact block/ lampholder socket design number of lampholders Display number of LED modules 1 General technical data product component	material of the actuating element	metal mushroom head with plastic lens
Front ring product component front ring design of the front ring material of the front ring metal color of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design number of lampholders Display number of LED modules General technical data product component	type of unlocking device	without
product component front ring design of the front ring material of the front ring metal color of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design number of lampholders Display number of LED modules General technical data product component	number of switching positions	3
design of the front ring material of the front ring metal color of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design number of lampholders Display number of LED modules General technical data product component	Front ring	
material of the front ring black Holder material of the holder Metal Contact block/ lampholder socket design BA 9s with LED number of lampholders 1 Display number of LED modules 1 General technical data product component	product component front ring	Yes
color of the front ring Holder material of the holder Metal Contact block/ lampholder socket design number of lampholders Display number of LED modules General technical data product component	design of the front ring	standard
Holder material of the holder Contact block/ lampholder socket design number of lampholders Display number of LED modules General technical data product component	material of the front ring	metal
material of the holder Contact block/ lampholder socket design number of lampholders Display number of LED modules 1 General technical data product component	color of the front ring	black
Contact block/ lampholder socket design BA 9s with LED number of lampholders 1 Display number of LED modules 1 General technical data product component	Holder	
socket design number of lampholders 1 Display number of LED modules 1 General technical data product component	material of the holder	Metal
number of lampholders Display number of LED modules 1 General technical data product component	Contact block/ lampholder	
Display number of LED modules 1 General technical data product component	socket design	BA 9s with LED
number of LED modules 1 General technical data product component	number of lampholders	1
General technical data product component	Display	
product component	number of LED modules	1
	General technical data	
• lamp transformer Yes	product component	
	 lamp transformer 	Yes
• light source Yes	• light source	Yes
degree of pollution 1	degree of pollution	1
type of voltage	type of voltage	
• of the operating voltage AC	 of the operating voltage 	AC
• of the input voltage AC	of the input voltage	AC
surge voltage resistance rated value 4 kV	surge voltage resistance rated value	4 kV
protection class IP IP66	protection class IP	IP66
• of the terminal IP20	of the terminal	IP20
Supply voltage	Supply voltage	
type of voltage of the supply voltage of the light source AC	type of voltage of the supply voltage of the light source	AC
supply voltage of the light source at AC at 60 Hz	supply voltage of the light source at AC at 60 Hz	
• rated value 6 V	1919	6 V
Inputs/ Outputs	Inputs/ Outputs	
output voltage 1 of the lamp transformer rated value 6 V	output voltage 1 of the lamp transformer rated value	6 V
Connections/ Terminals		
type of electrical connection screw-type terminals	type of electrical connection	screw-type terminals

Screw-type terminal		
20 N·m		
8 8 lbf-in		
LED		
blue		
Safety related data		
finger-safe		
-35 +70 °C		
-40 +85 °C		
round		

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=US2:52BP3H5XB

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=US2:52BP3H5XB

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/US2:52BP3H5XB

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=US2:52BP3H5XB&lang=en

last modified:	5/31/2021 🖸