

VIEW ON MATING SIDE

C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	

8 7 6 5 4 3 2 1 2 3 4 5 6 7 8

- A = 32 CONTACTS L-2,8
- B = 32 CONTACTS L-2,8
- C = 32 CONTACTS L-2,8

S = 96 TOTAL NUMBER OF CONTACTS

Marking	Standard
Performance level	G2/0 = Contact area level2 / Termination tin
Flux proof	no
Fixing clip	yes
Dimensions	SDA-85052-0001 sht.1
Technical Data	PS-85052-0001

C	G2/0	c1-32
B	G2/0	b1-32
A	G2/0	a1-32
Contact symbol	Perform. level	Contact position number

first release	see ECN No. 2154
LTR	REVISIONS

FOR PREVIOUS REVISIONS SEE MRI LIST

CAD/CAM PROJECT NAME S8505203 S11	REVISE ONLY ON CAD SYSTEM	SH. REV.
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
TITLE 96 pos. female connector acc. DIN 41612 style R contacts arrangement	SHEET NO. DATE 1 OF 1 96/06/14	SIZE A
MOLEX	MOLEX EUROPE	DWG NO. SDA-85052-0311
PART NO. 85052-0311		

UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR $\pm 2^\circ$	DRWG BY Cca	SIGN
INCH METRIC	CHK'D BY KN	SIGN
3 PLACE \pm . \pm	APP'D BY	SIGN
2 PLACE \pm . \pm		
1 PLACE \pm . \pm	SCALE	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DESIGN DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN.	EQUIVALENT DIMENSION <input type="checkbox"/> MM <input type="checkbox"/> IN.
IF TWO DIMENSIONS ARE SHOWN, THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY		