

ITEM	DESCRIPTION
1	SCREW
2	TYPE C COVER
3	PCB
4	TYPE C INSERT
5	TYPE C GASKET
6	GROMMET
7	EXTERNAL NUT

S25200NC410T**

SERIES _____
 S25= EXTERNAL THREAD FORM C
 POLES _____
 2= 2 POLE
 THREAD _____
 00 = EXTERNAL THREAD
 MATERIAL AND HOUSING COLOR _____
 G= PA6 GRAY, N= PA6 BLACK, W= PA6 BLACK V0,
 B= WHITE, T= TRANSPARENT
 CIRCUIT _____
 SEE DETAILS IN CATALOGUE
 VOLTAGE _____
 SEE DETAILS IN CATALOGUE
 GROUND POSITION _____
 0= UNMOUNTED, 2= H12, 3=H3, 6 =H6 & 9= H9
 SCREW AND GASKET _____
 T= PROFILE NBR GASKET AND IP67 SCREW
 S= PROFILE SILICON GASKET AND IP67 SCREW
 NON STANDARD PACKAGING _____
 CN= BULK PACK UN-MOUNTED
 SN= BULK PACK MOUNTED
 67= NEUTRAL PACKAGING
 SA= UL LISTED

NOTES:

- FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED
- PACKAGING SPECIFICATION: PLEASE SEE PK-121201-001
- PRODUCT SPECIFICATION: PLEASE SEE PS-121201-001
- CABLE SIZES 3 - 5.5 MM DIAMETER
- TIGHTENING TORQUES: SEE PS-121201-001
- GROUND POSITION SHOWN H12

LAST INSPECTION NUMBER 9

UPDATED TABLE EC NO: IPG2015-1911 DRWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STURIFFEIN 2015/07/23	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY DCARTON	DATE 2010/07/22	TITLE EXTERNAL THREAD S252 SERIES 121210			
		4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.1 ±--- 1 PLACE ±0.2 ±---			CHECKED BY DMAHER	DATE 2010/07/22				
		ANGULAR ±---°			APPROVED BY EFOLAN	DATE 2010/08/09	MOLEX INCORPORATED			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLES		DOCUMENT NO. SD-121210-001			SHEET NO. 1 OF 5		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100001	S25200TA110T	TYPE C TRANSPARENT	A1	12v	RED LED
1212100002	S25200TA120T	TYPE C TRANSPARENT	A1	24v	RED LED
1212100003	S25200TA130T	TYPE C TRANSPARENT	A1	48v	RED LED
1212100004	S25200TA140T	TYPE C TRANSPARENT	A1	115v	RED LED
1212100005	S25200TA150T	TYPE C TRANSPARENT	A1	230v	RED LED
1212100006	S25200TA1A0T	TYPE C TRANSPARENT	A1	12v	GREEN LED
1212100007	S25200TA1B0T	TYPE C TRANSPARENT	A1	24v	GREEN LED
1212100008	S25200TA1C0T	TYPE C TRANSPARENT	A1	48v	GREEN LED
1212100009	S25200TA1D0T	TYPE C TRANSPARENT	A1	115v	GREEN LED
1212100010	S25200TA1E0T	TYPE C TRANSPARENT	A1	230v	GREEN LED
1212100011	S25200TA1G0T	TYPE C TRANSPARENT	A1	12v	AMBER LED
1212100012	S25200TA1H0T	TYPE C TRANSPARENT	A1	24v	AMBER LED
1212100013	S25200TA1K0T	TYPE C TRANSPARENT	A1	48v	AMBER LED
1212100014	S25200TA1L0T	TYPE C TRANSPARENT	A1	115v	AMBER LED
1212100015	S25200TA1M0T	TYPE C TRANSPARENT	A1	230v	AMBER LED
1212100452	S25200TA1H0TSA	TYPE C TRANSPARENT UL LISTED	A1	24v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100031	S25200TC410T	TYPE C TRANSPARENT	C4	12v	RED LED
1212100032	S25200TC420T	TYPE C TRANSPARENT	C4	24v	RED LED
1212100033	S25200TC430T	TYPE C TRANSPARENT	C4	48v	RED LED
1212100034	S25200TC440T	TYPE C TRANSPARENT	C4	115v	RED LED
1212100035	S25200TC450T	TYPE C TRANSPARENT	C4	230v	RED LED
1212100036	S25200TC4A0T	TYPE C TRANSPARENT	C4	12v	GREEN LED
1212100037	S25200TC4B0T	TYPE C TRANSPARENT	C4	24v	GREEN LED
1212100038	S25200TC4C0T	TYPE C TRANSPARENT	C4	48v	GREEN LED
1212100039	S25200TC4D0T	TYPE C TRANSPARENT	C4	115v	GREEN LED
1212100040	S25200TC4E0T	TYPE C TRANSPARENT	C4	230v	GREEN LED
1212100041	S25200TC4G0T	TYPE C TRANSPARENT	C4	12v	AMBER LED
1212100042	S25200TC4H0T	TYPE C TRANSPARENT	C4	24v	AMBER LED
1212100043	S25200TC4K0T	TYPE C TRANSPARENT	C4	48v	AMBER LED
1212100044	S25200TC4L0T	TYPE C TRANSPARENT	C4	115v	AMBER LED
1212100045	S25200TC4M0T	TYPE C TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100016	S25200TC310T	TYPE C TRANSPARENT	C3	12v	RED LED
1212100017	S25200TC320T	TYPE C TRANSPARENT	C3	24v	RED LED
1212100018	S25200TC330T	TYPE C TRANSPARENT	C3	48v	RED LED
1212100019	S25200TC340T	TYPE C TRANSPARENT	C3	115v	RED LED
1212100020	S25200TC350T	TYPE C TRANSPARENT	C3	230v	RED LED
1212100021	S25200TC3A0T	TYPE C TRANSPARENT	C3	12v	GREEN LED
1212100022	S25200TC3B0T	TYPE C TRANSPARENT	C3	24v	GREEN LED
1212100023	S25200TC3C0T	TYPE C TRANSPARENT	C3	48v	GREEN LED
1212100024	S25200TC3D0T	TYPE C TRANSPARENT	C3	115v	GREEN LED
1212100025	S25200TC3E0T	TYPE C TRANSPARENT	C3	230v	GREEN LED
1212100026	S25200TC3G0T	TYPE C TRANSPARENT	C3	12v	AMBER LED
1212100027	S25200TC3H0T	TYPE C TRANSPARENT	C3	24v	AMBER LED
1212100028	S25200TC3K0T	TYPE C TRANSPARENT	C3	48v	AMBER LED
1212100029	S25200TC3L0T	TYPE C TRANSPARENT	C3	115v	AMBER LED
1212100030	S25200TC3M0T	TYPE C TRANSPARENT	C3	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100046	S25200ND010T	TYPE C BLACK	D0	12v	VDR
1212100047	S25200ND020T	TYPE C BLACK	D0	24v	VDR
1212100048	S25200ND030T	TYPE C BLACK	D0	48v	VDR
1212100049	S25200ND040T	TYPE C BLACK	D0	115v	VDR
1212100050	S25200ND050T	TYPE C BLACK	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100055	S25200NE050T	TYPE C BLACK	EO	230v	DIODE





SEE SHEET 1 EC NO: IPG2015-1911 DRAWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STGRIFFIN 2015/07/23 G	QUALITY SYMBOLS DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ±.001 ±.001	3 PLACES ±.001 ±.001	2 PLACES ±0.1 ±.001	1 PLACE ±0.2 ±.001	DRAWN BY DCARTON	DATE 2010/07/22	TITLE EXTERNAL THREAD S252 SERIES 121210		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY EFOLAN	DATE 2010/08/09	MATERIAL NO. SEE TABLES		DOCUMENT NO. SD-121210-001		SHEET NO. 2 OF 5
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100111	S25200TS010T	TYPE C TRANSPARENT	S0	12v	RED LED
1212100112	S25200TS020T	TYPE C TRANSPARENT	S0	24v	RED LED
1212100113	S25200TS030T	TYPE C TRANSPARENT	S0	48v	RED LED
1212100114	S25200TS040T	TYPE C TRANSPARENT	S0	115v	RED LED
1212100115	S25200TS050T	TYPE C TRANSPARENT	S0	230v	RED LED
1212100116	S25200TS0A0T	TYPE C TRANSPARENT	S0	12v	GREEN LED
1212100117	S25200TS0B0T	TYPE C TRANSPARENT	S0	24v	GREEN LED
1212100118	S25200TS0C0T	TYPE C TRANSPARENT	S0	48v	GREEN LED
1212100119	S25200TS0D0T	TYPE C TRANSPARENT	S0	115v	GREEN LED
1212100120	S25200TS0E0T	TYPE C TRANSPARENT	S0	230v	GREEN LED
1212100121	S25200TS0G0T	TYPE C TRANSPARENT	S0	12v	AMBER LED
1212100122	S25200TS0H0T	TYPE C TRANSPARENT	S0	24v	AMBER LED
1212100123	S25200TS0K0T	TYPE C TRANSPARENT	S0	48v	AMBER LED
1212100124	S25200TS0L0T	TYPE C TRANSPARENT	S0	115v	AMBER LED
1212100125	S25200TS0M0T	TYPE C TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100151	S25200TA110TCN	TYPE C TRANSPARENT	A1	12v	RED LED
1212100152	S25200TA120TCN	TYPE C TRANSPARENT	A1	24v	RED LED
1212100153	S25200TA130TCN	TYPE C TRANSPARENT	A1	48v	RED LED
1212100154	S25200TA140TCN	TYPE C TRANSPARENT	A1	115v	RED LED
1212100155	S25200TA150TCN	TYPE C TRANSPARENT	A1	230v	RED LED
1212100156	S25200TA1A0TCN	TYPE C TRANSPARENT	A1	12v	GREEN LED
1212100157	S25200TA1B0TCN	TYPE C TRANSPARENT	A1	24v	GREEN LED
1212100158	S25200TA1C0TCN	TYPE C TRANSPARENT	A1	48v	GREEN LED
1212100159	S25200TA1D0TCN	TYPE C TRANSPARENT	A1	115v	GREEN LED
1212100160	S25200TA1E0TCN	TYPE C TRANSPARENT	A1	230v	GREEN LED
1212100161	S25200TA1G0TCN	TYPE C TRANSPARENT	A1	12v	AMBER LED
1212100162	S25200TA1H0TCN	TYPE C TRANSPARENT	A1	24v	AMBER LED
1212100163	S25200TA1K0TCN	TYPE C TRANSPARENT	A1	48v	AMBER LED
1212100164	S25200TA1L0TCN	TYPE C TRANSPARENT	A1	115v	AMBER LED
1212100165	S25200TA1M0TCN	TYPE C TRANSPARENT	A1	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100126	S25200NS110T	TYPE C BLACK	S1	12v	NO LED
1212100127	S25200NS120T	TYPE C BLACK	S1	24v	NO LED
1212100128	S25200NS130T	TYPE C BLACK	S1	48v	NO LED
1212100129	S25200NS140T	TYPE C BLACK	S1	115v	NO LED
1212100130	S25200NS150T	TYPE C BLACK	S1	230v	NO LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100166	S25200TC310TCN	TYPE C TRANSPARENT	C3	12v	RED LED
1212100167	S25200TC320TCN	TYPE C TRANSPARENT	C3	24v	RED LED
1212100168	S25200TC330TCN	TYPE C TRANSPARENT	C3	48v	RED LED
1212100169	S25200TC340TCN	TYPE C TRANSPARENT	C3	115v	RED LED
1212100170	S25200TC350TCN	TYPE C TRANSPARENT	C3	230v	RED LED
1212100171	S25200TC3A0TCN	TYPE C TRANSPARENT	C3	12v	GREEN LED
1212100172	S25200TC3B0TCN	TYPE C TRANSPARENT	C3	24v	GREEN LED
1212100173	S25200TC3C0TCN	TYPE C TRANSPARENT	C3	48v	GREEN LED
1212100174	S25200TC3D0TCN	TYPE C TRANSPARENT	C3	115v	GREEN LED
1212100175	S25200TC3E0TCN	TYPE C TRANSPARENT	C3	230v	GREEN LED
1212100176	S25200TC3G0TCN	TYPE C TRANSPARENT	C3	12v	AMBER LED
1212100177	S25200TC3H0TCN	TYPE C TRANSPARENT	C3	24v	AMBER LED
1212100178	S25200TC3K0TCN	TYPE C TRANSPARENT	C3	48v	AMBER LED
1212100179	S25200TC3L0TCN	TYPE C TRANSPARENT	C3	115v	AMBER LED
1212100180	S25200TC3M0TCN	TYPE C TRANSPARENT	C3	230v	AMBER LED

SEE SHEET 1 EC NO: IFC2015-1911 DRWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STIGLIEFFIN 2015/07/23	QUALITY SYMBOLS  = 0  = 0.1	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± 0.1</td> <td>± 0.004</td> </tr> <tr> <td>3 PLACES</td> <td>± 0.15</td> <td>± 0.006</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.2</td> <td>± 0.008</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± 0.010</td> </tr> </table>		mm	INCH	4 PLACES	± 0.1	± 0.004	3 PLACES	± 0.15	± 0.006	2 PLACES	± 0.2	± 0.008	1 PLACE	± 0.25	± 0.010	DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		mm	INCH																		
	4 PLACES	± 0.1	± 0.004																		
	3 PLACES	± 0.15	± 0.006																		
2 PLACES	± 0.2	± 0.008																			
1 PLACE	± 0.25	± 0.010																			
DESCRIPTION DRAWN BY: DCARTON CHECKED BY: DMAHER APPROVED BY: EFOLAN	DATE 2010/07/22 2010/07/22 2010/08/09	TITLE EXTERNAL THREAD S252 SERIES 121210	 MOLEX INCORPORATED																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLES	MATERIAL NO. SD-121210-001	DOCUMENT NO. SD-121210-001	SHEET NO. 3 OF 5	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
REV G	DESCRIPTION SEE SHEET 1																				

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100181	S25200TC410TCN	TYPE C TRANSPARENT	C4	12v	RED LED
1212100182	S25200TC420TCN	TYPE C TRANSPARENT	C4	24v	RED LED
1212100183	S25200TC430TCN	TYPE C TRANSPARENT	C4	48v	RED LED
1212100184	S25200TC440TCN	TYPE C TRANSPARENT	C4	115v	RED LED
1212100185	S25200TC450TCN	TYPE C TRANSPARENT	C4	230v	RED LED
1212100186	S25200TC4A0TCN	TYPE C TRANSPARENT	C4	12v	GREEN LED
1212100187	S25200TC4B0TCN	TYPE C TRANSPARENT	C4	24v	GREEN LED
1212100188	S25200TC4C0TCN	TYPE C TRANSPARENT	C4	48v	GREEN LED
1212100189	S25200TC4D0TCN	TYPE C TRANSPARENT	C4	115v	GREEN LED
1212100190	S25200TC4E0TCN	TYPE C TRANSPARENT	C4	230v	GREEN LED
1212100191	S25200TC4G0TCN	TYPE C TRANSPARENT	C4	12v	AMBER LED
1212100192	S25200TC4H0TCN	TYPE C TRANSPARENT	C4	24v	AMBER LED
1212100193	S25200TC4K0TCN	TYPE C TRANSPARENT	C4	48v	AMBER LED
1212100194	S25200TC4L0TCN	TYPE C TRANSPARENT	C4	115v	AMBER LED
1212100195	S25200TC4M0TCN	TYPE C TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100206	S25200TS010TCN	TYPE C TRANSPARENT	S0	12v	RED LED
1212100207	S25200TS020TCN	TYPE C TRANSPARENT	S0	24v	RED LED
1212100208	S25200TS030TCN	TYPE C TRANSPARENT	S0	48v	RED LED
1212100209	S25200TS040TCN	TYPE C TRANSPARENT	S0	115v	RED LED
1212100210	S25200TS050TCN	TYPE C TRANSPARENT	S0	230v	RED LED
1212100211	S25200TS0A0TCN	TYPE C TRANSPARENT	S0	12v	GREEN LED
1212100212	S25200TS0B0TCN	TYPE C TRANSPARENT	S0	24v	GREEN LED
1212100213	S25200TS0C0TCN	TYPE C TRANSPARENT	S0	48v	GREEN LED
1212100214	S25200TS0D0TCN	TYPE C TRANSPARENT	S0	115v	GREEN LED
1212100215	S25200TS0E0TCN	TYPE C TRANSPARENT	S0	230v	GREEN LED
1212100216	S25200TS0G0TCN	TYPE C TRANSPARENT	S0	12v	AMBER LED
1212100217	S25200TS0H0TCN	TYPE C TRANSPARENT	S0	24v	AMBER LED
1212100218	S25200TS0K0TCN	TYPE C TRANSPARENT	S0	48v	AMBER LED
1212100219	S25200TS0L0TCN	TYPE C TRANSPARENT	S0	115v	AMBER LED
1212100220	S25200TS0M0TCN	TYPE C TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100196	S25200ND010TCN	TYPE C BLACK	D0	12v	VDR
1212100197	S25200ND020TCN	TYPE C BLACK	D0	24v	VDR
1212100198	S25200ND030TCN	TYPE C BLACK	D0	48v	VDR
1212100199	S25200ND040TCN	TYPE C BLACK	D0	115v	VDR
1212100200	S25200ND050TCN	TYPE C BLACK	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100221	S25200NS110TCN	TYPE C BLACK	S1	12v	NO LED
1212100222	S25200NS120TCN	TYPE C BLACK	S1	24v	NO LED
1212100223	S25200NS130TCN	TYPE C BLACK	S1	48v	NO LED
1212100224	S25200NS140TCN	TYPE C BLACK	S1	115v	NO LED
1212100225	S25200NS150TCN	TYPE C BLACK	S1	230v	NO LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100205	S25200NE050TCN	TYPE C BLACK	E0	230v	DIODE

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100301	S25200TA112TSN	TYPE C TRANSPARENT	A1	12v	RED LED
1212100302	S25200TA122TSN	TYPE C TRANSPARENT	A1	24v	RED LED
1212100303	S25200TA132TSN	TYPE C TRANSPARENT	A1	48v	RED LED
1212100304	S25200TA142TSN	TYPE C TRANSPARENT	A1	115v	RED LED
1212100305	S25200TA152TSN	TYPE C TRANSPARENT	A1	230v	RED LED
1212100306	S25200TA1A2TSN	TYPE C TRANSPARENT	A1	12v	GREEN LED
1212100307	S25200TA1B2TSN	TYPE C TRANSPARENT	A1	24v	GREEN LED
1212100308	S25200TA1C2TSN	TYPE C TRANSPARENT	A1	48v	GREEN LED
1212100309	S25200TA1D2TSN	TYPE C TRANSPARENT	A1	115v	GREEN LED
1212100310	S25200TA1E2TSN	TYPE C TRANSPARENT	A1	230v	GREEN LED
1212100311	S25200TA1G2TSN	TYPE C TRANSPARENT	A1	12v	AMBER LED
1212100312	S25200TA1H2TSN	TYPE C TRANSPARENT	A1	24v	AMBER LED
1212100313	S25200TA1K2TSN	TYPE C TRANSPARENT	A1	48v	AMBER LED
1212100314	S25200TA1L2TSN	TYPE C TRANSPARENT	A1	115v	AMBER LED
1212100315	S25200TA1M2TSN	TYPE C TRANSPARENT	A1	230v	AMBER LED

SEE SHEET 1 EC NO: IFC2015-1911 DRWN:BCAFFREY 2015/05/06 CHKD:DMAHER 2015/06/15 APPR:STGLIFFIN 2015/07/23 G	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .0004</td> </tr> <tr> <td>3 PLACES</td> <td>± .008</td> <td>± .0003</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.1</td> <td>± .0039</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.2</td> <td>± .0079</td> </tr> <tr> <td colspan="3">ANGULAR ± .005°</td> </tr> </table>		mm	INCH	4 PLACES	± .005	± .0004	3 PLACES	± .008	± .0003	2 PLACES	± 0.1	± .0039	1 PLACE	± 0.2	± .0079	ANGULAR ± .005°			DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH																					
		4 PLACES	± .005	± .0004																					
		3 PLACES	± .008	± .0003																					
2 PLACES	± 0.1	± .0039																							
1 PLACE	± 0.2	± .0079																							
ANGULAR ± .005°																									
DRAWN BY: DCARTON DATE: 2010/07/22 CHECKED BY: DMAHER DATE: 2010/07/22 APPROVED BY: EFOLAN DATE: 2010/08/09			TITLE EXTERNAL THREAD S252 SERIES 121210		MOLEX INCORPORATED																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. SEE TABLES		DOCUMENT NO. SD-121210-001																				
			SIZE A2		SHEET NO. 4 OF 5																				

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100316	S25200TC312TSN	TYPE C TRANSPARENT	C3	12v	RED LED
1212100317	S25200TC322TSN	TYPE C TRANSPARENT	C3	24v	RED LED
1212100318	S25200TC332TSN	TYPE C TRANSPARENT	C3	48v	RED LED
1212100319	S25200TC342TSN	TYPE C TRANSPARENT	C3	115v	RED LED
1212100320	S25200TC352TSN	TYPE C TRANSPARENT	C3	230v	RED LED
1212100321	S25200TC3A2TSN	TYPE C TRANSPARENT	C3	12v	GREEN LED
1212100322	S25200TC3B2TSN	TYPE C TRANSPARENT	C3	24v	GREEN LED
1212100323	S25200TC3C2TSN	TYPE C TRANSPARENT	C3	48v	GREEN LED
1212100324	S25200TC3D2TSN	TYPE C TRANSPARENT	C3	115v	GREEN LED
1212100325	S25200TC3E2TSN	TYPE C TRANSPARENT	C3	230v	GREEN LED
1212100326	S25200TC3G2TSN	TYPE C TRANSPARENT	C3	12v	AMBER LED
1212100327	S25200TC3H2TSN	TYPE C TRANSPARENT	C3	24v	AMBER LED
1212100328	S25200TC3K2TSN	TYPE C TRANSPARENT	C3	48v	AMBER LED
1212100329	S25200TC3L2TSN	TYPE C TRANSPARENT	C3	115v	AMBER LED
1212100330	S25200TC3M2TSN	TYPE C TRANSPARENT	C3	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100346	S25200ND012TSN	TYPE C BLACK	D0	12v	VDR
1212100347	S25200ND022TSN	TYPE C BLACK	D0	24v	VDR
1212100348	S25200ND032TSN	TYPE C BLACK	D0	48v	VDR
1212100349	S25200ND042TSN	TYPE C BLACK	D0	115v	VDR
1212100350	S25200ND052TSN	TYPE C BLACK	D0	230v	VDR

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100355	S25200NE052TSN	TYPE C BLACK	EO	230v	DIODE

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100331	S25200TC412TSN	TYPE C TRANSPARENT	C4	12v	RED LED
1212100332	S25200TC422TSN	TYPE C TRANSPARENT	C4	24v	RED LED
1212100333	S25200TC432TSN	TYPE C TRANSPARENT	C4	48v	RED LED
1212100334	S25200TC442TSN	TYPE C TRANSPARENT	C4	115v	RED LED
1212100335	S25200TC452TSN	TYPE C TRANSPARENT	C4	230v	RED LED
1212100336	S25200TC4A2TSN	TYPE C TRANSPARENT	C4	12v	GREEN LED
1212100337	S25200TC4B2TSN	TYPE C TRANSPARENT	C4	24v	GREEN LED
1212100338	S25200TC4C2TSN	TYPE C TRANSPARENT	C4	48v	GREEN LED
1212100339	S25200TC4D2TSN	TYPE C TRANSPARENT	C4	115v	GREEN LED
1212100340	S25200TC4E2TSN	TYPE C TRANSPARENT	C4	230v	GREEN LED
1212100341	S25200TC4G2TSN	TYPE C TRANSPARENT	C4	12v	AMBER LED
1212100342	S25200TC4H2TSN	TYPE C TRANSPARENT	C4	24v	AMBER LED
1212100343	S25200TC4K2TSN	TYPE C TRANSPARENT	C4	48v	AMBER LED
1212100344	S25200TC4L2TSN	TYPE C TRANSPARENT	C4	115v	AMBER LED
1212100345	S25200TC4M2TSN	TYPE C TRANSPARENT	C4	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100356	S25200TS012TSN	TYPE C TRANSPARENT	S0	12v	RED LED
1212100357	S25200TS022TSN	TYPE C TRANSPARENT	S0	24v	RED LED
1212100358	S25200TS032TSN	TYPE C TRANSPARENT	S0	48v	RED LED
1212100359	S25200TS042TSN	TYPE C TRANSPARENT	S0	115v	RED LED
1212100360	S25200TS052TSN	TYPE C TRANSPARENT	S0	230v	RED LED
1212100361	S25200TS0A2TSN	TYPE C TRANSPARENT	S0	12v	GREEN LED
1212100362	S25200TS0B2TSN	TYPE C TRANSPARENT	S0	24v	GREEN LED
1212100363	S25200TS0C2TSN	TYPE C TRANSPARENT	S0	48v	GREEN LED
1212100364	S25200TS0D2TSN	TYPE C TRANSPARENT	S0	115v	GREEN LED
1212100365	S25200TS0E2TSN	TYPE C TRANSPARENT	S0	230v	GREEN LED
1212100366	S25200TS0G2TSN	TYPE C TRANSPARENT	S0	12v	AMBER LED
1212100367	S25200TS0H2TSN	TYPE C TRANSPARENT	S0	24v	AMBER LED
1212100368	S25200TS0K2TSN	TYPE C TRANSPARENT	S0	48v	AMBER LED
1212100369	S25200TS0L2TSN	TYPE C TRANSPARENT	S0	115v	AMBER LED
1212100370	S25200TS0M2TSN	TYPE C TRANSPARENT	S0	230v	AMBER LED

Part No	MPM Part No	DESCRIPTION	CIRCUIT	VOLTAGE	INDICATOR
1212100371	S25200NS112TSN	TYPE C BLACK	S1	12v	NO LED
1212100372	S25200NS122TSN	TYPE C BLACK	S1	24v	NO LED
1212100373	S25200NS132TSN	TYPE C BLACK	S1	48v	NO LED
1212100374	S25200NS142TSN	TYPE C BLACK	S1	115v	NO LED
1212100375	S25200NS152TSN	TYPE C BLACK	S1	230v	NO LED

<p>SEE SHEET 1</p> <p>EC NO: IFC2015-1911</p> <p>DRWN:BCAFFREY 2015/05/06</p> <p>CHKD:DMAHER 2015/06/15</p> <p>APPR:STGRIFFIN 2015/07/23</p> <p>REV</p>	<p>QUALITY SYMBOLS</p> <p>▽=0</p> <p>▽=0</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM ONLY	1:1	METRIC		
				DRAWN BY	DATE	TITLE		
				DCARTON	2010/07/22	EXTERNAL THREAD S252 SERIES 121210		
		CHECKED BY	DATE	MATERIAL NO.				
		DMAHER	2010/07/22	SD-121210-001				
		APPROVED BY	DATE	DOCUMENT NO.				
		EFOLAN	2010/08/09	5 OF 5				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				