


# ASI IO ME DIO 4/3 AB

Order No.: 2741668



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2741668>

Digital input/output module, degree of protection IP20, 4 digital inputs, 24 V DC, 3 digital outputs, 24 V DC, COMBICON plugs included

Commercial data	
GTIN (EAN)	 4 017918 915261
sales group	L113
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 393 (AX-2009)

### Product notes

WEEE/RoHS-compliant since:  
11/29/2010



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

AS-Interface	
Slave type	A/B slave
AS-i specification	2.1
IO code	7
ID1 code	7

ID2 code	0
ID code (hex)	A
ID code (dec.)	10
AS-i profile	S-7.A.0
Required master specification	>= 2.0

#### General data

Width	22.5 mm
Height	102 mm
Depth	105 mm

#### Certificates / Approvals



Certification CUL Listed, UL Listed

Certification Ex: CUL-EX LIS, UL-EX LIS

#### Accessories

Item	Designation	Description
------	-------------	-------------

##### Cable/conductor

2741341	ASI CC ADR CAB CINCH	Cinch connecting cable, for addressing FLX ASI M12 devices
---------	----------------------	--

##### Handheld operator panel

2741338	ASI CC ADR	Manual addressing device, for AS-i modules
---------	------------	--

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;