


### EUROCARD

TE Internal #: 148452-5 Eurocard Connectors, Receptacle, Board-to-Board, 160 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 5 Row, Vertical, 32 Column

#### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Receptacle Connector System: Board-to-Board Termination Post & Tail Length: 6 mm [.236 in ] Number of Positions: 160 Centerline (Pitch): 2.54 mm [.1 in ]

# Features



# **Product Type Features**

| Connector & Housing Type                                | Receptacle                    |
|---|-------------------------------|
| Connector System  | Board-to-Board                |
| Connector & Contact Terminates To                       | Printed Circuit Board         |
| DIN Level   | II                            |
| Configuration Features                                  |                               |
| Number of Positions                                     | 160                           |
| Number of Rows  | 5                             |
| PCB Mount Orientation                                   | Vertical                      |
| Number of Columns                                       | 32                            |
| Number of Signal Positions                              | 96                            |
| Rows Loaded   | Fully Loaded                  |
| Contact Features  |                               |
| PCB Contact Termination Area Plating Material Thickness | 2.54 – 7.62 μm[100 – 300 μin] |
| Contact Layout  | Matrix                        |

**C** For support call+1 800 522 6752

# 148452-5

Eurocard Connectors, Receptacle, Board-to-Board, 160 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 5 Row, Vertical, 32 Column



| Contact Type                                  | Receptacle               |
|---|--------------------------|
| PCB Contact Termination Area Plating Material | Tin-Lead                 |
| Contact Base Material                         | Phosphor Bronze          |
| Contact Current Rating (Max)                  | 3 A                      |
| Termination Features                          |                          |
| Termination Method to Printed Circuit Board   | Through Hole - Press-Fit |
| Termination Post & Tail Length                | 6 mm[.236 in]            |
| Mechanical Attachment                         |                          |
| Connector Mounting Type                       | Board Mount              |
| Housing Features                              |                          |
| Centerline (Pitch)                            | 2.54 mm[.1 in]           |
| Dimensions                                    |                          |
| Connector Length                              | 94 mm[3.7 in]            |
| Connector Height                              | 11.51 mm[.45 in]         |
| Connector Width                               | 15.88 mm[.625 in]        |
| PCB Thickness (Recommended)                   | 1.57 mm[.062 in]         |
| Row-to-Row Spacing                            | 2.54 mm[.1 in]           |
|   |                          |

# Usage Conditions

| Operating Temperature Range   | -55 – 105 °C[-67 – 221 °F]                 |
|---|--|
| Operation/Application   |  |
| Circuit Application   | Signal                                     |
| Packaging Features  |  |
| Packaging Method  | Box  |
|   |  |
| Product Compliance<br>For compliance documentation, visit the product page on TE.com>           |  |
| •   | Not Compliant                              |
| For compliance documentation, visit the product page on TE.com>                                 | Not Compliant<br>Compliant with Exemptions |
| For compliance documentation, visit the product page on TE.com><br>EU RoHS Directive 2011/65/EU | ·  |

# 148452-5

Eurocard Connectors, Receptacle, Board-to-Board, 160 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 5 Row, Vertical, 32 Column



SVHC > Threshold:

Pb (13% in Component Part)

#### Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Halogen Content

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




# Customers Also Bought



# 148452-5

Eurocard Connectors, Receptacle, Board-to-Board, 160 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 5 Row, Vertical, 32 Column





# Documents

# Product Drawings 160 ENH EURO LONG REC 6MM ASSY

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_148452-5\_C.2d\_dxf.zip

English

# 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_148452-5\_C.3d\_igs.zip

English

Customer View Model

# ENG\_CVM\_CVM\_148452-5\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages High Speed Backplane Connectors catalog - MULTIGIG RT Connector

English

Product Specifications Application Specification

English