




VERSION B




DETAIL 1



VERSION A



DETAIL 1
Scale 10:1



NOTE 6

ENG No.	HOUSING SIZE	VERSION	HOUSING ENG.No.	MODULE ENG.No.	BLANK SHIELD ENG.No.	HOUSING WITH MODULE ENG.No.	PLASTIC COVER ENG.No.	PACKAGING SPEC
95622-4883	8	A	95622-9883	95506-5189	95121-0006	95622-6803	95631-0881	PK-95122-002
95622-4884		B						PK-95122-003
95622-4885		A						PK-95122-002

NOTES:

- MODULE AND SHIELD PUSH OUT FORCE 20 NEWTONS (4.40 lbs) MIN.
- CUTTING BURRS NOT PERMISSABLE, TERMINALS MUST MOVE FREELY BETWEEN SEPARATING RIBS.
- GOLD PLATING ON THIS SURFACE
- COPLANARITY OF COLDER TAILS 0.10MAX
- PACKAGING SPECIFICATION: SEE CHART (BLISTER ON REEL)
- IMPRINT FOR P/N: 95622-4885 WITH INK-LETTERS: "MOLEX*P/N: *95622-4885" *WW(WEEK / YY(YEAR))

CORRECTED PKG SPEC EC NO: E2007-0335 2006/11/09 DRWN:DBYRNES 2006/11/09 CHKD: APPR:EOMAHONY 2006/11/13	QUALITY SYMBOLS ▽=4 ▽=3	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .006 2 PLACES ± 0.15 ± .010 1 PLACE ± 0.25 ± ---	mm INCH	DRAWN BY DBYRNES	DATE 2006/07/27	TITLE FULLY SHIELDED R/A ASSY MODULAR JACK 8 CIRCUIT			
		ANGULAR ± 2 °		CHECKED BY DBYRNES	DATE 2006/07/28	MOLEX MOLEX INCORPORATED			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY EOMAHONY	DATE 2006/07/28	MATERIAL NO. SEE CHART	DOCUMENT NO. E-95622-006	SHEET NO. 1 OF 1	