

Philips screwdriver - SF-PZ 2-100 - 1212564

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Screwdriver, PZ crosshead (lasered), uninsulated, size: PZ 2 x 150, 2-component grip, with non-slip grip



Product Features

- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head



Key commercial data

| | |
|--------------------------------------|----------------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 100.0 GRM |
| Custom tariff number | 82054000 |
| Country of origin | Czech Republic |

Technical data

Dimensions

| | |
|--------------|--------|
| Length (b) | 205 mm |
| Width (a) | 37 mm |
| Blade height | 100 mm |

General

| | |
|---------------|--------------------|
| Design | Phillips |
| Type | Straight |
| Material | Alloyed tool steel |
| Test standard | DIN ISO 8764-1 |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 21040401 |
|------------|----------|

Philips screwdriver - SF-PZ 2-100 - 1212564

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.1 | 21040401 |
| eCl@ss 5.0 | 21040401 |
| eCl@ss 5.1 | 21040401 |
| eCl@ss 6.0 | 21040401 |
| eCl@ss 7.0 | 21040409 |
| eCl@ss 8.0 | 21040409 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC000144 |
| ETIM 5.0 | EC000144 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 27111701 |
| UNSPSC 7.0901 | 27111701 |
| UNSPSC 11 | 27111701 |
| UNSPSC 12.01 | 27111701 |
| UNSPSC 13.2 | 27111701 |

Approvals

Approvals


Approvals

GOST

Ex Approvals

Approvals submitted

Approval details

| |
|--|
| GOST  |
|--|

Drawings

Philips screwdriver - SF-PZ 2-100 - 1212564

Pictogram

