

Data sheet | Item number: 2106-1392

End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks;
orange



www.wago.com/2106-1392



Data

Physical data

Width	1 mm / 0.039 inches
Height	90.8 mm / 3.575 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	32.9 mm / 1.295 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Weight	2.9 g

Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143745413
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block

Item no.: 2106-1301

3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 6 mm ² ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray	www.wago.com/2106-1301
--	--

Item no.: 2106-1304

3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 6 mm ² ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE	www.wago.com/2106-1304
--	--

Subject to changes. Please also observe the further product documentation!



CLAMP®; 6,00 mm²; blue

Item no.: 2106-53013-conductor through terminal block; with lever and push-button; 6 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; gray www.wago.com/2106-5301**Item no.: 2106-5304**3-conductor through terminal block; with lever and push-button; 6 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; blue www.wago.com/2106-5304

Ground terminal block

Item no.: 2106-13073-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 6 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; green-yellow www.wago.com/2106-1307**Item no.: 2106-5307**3-conductor ground terminal block; with lever and push-button; 6 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm²; green-yellow www.wago.com/2106-5307**Downloads****Documentation****Bid Text**

2106-1392 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
2106-1392 docx - Datei	2018 年8月8日	docx 14.6 kB	Download

Additional Informationpdf
2.3 MB [Download](#)**CAD/CAE-Data****CAD data**2D/3D Models 2106-1392 [URL](#) [Download](#)**CAE data**ZUKEN Portal 2106-1392 [URL](#) [Download](#)EPLAN Data Portal 2106-1392 [URL](#) [Download](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2106-1392

URL

Download

End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.