


TERMINYL

TE Internal #: 324052

Closed Ring Tongue Terminal, 4 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 33100 – 52600 CMA

Stud Size: 3/8

Features

Product Type Features

Ring Terminal Product Type

Closed Ring Tongue Terminal



Stud Size	3/8			
Sealable	No			
Wire Insulation Support Retention Type	Insulation Support			
Configuration Features				
Number of Holes	1			
Body Features				
Product Weight	7.693 g			
Insulation Sleeve Color	Yellow			
Stripe Color	Yellow			
Contact Features				
Barrel Type	Closed			
Terminal Orientation	Straight			
Terminal Plating Material	Tin			
Mechanical Attachment				
Wire Insulation Support	With			

C For support call+1 800 522 6752

324052

Closed Ring Tongue Terminal, 4 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Dimensions

Wire Size	33100 – 52600 CMA
Stud Diameter	9.91 mm[.39 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	47.7 mm[1.878 in]
Compatible Insulation Diameter (Max)	9.7 mm[.382 in]
Compatible Insulation Diameter Range	9.7 mm[.382 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	

		adrag		20011	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	,
--	--	-------	--	-------	---	---

Packaging Method

Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

324052

Closed Ring Tongue Terminal, 4 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



Documents

Product Drawings TERMINAL,T-N R 4 3/8

English

CAD Files 3D PDF

C For support call+1 800 522 6752

324052

Closed Ring Tongue Terminal, 4 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



3D

Customer View Model ENG_CVM_CVM_324052_N.2d_dxf.zip English **Customer View Model** ENG_CVM_CVM_324052_N.3d_igs.zip English **Customer View Model** ENG_CVM_CVM_324052_N.3d_stp.zip English 3D PDF English **Customer View Model** ENG_CVM_324052_G.3d_igs.zip English **Customer View Model** ENG_CVM_324052_G.3d_stp.zip English **Customer View Model** ENG_CVM_324052_G.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English

Standard Terminals & Splices

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English