



PRODUCT NO
SEE TABLE


REVISED		
REV	DESCRIPTION	BY
X		




2 x 5
STYLE A



2 x 7
STYLE C



2 x 5
STYLE B



2 x 6 thru 2 x 30
STYLE D

NOTES:

- 1 WELDING MATERIAL, GLASS-FILLED POLYESTER, FLAME RETARDANT PER UL 94V-0, COLOR: BLUE.
- 2 TERMINAL MATERIAL, PHOSPHOR BRONZE.
- 3 1° MAX DRAFT PERMITTED ON ALL SURFACES.
- 4 SAME TOLERANCE APPLIES TO BOTH ENDS OF EACH TERMINAL.
- 5 1.8 KG/4 LBS MIN TENSILE PULL-OUT FORCE.
- 6 .13/.050 STEP AROUND MOUNTING HOLE.
- 7 RECOMMENDED MOUNTING SCREW SIZE 00-05 FILLISTER HEAD
 4.75/.150 LONG FOR 1.54/.05 BOARD
 5.47/.20 LONG FOR 2.47/.09, 3.18/.150 BOARD
- 8 ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- 9 IF "LF" P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN 00-00-000.
- 10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES IF THEY ARE AVAILABLE.

11. plating option. maybe either Gold or GXT plating at manufacturer's option.


REV	DATE	BY	CHKD	DESCRIPTION

FCJ
www.fcjconnect.com

DATE	4/1	BY	0	CHKD	0892	QTY	2
------	-----	----	---	------	------	-----	---

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE
65692-001	2X5	24.17/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	A
-002							3.8/.15	90		
-003							17.15/.675	90		
-004							2.67/.105	90		
-005							3.8/.15	90	3.81 μ /150 μ " TIN	
-006	2X5	24.17/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	90		A
-007	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	D
-008							3.8/.15	90		
-009							17.15/.675	90		
-010							2.67/.105	90		
-011							3.8/.15	90	3.81 μ /150 μ " TIN	
-012	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200	17.15/.675	90		
-013	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-014							3.8/.15	90		
-015							17.15/.675	90		
-016							2.67/.105	90		
-017							3.8/.15	90	3.81 μ /150 μ " TIN	
-018	2X13	44.5/1.75	38.6/1.52	30.48/1.200	40.13/1.580	38.10/1.500	17.15/.675	90		
-019	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-020							3.8/.15	90		
-021							17.15/.675	90		
-022							2.67/.105	90		
-023							3.8/.15	90	3.81 μ /150 μ " TIN	
-024	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	17.15/.675	90		
-025	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	2.67/.105	90	.76 μ /30 μ "Au OVER 1.27/50 μ "Ni	
-026							3.8/.15	90		
-027							17.15/.675	90		
-028							2.67/.105	90		
-029							3.8/.15	90	3.81 μ /150 μ " TIN	
65692-030	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200	17.15/.675	90		D

REVISIONS			
REV	DESCRIPTION	BY	DATE
1			

DATE 11/1/08 ISSUE 11/1/08		CUSTOMER COPY CODE IDENT 23884		 www.fcjconnect.com
FORM XXXX		DATE 11/1/08		
OR NOT SCALE DRAWING YES		DATE 11/1/08		TITLE HEADER, QUICKIE SLID LINE, VERTICAL
OR NOT SCALE DRAWING NO		DATE 11/1/08		
TOLERANCE SHEETS REQUIRED YES NO		DATE 11/1/08		DATE 11/1/08

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS		
											REV	DESCRIPTION	BY
65692-031	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD		D			
-032							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-033							17.15/.675	SO					
-034							2.67/.105	SO					
-035							3.8/.15	SO	3.81 μ /150 μ * TIN				
-036	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO		D			
-037	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	2.67/.105	RD		C			
-038							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-039							17.15/.675	SO					
-040							2.67/.105	SO					
-041							3.8/.15	SO	3.81 μ /150 μ * TIN				
-042	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900	17.15/.675	SO		C			
-043	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	2.67/.105	RD		D			
-044							3.8/.15	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-045							17.15/.675	SO					
-046							2.67/.105	SO					
-047							3.8/.15	SO	3.81 μ /150 μ * TIN				
-048	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	17.15/.675	SO		D			
-049	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	3.8/.15	RD		A			
-050	2X10	36.8/1.45	30.9/1.22	22.86/.900	32.51/1.280	30.48/1.200				D			
-051	2X13	44.9/1.75	38.6/1.52	30.48/1.200	40.12/1.580	38.10/1.500							
-052	2X17	54.6/2.15	48.8/1.92	45.64/1.600	50.29/1.980	48.26/1.900			.75 μ /30 μ * GXT/GOLD FLASH				
-053	2X20	62.3/2.45	56.4/2.22	48.26/1.900	57.91/2.280	55.88/2.200							
-054	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700				D			
-055	2X7	29.2/1.15	23.4/.92	15.24/.600	24.89/.980	22.86/.900				C			
-056	2X8	31.8/1.25	25.9/1.02	17.78/.700	27.43/1.080	25.40/1.000	3.8/.15	RD		D			
-057	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD	.75 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-058							3.8/.15	RD					
-059							17.15/.675	SO					
-060							2.67/.105	SO					
-061							3.8/.15	SO	3.81 μ /150 μ * TIN				
-062							17.15/.675	SO					
-063							2.67/.105	RD					
-064							3.8/.15	RD	.75 μ /30 μ * GXT/GOLD FLASH				
65692-065	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO		D			

REV	DESCRIPTION	BY	DATE
1			

DATE	ISSUE	BY	DATE	CUSTOMER COPY
XXXX	XXXX	XXXX	XXXX	CODE IDENT
DO NOT SCALE DIMENSIONS		UNLESS OTHERWISE SPECIFIED	ALL DIMENSIONS ARE IN MILLIMETERS	SIZE 1/8" X 1/2"
TOLERANCES UNLESS OTHERWISE SPECIFIED		FINISH	FINISH	DATE 1/8/98
HOLE POSITION		POSITION	POSITION	DATE 1/8/98
HOLE SIZE		POSITION	POSITION	DATE 1/8/98
HOLE DIA		POSITION	POSITION	DATE 1/8/98




PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-101	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	3.8/.15	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-102	2X20	62.2/2.45	56.4/2.22	48.26/1.900	57.91/2.280	56.88/2.200	17.15/.675	SO						
-103	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	2.67/.105	RD						
-104	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	3.8/.15	RD						
-105	2X25	74.9/2.95	69.1/2.72	60.96/2.400	70.61/2.780	68.58/2.700	17.15/.675	SO						
-106	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	2.67/.105	RD						
-107	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	3.8/.15	RD						
-108	2X30	87.6/3.45	81.8/3.22	73.66/2.900	83.31/3.280	81.28/3.200	17.15/.675	SO			D			
-109	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	B			
-110							3.8/.15	RD						
-111							17.15/.675	SO						
-112							2.67/.105	SO	3.81 μ /150 μ * TIN					
-113							3.8/.15	SO						
-114							17.15/.675	SO						
-115							2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni					
-116							3.8/.15	RD						
-117							17.15/.675	SO						
-118							2.67/.105	RD	.76 μ /30 μ * GXT/GOLD FLASH					
-119							3.8/.15	RD						
65692-120	2X5	24.1/.95	18.3/.72	10.16/.400	19.81/.780	17.78/.700	17.15/.675	SO		B				
65692-121	OBSOLETE													
65692-216	OBSOLETE													
65692-217	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-218							3.81/.150	RD						
-219							17.15/.675	SO						
-220							2.67/.105	RD		.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni				
-221							3.81/.150	RD						
-222							17.15/.675	SO						
-223							2.67/.105	RD		.76 μ /30 μ * GXT/Au FLASH				
-224							3.81/.150	RD						
-225							17.15/.675	SO						
-226							2.67/.105	SO		3.81 μ /150 μ * TIN				
-227							3.81/.150	SO						
65692-228	2X12	41.9/1.65	36.1/1.42	27.94/1.100	37.59/1.480	35.56/1.400	17.15/.675	SO		D				

CUSTOMER COPY		CODE IDENT		DATE	
22886		22886		1/8/99	
FCJ		www.fcj.com		TITLE	
FCJ		www.fcj.com		HEADER, QUICKIE SLID L.I.N.E. VERTICAL	
FORM		SIZE		DATE	
1/1		D		65692	
SHEET		NO		PAGE	
6		6		6	

DATE	TIME	BY	NO	SCALE	NO	SCALE	NO	SCALE	NO	SCALE	NO	SCALE	NO	SCALE	NO	SCALE	NO	SCALE	NO	SCALE	
TABULATION SHEETS REQUIRED		NO		YES		NO		YES		NO		YES		NO		YES		NO		YES	

PRODUCT NO	SIZE	DIM A	DIM B	DIM C	DIM D	DIM E	DIM J	TERM TYPE	TERM PLATING	STYLE	REVISIONS			
											REV	DESCRIPTION	BY	DATE
65692-229	2X15	49.5/1.95	43.7/1.72	35.56/1.400	45.21/1.780	43.18/1.700	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni	D				
-230							3.81/.150	RD						
-231							17.15/.675	SO						
-232							2.67/.105	RD						
-233							3.81/.150	RD	.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni					
-234							17.15/.675	SO						
-235							2.67/.105	RD						
-236							3.81/.150	RD	.76 μ /30 μ * GXT/Au FLASH					
-237							17.15/.675	SO						
-238							2.67/.105	SO						
-239							3.81/.150	SO	3.81 μ /150 μ * TIN					
-240	2X15	49.5/1.95	43.7/1.72	35.56/1.400	45.21/1.780	43.18/1.700	17.15/.675	SO						
-241	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	2.67/.105	RD	.38 μ /15 μ *Au OVER 1.27 μ /50 μ *Ni					
-242							3.81/.150	RD						
-243							17.15/.675	SO						
-244							2.67/.105	RD						
-245							3.81/.150	RD	.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni					
-246							17.15/.675	SO						
-247							2.67/.105	RD						
-248							3.81/.150	RD	.76 μ /30 μ * GXT/Au FLASH					
-249							17.15/.675	SO						
-250							2.67/.105	SO						
-251							3.81/.150	SO	3.81 μ /150 μ * TIN					
-252	2X22	67.3/2.65	61.5/2.42	53.34/2.100	62.99/2.480	60.96/2.400	17.15/.675	SO		D				
-253	2X5	24.1/1.95	18.3/1.72	18.16/1.400	19.81/1.780	17.78/1.700	2.67/.105	SO	.76 μ /30 μ *Au OVER 1.27 μ /50 μ *Ni	A				
-254	2X10	36.8/1.45	30.9/1.22	22.86/1.900	32.51/1.280	30.48/1.200	2.67/.105	SO		D				
-255	2X17	54.6/2.15	48.8/1.92	40.64/1.600	50.29/1.980	48.26/1.900	2.67/.105	SO		D				
-256	2X5	CUSTOMER RESTRICTED ↓ CUSTOMER RESTRICTED												
-257	2X10													
-258	2X20													
-259	2X10													
-260	2X17													
-261	2X20													
-262	2X17													
65692-263	2X5													

REVISIONS			
REV	DESCRIPTION	BY	DATE
✓			

<table border="1"> <tr> <td>DATE</td> <td>TABLE</td> <td>BY</td> <td>NO</td> <td>1</td> </tr> <tr> <td>ISSUE</td> <td>NO</td> <td>NO</td> <td>NO</td> <td>NO</td> </tr> <tr> <td>SCALE</td> <td>SCALE</td> <td>SCALE</td> <td>SCALE</td> <td>SCALE</td> </tr> <tr> <td>1/8"=1"</td> <td>1/8"=1"</td> <td>1/8"=1"</td> <td>1/8"=1"</td> <td>1/8"=1"</td> </tr> </table>	DATE	TABLE	BY	NO	1	ISSUE	NO	NO	NO	NO	SCALE	SCALE	SCALE	SCALE	SCALE	1/8"=1"	1/8"=1"	1/8"=1"	1/8"=1"	1/8"=1"	<table border="1"> <tr> <td>DO NOT SCALE DIMENSIONS</td> <td>NO. OF DIMENSIONS</td> <td>DATE</td> <td>REVISED</td> </tr> <tr> <td>✓</td> <td>0</td> <td>0.000.00/00.01</td> <td>XXXXXX</td> </tr> <tr> <td>✓</td> <td>0</td> <td>0.000.00/00.000</td> <td>XXXXXX</td> </tr> <tr> <td>✓</td> <td>0</td> <td>0.000.00/00.000</td> <td>XXXXXX</td> </tr> <tr> <td>✓</td> <td>0</td> <td>0.000.00/00.000</td> <td>XXXXXX</td> </tr> </table>	DO NOT SCALE DIMENSIONS	NO. OF DIMENSIONS	DATE	REVISED	✓	0	0.000.00/00.01	XXXXXX	✓	0	0.000.00/00.000	XXXXXX	✓	0	0.000.00/00.000	XXXXXX	✓	0	0.000.00/00.000	XXXXXX	<table border="1"> <tr> <td>DATE</td> <td>BY</td> <td>NO</td> </tr> <tr> <td>1/8/98</td> <td>R. FRONT</td> <td>1/8/98</td> </tr> <tr> <td>1/8/98</td> <td>R. FRONT</td> <td>1/8/98</td> </tr> <tr> <td>1/8/98</td> <td>R. FRONT</td> <td>1/8/98</td> </tr> </table>	DATE	BY	NO	1/8/98	R. FRONT	1/8/98	1/8/98	R. FRONT	1/8/98	1/8/98	R. FRONT	1/8/98	<table border="1"> <tr> <td>CUSTOMER COPY</td> <td>CODE IDENT</td> <td>REVISE</td> </tr> <tr> <td>✓</td> <td></td> <td></td> </tr> </table>	CUSTOMER COPY	CODE IDENT	REVISE	✓			 www.fcjconnect.com	<table border="1"> <tr> <td>TITLE</td> <td>HEADER, QUICKIE SLIM LINE, VERTICAL</td> </tr> <tr> <td>SCALE</td> <td>1/1</td> </tr> <tr> <td>NO.</td> <td>D</td> </tr> <tr> <td>REV.</td> <td>65692</td> </tr> <tr> <td>DATE</td> <td>7</td> </tr> </table>	TITLE	HEADER, QUICKIE SLIM LINE, VERTICAL	SCALE	1/1	NO.	D	REV.	65692	DATE	7
DATE	TABLE	BY	NO	1																																																																					
ISSUE	NO	NO	NO	NO																																																																					
SCALE	SCALE	SCALE	SCALE	SCALE																																																																					
1/8"=1"	1/8"=1"	1/8"=1"	1/8"=1"	1/8"=1"																																																																					
DO NOT SCALE DIMENSIONS	NO. OF DIMENSIONS	DATE	REVISED																																																																						
✓	0	0.000.00/00.01	XXXXXX																																																																						
✓	0	0.000.00/00.000	XXXXXX																																																																						
✓	0	0.000.00/00.000	XXXXXX																																																																						
✓	0	0.000.00/00.000	XXXXXX																																																																						
DATE	BY	NO																																																																							
1/8/98	R. FRONT	1/8/98																																																																							
1/8/98	R. FRONT	1/8/98																																																																							
1/8/98	R. FRONT	1/8/98																																																																							
CUSTOMER COPY	CODE IDENT	REVISE																																																																							
✓																																																																									
TITLE	HEADER, QUICKIE SLIM LINE, VERTICAL																																																																								
SCALE	1/1																																																																								
NO.	D																																																																								
REV.	65692																																																																								
DATE	7																																																																								

FCJ This order is the property of FCJ and shall remain the property of FCJ. It is to be used only for the specific order and shall not be used for any other purpose without the written consent of FCJ. FCJ reserves the right to change the design of this order at any time without notice.

