

MATERIAL NUMBER	ENGINEERING NUMBER	FINISHED LENGTH
130000273	603002C05F1206	12 FT
1300002004	603002C05F0606	6 FT

F



E

D

C

B

A



NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. ELECTRICAL SPECIFICATIONS: 600 VOLTS 18 AMPS
4. PRODUCT IS ROHS COMPLIANT

ITEM	QTY	DESCRIPTION	MATERIAL	FINISH
5	1	WRAP LABEL	SILVER MYLAR	CLEAR LAMINENT
4	1	COUPLING NUT	ALUMINUM ALLOY	CLEAR ANODIZED
3	A/R	OVERMOLD	NITRILE/PVC	YELLOW
2	3	PIN CONTACT	COPPER ALLOY	GOLD PLATED
1	SEE TABLE	#14/3 CABLE	CPE RUBBER	YELLOW

EC NO: WNA2009-0476 DRWN: MODELL 1/29/09 CH'KD: --- APPR: JFMURPHY 2009/02/04	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±--- ±--- 1 PLACE ±--- ±--- ANGULAR ±----°	DIMENSION STYLE --- DRAWN BY: MODELL DATE: 2009/01/30 CHECKED BY: RDEROSS DATE: 2009/01/30 APPROVED BY: MODELL DATE: 2008/11/25	SCALE --- DESIGN UNITS ---	THIRD ANGLE PROJECTION	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE	TITLE QC 3P MP 14/3 SOOW CRD W/ALUMINUM COUPLING NUT	MOLEX INCORPORATED
		MATERIAL NO.			DOCUMENT NO. SD-130000-003	SHEET NO. 1 OF 1	
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					