


**Series: Ceramic Patch** 

**Description**: 25x25x4mm GPS/Glonass Pin Mount

# PART NUMBER: W3223





#### All dimensions are in mm / inches

#### Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



# Applications:

- GPS and Glonass satellite receivers
- Tracking, Navigation, Satellite Positioning
- Fleet management
- Asset tracking

# Features:

- 1575/1602MHz Dualband singe feed antenna
- RHCP Polarization
- Zenith Gain +4dBiC
- Pin mounting
- Tray packing
- Moisture sensitivity level:MSL1





**Description**: 25x25x4mm GPS/Glonass Pin Mount

# Series: Ceramic Patch

#### PART NUMBER: W3223

### **ELECTRICAL SPECIFICATIONS**

Frequency	1575.42±1.023/1602.5625±4 MHz
Nominal Impedance	50 Ω
Return Loss*	<-10 dB
RHCP Gain (typical)*	4 dBiC
Zenith Axial Ratio(typical)*	3.8
Polarization:	RHCP

\* Measured on 70 x 70 mm reference board

\* Test the antenna on 70mmX70mm metal plane

Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



2



# Series: Ceramic Patch

**Description**: 25x25x4mm GPS/Glonass Pin Mount

### PART NUMBER: W3223

#### **MECHANICAL SPECIFICATIONS**

Ceramic
Silver
25 x 24 x 4 mm
9.3 g
Pin feed

## **ENVIRONMENTAL SPECIFICATIONS**

Operating temperature

-40/+85 ° C

Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3




Series: Ceramic Patch

TECHNICAL DATA SHEET


**Description**: 25x25x4mm GPS/Glonass Pin Mount

#### PART NUMBER: W3223

## **MECHANICAL DRAWING**



Adhesive Transfer Tape Specification TAPE: Nitto 5000NS 22\*22\*0.16mm Thickness : 0.16 ± 5% mm Release Liner: 0.1mm (typ.) printed paper or paper Dimension : mm



#### Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

4




Series: Ceramic Patch

**Description**: 25x25x4mm GPS/Glonass Pin Mount

PART NUMBER: W3223

### **OTHER SPECIFICATIONS**

# Test Condition Ground Plane (Example for PCB 1 mm)



#### Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

5




**Series: Ceramic Patch** 

**TECHNICAL DATA SHEET** 

Description: 25x25x4mm GPS/Glonass Pin Mount

#### PART NUMBER: W3223

## **CHARTS**



**Return Loss** 

W3223



**Total Radiation Efficiency** 

#### Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




**Description**: 25x25x4mm GPS/Glonass Pin


Mount

### PART NUMBER: W3223

## CHARTS



# Zenith RHCP Gain



# GPS Radiation pattern on 70mmX70mm metal plane

#### Issue: 1910

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7



**Series: Ceramic Patch** 


TECHNICAL DATA SHEET

**Description**: 25x25x4mm GPS/Glonass Pin

Mount

### PART NUMBER: W3223

# CHARTS



# Glonass Radiation pattern on 70mmX70mm metal plane

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8



Series: Ceramic Patch

**Description**: 25x25x4mm GPS/Glonass Pin Mount

PART NUMBER: W3223

## PACKAGING

Tray packing 50PCS/Tray 200PCS/small carton box 800PCS/big carton box Big box dimensions (MM): 472x240x290

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



9