


REVISIONS				
ZONE	ITR	DESCRIPTION	DATE	APPROVED
	D	REDRAWN	DCD 00401	6-26-79 [Signature]



NOTES:

- THIS PART DESIGNED FOR USE WITH RAYCHEM FLAT CABLE SYSTEM TO PROVIDE SHIELD TERMINATION AND/OR CIRCUIT BUSSING.
- REMOVE UNWANTED TEETH AT .30 DIMENSION BY BENDING SHARPLY OR USING CUTTERS.
- CUT BETWEEN TEETH AT ANY DESIRED POINT FOR NARROW BUSSBARS. SMALLER SECTIONS MAY BE USED TOGETHER TO MAKE LARGER SECTIONS.
- MATERIAL: COPPER ALLOY.
- FINISH: SOLDER COATED PER QQ-S-571 (SN 63) AND COATED WITH RMA FLUX.

© Raychem Corporation 1979

**CONNECTOR SPECIFICATION CONTROL DRAWING**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES BRACKETED DIMENSIONS ( ) ARE METRIC AND TOLERANCES ARE:  .xxx: ± .005 (12.7mm) .xx: ± .020 (5.08mm) Δ: ±	DRAWN	A. M. LEE	4-27-79	<b>Raychem</b> <small>RAYCHEM CORPORATION          3900 CRYSTAL DRIVE          MENLO PARK, CALIFORNIA 94025</small>	
	CHECKED	[Signature]	6-26-79		
	APPROVED	[Signature]	7-2-79		
	APPROVED				
				TITLE	BUSSBAR .100/.200 LOW CURRENT
				SIZE	C
				CODE IDENT	NO. 06090
				DWG. NO.	CTA-0002
				WEIGHT	
				SHEET	1 OF 1

If this document is printed it becomes uncontrolled.  
Check with the web for latest revision.

DO NOT SCALE THIS DRAWING