

175855-1 ✓ ACTIVE

[Dynamic Series](#) | [Dynamic 3000 Series](#)

TE Internal #: 175855-1

PCB Connector Keying, Keying Plug, -55 – 105 °C [-67 – 221 °F],

Dynamic 3000 Series

[View on TE.com >](#)



Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Keying



Connector Keying Accessory Type: **Keying Plug**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

| | |
|---------------------------------|-------------|
| Connector Keying Accessory Type | Keying Plug |
|---------------------------------|-------------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |






Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | Dynamic 3000 Series





Wire-to-Board Connector Contacts(91)

Customers Also Bought



TE Part #178289-8
Receptacle and Tab Housing: 3.81 mm pitch, 250V



TE Part #1-172211-0
10P CAP HSG F/H EI S CONN.



TE Part #3-175363-1
Receptacle and Tab Housing: 5.08 mm pitch, 600V



TE Part #2151125-1
OCEAN_2.0_Applicator-S-070F079BX



TE Part #2151185-1
OCEAN_2.0_Applicator-S-070F080BX



TE Part #1123721-3
ECONOMY POWER REC CONT



TE Part #CEA257N00000056000
940 RECEPTACLE, SPEEDTEC-READY

Documents

Product Drawings

DYNAMIC KEYING PLUG FOR REC

Japanese

CAD Files

3D PDF

English

Customer View Model

[ENG_CVM_175855-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_175855-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_175855-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

[1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH](#)

Japanese

[1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English