


- NOTES:
- 1) ALL DIMENSIONS IN MM/INCH.
 - 2) MODULE MUST ONLY BE INSTALLED IN FIXTURES THAT ALLOW FREE AIRFLOW. SEALED OR OTHERWISE ENCLOSED FIXTURES COULD PREVENT PROPER FUNCTION.
 - 3) PRODUCT TO MEET RoHS REQUIREMENTS.
 - 4) SEE CHART FOR VOLTAGE AND CURRENT.
 - 5) MODULES ARE TRAY PACKED PER PACKAGING SPEC. PK-76900-800.

REVISED/ADD SHT EC NO: UCP2010-0854 DRW: DMCGOWAN 2009/10/21 CHKD: DMCGOWAN 2009/10/21 APPR: VZADEREJ 2009/10/21	DESCRIPTION REF	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		▼=0 ▽=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .008 2 PLACES ± 0.20 ± .012 1 PLACE ± 0.30 ± --- ANGULAR ± 1/2°	MM/IN DRAWN BY DATE DMCGOWAN 2009/05/22 CHECKED BY DATE DMCGOWAN 2009/05/22 APPROVED BY DATE	1:1	METRIC	MOLEX INCORPORATED SD-76900-000
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	DOCUMENT NO.	SHEET NO.		
		SEE CHART	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	1 OF 3			

10 9 8 7 6 5 4 3 2 1



WIRED VERSIONS

SEE SHEET 1 EC NO: UCP2010-0854 DRAWN: DMCGOWAN 2009/10/21 CHKD: 2009/10/21 APPR: VZADEREJ 2009/10/21	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	▽F/0	mm	INCH	MM/IN		1:1	METRIC		
	▽F/0	4 PLACES ± ---	± ---	DRAWN BY	DATE	TITLE			
	▽F/0	3 PLACES ± ---	± .008	DMCGOWAN	2009/05/22	MOLEX RM2 REFLECTOR MODULE SALES DRAWING MOLEX INCORPORATED			
	2 PLACES ± 0.20	± .012	CHECKED BY	DATE	DOCUMENT NO.				
	1 PLACE ± 0.30	± ---	DMCGOWAN	2009/05/22	SD-76900-000		2 OF 3		
		ANGULAR ±1/2°		MATERIAL NO.		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART					
				SIZE					
A3				B					

9 8 7 6 5 4 3 2 1

ASSEMBLY P/N	GU24 OR WIRED	BEAM ANGLE	VOLTAGE	COLOR TEMP	STATUS
76900-1111	GU24	15°	120 VAC, 60 HZ, 40mA	WARM	TOOLED
76900-1112	GU24	15°	120 VAC, 60 HZ, 40mA	COOL	TOOLED
76900-1121	GU24	15°	240 VAC, 50 HZ, 20mA	WARM	TOOLED
76900-1122	GU24	15°	240 VAC, 50 HZ, 20mA	COOL	TOOLED
76900-1131	GU24	15°	277 VAC, 60 HZ, 20mA	WARM	NOT TOOLED
76900-1132	GU24	15°	277 VAC, 60 HZ, 20mA	COOL	NOT TOOLED
76900-1211	GU24	25°	120 VAC, 60 HZ, 40mA	WARM	TOOLED
76900-1212	GU24	25°	120 VAC, 60 HZ, 40mA	COOL	TOOLED
76900-1221	GU24	25°	240 VAC, 50 HZ, 20mA	WARM	TOOLED
76900-1222	GU24	25°	240 VAC, 50 HZ, 20mA	COOL	TOOLED
76900-1231	GU24	25°	277 VAC, 60 HZ, 20mA	WARM	NOT TOOLED
76900-1232	GU24	25°	277 VAC, 60 HZ, 20mA	COOL	NOT TOOLED
76900-2111	WIRED	15°	120 VAC, 60 HZ, 40mA	WARM	TOOLED
76900-2112	WIRED	15°	120 VAC, 60 HZ, 40mA	COOL	TOOLED
76900-2121	WIRED	15°	240 VAC, 50 HZ, 20mA	WARM	TOOLED
76900-2122	WIRED	15°	240 VAC, 50 HZ, 20mA	COOL	TOOLED
76900-2131	WIRED	15°	277 VAC, 60 HZ, 20mA	WARM	NOT TOOLED
76900-2132	WIRED	15°	277 VAC, 60 HZ, 20mA	COOL	NOT TOOLED
76900-2211	WIRED	25°	120 VAC, 60 HZ, 40mA	WARM	TOOLED
76900-2212	WIRED	25°	120 VAC, 60 HZ, 40mA	COOL	TOOLED
76900-2221	WIRED	25°	240 VAC, 50 HZ, 20mA	WARM	TOOLED
76900-2222	WIRED	25°	240 VAC, 50 HZ, 20mA	COOL	TOOLED
76900-2231	WIRED	25°	277 VAC, 60 HZ, 20mA	WARM	NOT TOOLED
76900-2232	WIRED	25°	277 VAC, 60 HZ, 20mA	COOL	NOT TOOLED

(A3)

P/N 76900-ABCD

- D = 1 (WARM WHITE), 2 (COOL WHITE)
- C = 1 (120V), 2 (240V), 3 (277V) (A3)
- B = 1 (15°), 2 (25°)
- A = 1 (GU24), 2 (WIRED)

SEE SHEET 1 EC NO: UCP2010-0854 DRAWN BY: DMCGOWAN 2009/10/21 CHKD: 2009/10/21 APPR: VZADEREJ 2009/10/21 A3	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
						DRAWN BY DATE DMCGOWAN 2009/05/22		TITLE MOLEX RM2 REFLECTOR MODULE SALES DRAWING MOLEX INCORPORATED		
						CHECKED BY DATE DMCGOWAN 2009/05/22				
						APPROVED BY DATE		DOCUMENT NO. SD-76900-000		
		ANGULAR ±1/2°		MATERIAL NO.		SHEET NO. 3 OF 3				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				