

| CHART | | | | |
|----------|-------------|--------|----------|----------|
| PART NO. | DESCRIPTION | FIGURE | DIM. "A" | DIM. "B" |
| PD3MRML1 | FRONT MOUNT | FIG A | .867 | .600 |
| PD3MRML2 | REAR MOUNT | FIG B | .965 | .600 |
| PD3MRML3 | FRONT MOUNT | FIG C | .867 | .600 |
| PD3MRMS1 | FRONT MOUNT | FIG A | .867 | .488 |
| PD3MRMS2 | REAR MOUNT | FIG B | .965 | .488 |
| PD3MRMS3 | FRONT MOUNT | FIG C | .867 | .488 |




FIG A




FIG B







FIG C

SCALE: 1=1



DIMENSIONS TYP FOR ALL FIGURES



C MATERIALS:
HOUSING: NYLON TYPE 66
MALE PINS: BRASS, SILVER PLATED

CUSTOMER DRAWING
CAD/CAM DWG. NO.
s.pd3mrm_cd
SHEET 1 OF 1

| ISSUE | CHANGE NO. | DATE | BY | APP'D |
|-------|------------------|----------|----|-------|
| C | ECO#17911 | 10-27-92 | LR | GHJ |
| B | ECO#17107 | 9-27-91 | LR | EFJ |
| A | RELEASE TO PROD. | 2-25-91 | LR | GHJ |

★ STAR SYMBOL DENOTES CRITICAL DIMENSION, SEE S/C ENGINEERING STANDARD ES-0001

UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS IN INCHES
2. DECIMAL DIMENSIONS ±.005
3. FRACTIONAL DIMENSIONS ±.005
4. ANGLES ±1/2°
5. ALL DIA'S CONCENTRIC WITHIN .005 T.I.R.
6. REMOVE ALL BURRS
7. MAKE NO DIMENSIONAL ALLOWANCES FOR APPLIED FINISHES, I.E., PLATING, PAINTING, ETC.
8. HOLES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±.002

DO NOT SCALE DRAWING

| | | | |
|--|----|----------------|----------------|
| FINISH | | MATERIAL | |
| SPEC. NO. | | SPEC. NO. | |
| FIRST USED ON | | SCALE | |
| | | 1 = .500 | |
| DATE DRAWN | BY | CHK'D | APP'D |
| 2-25-91 | LR | THS 3-25-91 | GHJ 3-25-91 |
| NAME | | | PART NO. |
| MALE 3 CONTACTS RIGHT ANGLE OG CONNECTOR | | | PD3MRM SERIES |
| | | | ISSUE |
| | | | C |

