




Tous droits strictement reserves. Reproduction ou communication a des tiers interalle sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	.220 [5.59]	SIGNAL
R	.270 [6.86]	SIGNAL
S	.270 [6.86]	SIGNAL
T	.270 [6.86]	SIGNAL
U	.270 [6.86]	SIGNAL
PA	N/A [N/A]	POWER
HA	N/A [N/A]	HOLD-DOWN
X	OMITTED	

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3		COPY		title		
A	V03-0129	TAB	01/30/03		.XXX±.005/0.XX±0.13		projection		3ACP + 4P + 12S		
B	DG05-0206	SJ	07/05/05	angles	.XXX±.002/0.XXX±0.051		 INCH/MM		RIGHT ANGLE SOLDER HEADER		
C	DG06-0008	JMG	01/07/06		0°±2°		scale		product family		
D	DG08-0273	WD	12/30/08	dr	T. BRUNGARD	01/30/03	1:1		PwrBlade		code
				enrg	M. MOSTOLLER	01/30/03			size		213
				chr	M. MOSTOLLER	01/30/03			dwg no		sheet
				appd	M. MOSTOLLER	01/30/03			A 51939-042		1 of 4
sheet index	revision sheet	D	D	D	D				cage code		
		1	2	3	4				22526		




Pro/E

cage code 22526

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c.FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51939-042--
NOTE: ③



mat'l code		SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		title 3ACP + 4P + 12S			
D				linear	.XXX±.005/0.XX±0.13	projection		RIGHT ANGLE SOLDER HEADER			
				linear	.XXX±.0020/0.XXX±0.051	INCH/MM		product family PwrBlade		code 213	
				angles	0°±2°	scale		size		sheet	
				dr	T. BRUNGARD 01/30/03	1:1		dwg no		2 of 4	
				enrg	M. MOSTOLLER 01/30/03			A		51939-042	
				chr	M. MOSTOLLER 01/30/03						
				appd	M. MOSTOLLER 01/30/03						
sheet index		revision sheet									

cage code 22526


Pro/E

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c.FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatsoever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51939-042--
NOTE: ③



RECOMMENDED PCB LAYOUT

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3		COPY		 title 3ACP + 4P + 12S RIGHT ANGLE SOLDER HEADER		
D					.XXX±.005/0.XX±0.13		projection				
					.XXX±.0020/0.XXX±0.051		 INCH/MM				
				angles	0°+2°		scale		product family PwrBlade code 213		
				dr	T. BRUNGARD 01/30/03		1:1		size dwg no 213		
				enrg	M. MOSTOLLER 01/30/03		A		sheet 3 of 4		
				chr	M. MOSTOLLER 01/30/03		51939-042				
				appd	M. MOSTOLLER 01/30/03						
sheet index	revision sheet										

cage code 22526

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51939-042--
NOTE: ③

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

③ SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51939-042 AND 51939-042LF RESPECTIVELY.

4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

9. $\varnothing .0453 \pm .0010$ [1.151 \pm 0.025] DRILLED HOLES PLATED WITH .0003 [0.008] MIN SnPb OVER .001 [0.03] TO .003 [0.08] Cu PLATING TO ACHIEVE $\varnothing .040 \pm .003$ [1.02 \pm .07] HOLE.

10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

11. CONNECTOR KEEP-OUT ZONE.

12. A/D SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecr no.	dr	date	linear	.XX±.01/0.X±0.3		COPY		projection	title			3ACP + 4P + 12S RIGHT ANGLE SOLDER HEADER
D					.XXX±.005/0.XX±0.13		INCH/MM			product family		PwrBlade	
				angles	.XXX±.0020/0.XXX±0.051		1:1		size		dwg no		sheet
				dr	0°+2°		scale		A		51939-042		4 of 4
				enrg	T. BRUNGARD	01/30/03							
				chr	M. MOSTOLLER	01/30/03							
				appd	M. MOSTOLLER	01/30/03							
sheet index	revision sheet												

cage code 22526

Pro/E