

WIRING CONFIGURATION

E161XXXXXXXX	BROWN ○	1
	BLUE ○	2
E162XXXXXXXX	BROWN ○	1
	BLUE ○	2
	GREEN/YELLOW ○	⊥




TABLE 3

Profiled Gasket	Flat Gasket	Integrated Gasket	Screw M3x25

TABLE 1

ITEM NO.	QTY	DESCRIPTION	MATERIAL	FINISH/COLOR
1	-	CABLE	SEE CABLE LIST	
2	1	POLYPROP MLD COMPOUND-SELF EX	SEE PAGE 2	
3	1	MOUNTED INSERT	-	BLACK
4	1	GASKET	SEE TABLE 3	
5	1	SCREW	SEE TABLE 3	
6	1	SPACER	PA6	BLACK

TABLE 2

TABLE OF LENGTH TOLERANCE (MM)

OVER	UPTO AND INCLUDING	TOLERANCE (+)
0	1000	±20
1000	3000	±30
3000	5000	±40
5000	10000	±50
10000	15000	±100
15000	20000	±150
20000		±LENGTH/100

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SYMBOLS: $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$, $\nabla = 0$

THIS DRAWING DIMENSION UNITS: mm SCALE: 1:1

GENERAL TOLERANCES (UNLESS SPECIFIED): ANGULAR TOL ± 1.0°

4 PLACES ±, 3 PLACES ±, 2 PLACES ± 0.05, 1 PLACE ± 0.3, 0 PLACES ± 0.5

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION:

DRAWING: A3-SIZE, SERIES: 121040, MATERIAL NUMBER: SEE PART LIST, CUSTOMER: GENERAL MARKET, SHEET NUMBER: 1 OF 3

EC NO: 621216, DRWN: APAWLAK01, 2019/07/24, CHK'D: RSILLER, 2019/07/29, APPR: RSILLER, 2019/07/29

INITIAL REVISION: DRWN: MDHARMANTI, 2019/01/14, APPR: RSILLER, 2019/02/01

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: 1210400254, DOC TYPE: PSD, DOC PART: 000, REVISION: A1

molex

MPM E16XXXXXXXXXX

