
1587940-2 - ACTIVE

HVA 280

TE Internal #: 1587940-2 Other Automotive Connector Accessories, Seal Retainer, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280 View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories



Automotive Connector Accessory Type: Seal Retainer

Primary Product Material: PA

Primary Product Color: Orange

Operating Temperature Range: -40 – 125 °C [-40 – 257 °F]

Features

Product Type Features

Automotive Connector Accessory Type	Seal Retainer				
Body Features					
Primary Product Material	PA				
Primary Product Color	Orange				
Usage Conditions					
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]				
Industry Standards					
Agency/Standard	LV214/LV215				
UL Flammability Rating	UL 94HB				
Packaging Features					
Packaging Quantity	500				
Packaging Method	Box				
Other					
Serviceable	No				

1587940-2

Other Automotive Connector Accessories, Seal Retainer, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Conshility	Not reviewed for colder process capability

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




1587940-2

Other Automotive Connector Accessories, Seal Retainer, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280






Also in the Series | HVA 280



Electric, Hybrid & Fuel Cell Cable	High Voltage Wire Processing	Other Automotive Connector	PCB Headers & Receptacles(37)
Assemblies(6)	Equipment(7)	Accessories(37)	

Customers Also Bought



1587940-2

Other Automotive Connector Accessories, Seal Retainer, PA, Orange, -40 – 125 °C [-40 – 257 °F], HVA 280



Documents

Product Drawings CABLE SEAL RETAINER, SIZE B

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1587940-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1587940-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1587940-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.