

PS-8/2,3MM RD - Test plugs



3048564

<https://www.phoenixcontact.com/us/products/3048564>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Test plugs, number of positions: 1, color: red



Your advantages

- The test plugs are inserted in the function shaft of terminal blocks from the CLIPLINE complete system or in the test connections provided
- Housing for test plugs, any combination

Commercial data

Item number	3048564
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	BE29
Product key	BE2Z3X
Catalog page	Page 410 (C-1-2019)
GTIN	4046356072786
Weight per piece (including packing)	2.68 g
Weight per piece (excluding packing)	1.51 g
Customs tariff number	85366990
Country of origin	DE

PS-8/2,3MM RD - Test plugs



3048564

<https://www.phoenixcontact.com/us/products/3048564>

Technical data

Product properties

Product type	Test plug terminal block
Number of positions	1

Dimensions

Width	8 mm
Height	14 mm
Depth on NS 35/7,5	36 mm
Pin diameter	8 mm

Material specifications

Color	red
Material	PA
Flammability rating according to UL 94	V0

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C ()
Permissible humidity (storage/transport)	30 % ... 70 %

Mounting

Connection method	Spring-cage connection
-------------------	------------------------

PS-8/2,3MM RD - Test plugs



3048564

<https://www.phoenixcontact.com/us/products/3048564>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/3048564>



EAC

Approval ID: RU C-DE.BL08.B.00511

PS-8/2,3MM RD - Test plugs



3048564

<https://www.phoenixcontact.com/us/products/3048564>

Classifications

ECLASS

ECLASS-11.0	27440313
ECLASS-12.0	27440313
ECLASS-13.0	27440313

ETIM

ETIM 8.0	EC002255
----------	----------

UNSPSC

UNSPSC 21.0	20122000
-------------	----------

PS-8/2,3MM RD - Test plugs

3048564

<https://www.phoenixcontact.com/us/products/3048564>



Environmental product compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

PS-8/2,3MM RD - Test plugs

3048564

<https://www.phoenixcontact.com/us/products/3048564>



Mandatory accessories

MPS-MT - Test plugs

0201744

<https://www.phoenixcontact.com/us/products/0201744>



Test plugs, with solder connection up to 1 mm² conductor cross section, number of positions: 1, color: gray

MPS-MT/ 4MM - Test plugs

3048577

<https://www.phoenixcontact.com/us/products/3048577>



Test plugs, with solder connection up to 1 mm² conductor cross section, number of positions: 1, color: silver

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com