






C.A.D. FILE CODE
S. C346350.

DO NOT SCALE

DIMENSIONS IN MM.



SCRAP VIEW OF PINS
SCALE 5:1



SCRAP VIEW OF PIN
DETAIL SHOWING MINIMUM
HOLE SIZE IN P.C.B (DOTTED)

NOTES:

- ① TO SUIT SCREW 5.00mm LONG
FLASH ACCEPTABLE AT END OF HOLE
- ② P.C.B. HOLE SIZE ϕ 1.35 mm
- ③ PROVISION FOR OPPOSITE
INHIBITION RIB (IF REQUIRED)
- ④ THE POSITIONING OF THE P.C.B.
LEGS MUST BE SUCH THAT IT FITS
GAUGE No. 38-347 WHICH HAS A
POSITIONAL TOLERANCE OF ± 0.25
- ⑤ FLASH ACCEPTABLE AT TOOL
SPLIT LINE (0.1 MAX.)
- ⑥ TO BE MEASURED AT THE CORNERS.
DIMENSION AT ϕ TO BE 19.90 MIN.
- ⑦ TO BE MEASURED AT THE CORNERS.

$\phi 3.17 \times 4.00$ LONG
BOSS

2 HOLES
2.60
 $\phi 2.50$

SAME AS 346350-5 (ALTERNATIVE PACKING)		2-346350-5	
TIN-LEAD LEGS, GOLD TABS	TEMPER 4 BRASS	IN-MOULDED TAB	} 346350-5
RED	13% GLASS FILLED NYLON	HEADER MouldING	
FINISH	MATERIAL	DESCRIPTION	PART NUMBER
CUSTOMER DWG FOR REFERENCE ONLY		RELEASED FOR PUBLICATION 08/07/87	
TOLERANCES UNLESS OTHERWISE STATED DEC \pm 0.25 ANGLES \pm 1°		DR. M. McG	04/09/91
B E800-0363-97 JPA 8-1-98		CH. J. PALMER	APP. M. McG
A E800-0277-97 JPA 16-5-97		AMP of Great Britain Ltd.	
O E800-0231-97 JPA 21-4-97		TERMINAL HOUSE STANMORE HIDDX.	
NAME 36 WAY HEADER (MKII) FOR ECONOSEAL 3 (WIRE TO BOARD)		SCALE	LOC
REV M. McG		SIZE	DWG. No.
APPROVED	ECN	DATE	REV
2/1		E	A2
C346350		B	1/1