


END TO END	"L"
DV TO DV	1.101[27.98]
DV TO EM (-TEX)	.951[24.15]
DV TO EM (-SEX)	.926[23.51]
EM (-TEX) TO EM (-TEX)	.800[20.32]
EM (-TEX) TO EM (-SEX)	.775[19.69]
EM (-SEX) TO EM (-SEX)	.750[19.05]
DV-N TO DV-N	.959[24.36]
DV-N TO EM-N (-TEX)	.890[22.35]
DV-N TO EM-N (-SEX)	.855[21.72]

FIG. 1
VERTICAL
(MICD-038-XX.XX-STR-STR-1 SHOWN)

DO NOT SCALE FROM THIS PRINT



No OF POSITIONS
-019, -038, -057, -076, -095
(PER ROW)

LENGTH
-XX.XX (INCHES)
(01.72 [43.7] MIN)
(SEE NOTE 2)
(SEE NOTE 8)

END OPTION
-F: SCREW OPTION FIRST END ONLY
-S: SCREW OPTION SECOND END ONLY
-B: SCREW OPTION BOTH ENDS
-N: NO CAPS
(SEE FIG. 3, SHEET 5 FOR EDGE MOUNT END OPTIONS)
(SEE FIG. 4, SHEET 5 FOR DOUBLE VERTICAL END OPTIONS)
(SEE FIG. 5, SHEET 5 FOR NO CAPS OPTIONS) (LEAVE BLANK FOR STANDARD CAPS BOTH ENDS)

WIRING OPTION
-1: PIN 1 TO PIN 1
-2: PIN 1 TO PIN 2
-3: PIN 1 TO PIN N-1
-4: PIN 1 TO PIN N
(SEE TABLE 9, SHEET 6)

SECOND END
-TRR: TERMINAL, TOP, RIGHT
-TTL: TERMINAL, TOP, LEFT
-TBR: TERMINAL, BOTTOM, RIGHT
-TBL: TERMINAL, BOTTOM, LEFT
-STR: SOCKET, TOP, RIGHT
-STL: SOCKET, TOP, LEFT
-SBR: SOCKET, BOTTOM, RIGHT
-SBL: SOCKET, BOTTOM, LEFT
(SEE TABLE 1 & SHEET 2)

-TEU: TERMINAL, EDGE MOUNT, UP
-TED: TERMINAL, EDGE MOUNT, DOWN
-SEU: SOCKET, EDGE MOUNT, UP
-SED: SOCKET, EDGE MOUNT, DOWN
(SEE TABLE 5 & SHEET 4)

No OF POSITIONS	N	N-1
-019	38	37
-038	76	75
-057	114	113
-076	152	151
-095	190	189

- NOTES:
1. (C) REPRESENTS A CRITICAL DIMENSION.
 2. SUB-TCF LENGTH IS EQUAL TO MICD LENGTH.
 3. ALL ASSEMBLIES TO BE 100% ELECTRICALLY TESTED.
 4. ALL ASSEMBLIES TO BE 100% HI-POT TESTED AT 300V.
 5. TOP SUB-TCF NOT SHOWN IN THIS VIEW FOR CLARITY; HDRL-11 TO BE CENTERED ON LOWER SUB-TCF AS SHOWN; HDRL-11 IS TO CONTAIN PART NUMBER, SHOP NUMBER, & DATE CODE.
 6. FOR SUB-ASSEMBLY AND FINISHED GOOD PACKAGING REQUIREMENTS, REFERENCE PACKAGING STANDARD CO-HD-WI-3033-M.
 7. PARTS TO BE PROCESSED PER SAMTEC ACCEPTABILITY REQUIREMENTS: HDR-PI-01 "CABLE ASSEMBLY WORKMANSHIP STANDARDS".
 8. CABLE LENGTHS LONGER THAN 40.00 INCHES ARE NOT SUPPORTED BY S.I. TEST DATA.
 9. ALL POSITIONS ARE TRANSMITTED AS SIGNALS ACROSS COAX CENTER CONDUCTORS. CONNECTOR GROUND BLADES ARE TIED TO THE COAX SHIELD. FOR MULTIPLE BANK ASSEMBLIES, EACH BANK IS GROUND INDEPENDENT OF THE OTHERS.
 10. REFER TO PREP-SPEC DOCUMENT FOR CABLE PREP DIMENSIONS. ASSEMBLY USES STANDARD PCB PREP.


No. OF POSITIONS	"A"	"B"	ICD-XX-01	ICD-XX-02	QTY OF SUB-TCF	SUB-MICD-X-XXX-XX
-019	1.353[34.37]	1.253[31.83]	ICD-01-01	ICD-01-02	2	SUB-MICD-X-019-XX
-038	1.853[47.07]	1.753[44.53]	ICD-02-01	ICD-02-02	4	SUB-MICD-X-038-XX
-057	2.353[59.77]	2.253[57.23]	ICD-03-01	ICD-03-02	6	SUB-MICD-X-057-XX
-076	2.853[72.47]	2.753[69.93]	ICD-04-01	ICD-04-02	8	SUB-MICD-X-076-XX
-095	3.353[85.17]	3.253[82.63]	ICD-05-01	ICD-05-02	10	SUB-MICD-X-095-XX

END	"C"
-TX	.346[8.79]
-SX	.321[8.15]

*-DV END OPTIONS ONLY

TOLERANCES DO NOT APPLY TO REFERENCE DIMENSIONS, UNLESS OTHERWISE SPECIFIED. DIMENSIONS ARE IN INCHES.
TOLERANCES ARE:
DECIMALS ANGLES
.XX: ±.01[.3] °
.XXX: ±.005[.13]
.XXXX: ±.0020[.051]

Pb THIS PRODUCT MANUFACTURED WITH LEAD-FREE PROCESSING



PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

samtec
520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 53322


MATERIAL: DO NOT SCALE DRAWING SHEET SCALE: 1.25:1

PLATING:
-H GOLD: 30µ" CONTACT


DESCRIPTION:
0.635 HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.
MICD-XXX-XX.XX-XXX-XXX-X-X


BY: KEVIN B 12/11/03 SHEET 1 OF 6




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T1
2	1	2	T1
3	1	N-1	T1
4	1	N	T1




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B19
2	1	2	B19
3	1	N-1	B19
4	1	N	B19




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T19
2	1	2	T19
3	1	N-1	T19
4	1	N	T19




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B1
2	1	2	B1
3	1	N-1	B1
4	1	N	B1




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B19
2	1	2	B19
3	1	N-1	B19
4	1	N	B19



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T1
2	1	2	T1
3	1	N-1	T1
4	1	N	T1



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	B1
2	1	2	B1
3	1	N-1	B1
4	1	N	B1



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE NUMBER
1	1	1	T19
2	1	2	T19
3	1	N-1	T19
4	1	N	T19

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:25:1




520 PARK EAST BLVD. NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code: 53322


DESCRIPTION:
 0.635 HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.
 MICD-XXX-XX.XX-XXX-XXX-X-X


BY: KEVIN B 12/11/03 SHEET 2 OF 6




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:25:1



520 PARK EAST BLVD. NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code: 55322


DESCRIPTION:
 0.635 HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.
 MICD-XXX-XX.XX-XXX-XXX-X-X




BY: KEVIN B 12/11/03 SHEET 3 OF 6

FIRST END - EDGE MOUNT (SEE TABLE 9, SHEET 6)


SECOND END - EDGE MOUNT (SEE TABLE 9, SHEET 6)



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE #
1	1	1	B19
2	1	2	B19
3	1	N-1	B19
4	1	N	B19




WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N






WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE #
1	1	1	T1
2	1	2	T1
3	1	N-1	T1
4	1	N	T1


WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N



WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE #
1	1	1	B1
2	1	2	B1
3	1	N-1	B1
4	1	N	B1



WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N




WIRING OPTION	FIRST END PIN #	SECOND END PIN #	WIRE #
1	1	1	T19
2	1	2	T19
3	1	N-1	T19
4	1	N	T19

WIRING OPTION	FIRST END PIN #	SECOND END PIN #
1	1	1
2	1	2
3	1	N-1
4	1	N

FIG. 2

EDGE MOUNT (NO CAPTIVE PANEL SCREWS)
(MICD-019-XX.XX-TEU-STL-X SHOWN)
(SAME AS FIG. 1, UNLESS OTHERWISE STATED)



No. OF POSITIONS	"D"	ICD-XXX-03	SUB-MICD-X-XXX-03
-019	1.000[25.40]	ICD-01-03	SUB-MICD-X-019-03
-038	1.500[38.10]	ICD-02-03	SUB-MICD-X-038-03
-057	2.000[50.80]	ICD-03-03	SUB-MICD-X-057-03
-076	2.500[63.50]	ICD-04-03	SUB-MICD-X-076-03
-095	3.000[76.20]	ICD-05-03	SUB-MICD-X-095-03

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD. NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

DO NOT SCALE DRAWING
SHEET SCALE: 1:1

DESCRIPTION:
0.635 HIGH-SPEED COAX CABLE ASSEMBLY
DWG. NO.
MICD-XXX-XX.XX-XXX-XXX-X-X
BY: KEVIN B 12/11/03 SHEET 4 OF 6

FIG. 3

EDGE MOUNT (WITH CAPTIVE PANEL SCREWS)
(MICD-019-XX.XX-TEU-XXX-1-F SHOWN)
(SAME AS FIG. 2, UNLESS OTHERWISE STATED)




TABLE 6

No. OF POSITIONS	"E"	"F"	ICD-XX-03-CPS
-019	1.436[36.47]	1.260[32.00]	ICD-01-03-CPS
-038	1.936[49.17]	1.732[44.00]	ICD-02-03-CPS
-057	2.436[61.87]	2.244[57.00]	ICD-03-03-CPS
-076	2.936[74.57]	2.756[70.00]	ICD-04-03-CPS
-095	3.436[87.27]	3.228[82.00]	ICD-05-03-CPS

FIG. 4

DOUBLE VERTICAL (WITH SCREW DOWN OPTION)
(MICD-019-XX.XX-TTR-XXX-1-F SHOWN)
(SAME AS FIG. 1, UNLESS OTHERWISE STATED)




TABLE 7

No. OF POSITIONS	"G"	"H"	ICD-XX-02-SDO
-019	1.853[47.07]	1.614[41.00]	ICD-01-02-SDO
-038	2.353[59.77]	2.126[54.00]	ICD-02-02-SDO
-057	2.853[72.47]	2.638[67.00]	ICD-03-02-SDO
-076	3.353[85.17]	3.110[79.00]	ICD-04-02-SDO
-095	3.853[97.87]	3.622[92.00]	ICD-05-02-SDO

TABLE 8

END	"J"
-TXX	.126[3.20]
-SXX	.101[2.57]

FIG. 5

(MICD-019-XX.XX-TEU-STL-X-N SHOWN)
(SAME AS FIG. 1, UNLESS OTHERWISE STATED)




TABLE 9

No. OF POSITIONS	"M"	"N"
-019	1.133[28.78]	1.000[25.40]
-038	1.633[41.48]	1.500[38.10]
-057	2.133[54.18]	2.000[50.80]
-076	2.633[66.88]	2.500[63.50]
-095	3.133[79.58]	3.000[76.20]

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:25:1



520 PARK EAST BLVD. NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:
0.635 HIGH-SPEED COAX CABLE ASSEMBLY

DWG. NO.
MICD-XXX-XX.XX-XXX-XXX-X-X

BY: KEVIN B 12/11/03 SHEET 5 OF 6

TABLE 9

2ND END OPTION (SUB-MICD-X-XXX-XX)

1ST END OPTION	1ST END SUB-MICD-X-XXX-XX-01	WIRING OPTION	1ST END PIN #	2ND END PIN #	WIRE #	2ND END OPTION (SUB-MICD-X-XXX-XX)											
						-TTR	-TTL	-TBR	-TBL	-STR	-STL	-SBR	-SBL	-TEU	-TED	-SEU	-SED
-TTR	-T-XXX-01-01	1	1	1	T1	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		2	1	2	T1	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		3	1	N-1	T1	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		4	1	N	T1	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
-TTL	-T-XXX-02-01	1	1	1	B19	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		2	1	2	B19	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		3	1	N-1	B19	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	N/A	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		4	1	N	B19	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
-TBR	-T-XXX-01-01	1	1	1	B19	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		2	1	2	B19	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		3	1	N-1	B19	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		4	1	N	B19	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
-TBL	-T-XXX-02-01	1	1	1	T1	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		2	1	2	T1	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		3	1	N-1	T1	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		4	1	N	T1	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
-STR	-S-XXX-01-01	1	1	1	T19	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		2	1	2	T19	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		3	1	N-1	T19	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		4	1	N	T19	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
-STL	-S-XXX-02-01	1	1	1	B1	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		2	1	2	B1	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		3	1	N-1	B1	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		4	1	N	B1	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
-SBR	-S-XXX-01-01	1	1	1	B1	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		2	1	2	B1	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		3	1	N-1	B1	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		4	1	N	B1	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
-SBL	-S-XXX-02-01	1	1	1	T19	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		2	1	2	T19	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		3	1	N-1	T19	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		4	1	N	T19	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
-TEU	-T-XXX-03-01	1	1	1	T1	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		2	1	2	T1	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		3	1	N-1	T1	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		4	1	N	T1	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
-TED	-T-XXX-03-01	1	1	1	B19	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		2	1	2	B19	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		3	1	N-1	B19	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		4	1	N	B19	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
-SEU	-S-XXX-03-01	1	1	1	T19	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02
		2	1	2	T19	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		3	1	N-1	T19	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		4	1	N	T19	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
-SED	-S-XXX-03-01	1	1	1	B1	T-XXX-02-01	N/A	N/A	T-XXX-01-01	N/A	S-XXX-01-02	S-XXX-02-02	N/A	N/A	T-XXX-03-01	S-XXX-03-02	N/A
		2	1	2	B1	T-XXX-02-02	N/A	N/A	T-XXX-01-02	N/A	S-XXX-01-01	S-XXX-02-01	N/A	N/A	T-XXX-03-02	S-XXX-03-01	N/A
		3	1	N-1	B1	N/A	T-XXX-01-02	T-XXX-02-02	N/A	S-XXX-02-01	N/A	N/A	S-XXX-01-01	T-XXX-03-02	N/A	N/A	S-XXX-03-01
		4	1	N	B1	N/A	T-XXX-01-01	T-XXX-02-01	N/A	S-XXX-02-02	N/A	N/A	S-XXX-01-02	T-XXX-03-01	N/A	N/A	S-XXX-03-02

PROPRIETARY NOTE
 THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.
 DO NOT SCALE DRAWING
 SHEET SCALE: 1:25:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150
 PHONE: 812-944-6733 FAX: 812-948-5047
 e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:
 0.635 HIGH-SPEED COAX CABLE ASSEMBLY
 DWG. NO.
 MICD-XXX-XX.XX-XXX-XXX-X-X
 BY: KEVIN B 12/11/03 SHEET 6 OF 6