

т	۵	п	m	0







LAYOUT SHOWN AS

Keying Shown as example

CHARACTERISTICS

ယ

 \sim

-Mass

BASIC SERIES:

SHELL SIZE : 11

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : J = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Composite			
-Shell Plating	: Olive drab Cadmium			
-Insulator	: Thermoplastic			
-Contacts	: Copper Alloy			
-Seals & Grommet	: Silicon Elastomer			
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
-Durability	: 500 Mating cycles			
-Delivered with Souriau contacts and Accessories				
-Temperature Range	: -65°C to +175°C			
-Salt Spray	: 2000 hours			

: 11.8 g ± 10%

8D 0

G

11

J

02

S

F

Ν

Connector	dimension		
Dim	Nominal		
Р	3.25±0.2		
РР	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V'	19.5+1.4/-0		
W'	2.1/3.65		
Z'	32 Max		
VV THREAD	M15x1-6g		


ORIENTATION : N

CONTACT LAYOUT : 11-02

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU shall not be liable for a due to a use of the Products the Specifications issued by either (professional recommend



σ		A		
	919 919 75 10 75 1		4	
			3	
S EXAMPLE	tu or domogo			
any non-conforming which does not co er of the Parties or I adation, technical n	mply with by a third party otice.)	ict]		
untry Jurisc FR	liction & Control L Not Listed		2	
.1J02SN				
		MOD N°		
	CUSTOMER DR			
site Receptacl	e Receptacle 8D series			
ar	NPRDS / PROJECT 859			
I.COM	.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission			
U DRG N°		SHEET	1	
LJO2SN-C		A 1/2		
U	I			

ſ	т	<u>م</u>	г п	m	D	0	
		Contact Layout				Panel C	utou
4	 (2.	+Y B A)95 (2.4imm)			Σ -	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING	
	Shell Arrangement size no. 11 -2	tion X-axis Y-axis 0 (mm) (mm) 4 +.095 (2.41) +.000 (.00)			<u>v</u>	Dim	
ω						ØA ØAA R1 ØT	
	+					SOURIAU shall not be liable fo due to a use of the Product the Specifications issued by eith (professional recomme	ts wh
S						PN: 8D02	FR
					ISS DATE Designed By:	16 First Release Latest modification - by Date:	
_					SCALE NA	General line Tolerances ±	ear
					FORMAT	J WWW.SOURIAU	
		-			A3	8D013	
	Н	G	F	E	D	C	

