


1

2


3

4


5





SEC.A-A



SEC.B-B



SEC.C-C



TECHNICAL CHARACTERISTICS

MATERIAL

CONTACT MATERIAL: COPPER ALLOY
 CONTACT TYPE: STAMPED
 CONTACT PLATING: TIN
 QUALITY CLASS: 25 MATING CYCLES
 PITCH: 2.00MM

ENVIRONMENTAL

OPERATING TEMPERATURE: -25 UP TO 85°C
 COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 3 A
 WORKING VOLTAGE: 250 VAC
 CONTACT RESISTANCE: 20 mOHM MAX

WIRE DIMENSION

AWG: AWG 22 - 28

PACKAGING

BULK/LOOSE DELIVERY IN A BAG
 EACH TERMINAL SEPARATED FROM EACH OTHER
 NOT ON A REEL
 100PCS/PER BAG. MULTIPLE OF 100PCS ONLY
 1PC OF 62400113722DEC =1 CRIMP TERMINAL
 SO 1 BAG MEANS 100 PCS OF 62400113722DEC

RoHS Compliant

PROJECTION:



GENERAL TOLERANCE

.X = ± 0.3 .XX = ± 0.2 

APPROVAL: BBu

UNIT: MM

SCALE:

SHEET: 1/3

DRAW: MIKE

DESCRIPTION: 2.00 MM DUAL ROW FEMALE CRIMP TERMINAL

WERI PART NO: 624 001 137 22DEC

SIZE

A4

G				APPROVAL: BBu	UNIT: MM SCALE: SHEET: 1/3 DRAW: MIKE	DESCRIPTION: 2.00 MM DUAL ROW FEMALE CRIMP TERMINAL WERI PART NO: 624 001 137 22DEC	SIZE A4
F							
E							
D	25-JAN-16	TPK UPDATE	AK				
C	06-AUG-13	CHARACTERISTIC	QL				
B	29-JUL-13	DWG & CARAC	QL				
A	15-MAY-12	PDF	GG				
REV	DATE	FILE	BY				



1

2

3



4

5




100PCS/BAG


COVER





20bags(2kps)/BOX



12BOXES(24KPCS)/Carton



Note:
Box size: 120*140*60

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		DESCRIPTION: 2.00MM DUAL ROW FEMALE CRIMP CONTACT TERMINAL	SIZE A4
G								
F				APPROVAL: BBu	SCALE:			
E					SHEET: 2/3			
D					DRAW: MIKE			
C								
B								
A								
REV	DATE	FILE	BY					

A

B

C

D

1

2

3

4

5

Cautions and Warnings:

This electronic component is designed and developed with the intention for use in general electronics equipments.



Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Würth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

A

B

C

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		DESCRIPTION: DISCLAIMER	SIZE A4
G								
F								
E								
D								
C				APPROVAL: JC	UNIT: MM	WERI PART NO: DISCLAIMER		
B					SCALE:			
A	10-SEP-14	PDF	QL		SHEET: 3/3			
REV	DATE	FILE	BY		DRAW: QL			

D