

1125075

https://www.phoenixcontact.com/us/products/1125075

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Installation connector, Range of articles: PRC 35, Color-coding, housing material: PA 6.6-FR. If you are using the release latch, then the PRC approvals in accordance with IEC 61535 and 2PfG 1915 are not required

Your advantages

- · Color coding for PRC connectors
- · Easy installation
- · Other colors available on request

Commercial data

Item number	1125075
Packing unit	1 pc
Minimum order quantity	50 pc
Sales key	AB03
Product key	ABLCZB
GTIN	4063151050498
Weight per piece (including packing)	0.332 g
Weight per piece (excluding packing)	0.332 g
Customs tariff number	39269097
Country of origin	PL



1125075

https://www.phoenixcontact.com/us/products/1125075

Technical data

Notes

Consent	If you are unique the valence latch, they the DDC annuals in		
General	If you are using the release latch, then the PRC approvals in accordance with IEC 61535 and 2PfG 1915 are not required		
Product properties			
Product type	Installation connector		
Product family	PRC 35		
Insulation characteristics			
Protection class	II		
Degree of pollution	2		
Dimensions			
Width	16 mm		
Height	8.9 mm		

D

Width	16 mm
Height	8.9 mm
Length	8.8 mm

Material specifications

Flammability rating according to UL 94	V0
Housing material	PA 6.6-FR

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	40 °C 105 °C
Ambient temperature (storage/transport)	40 °C 70 °C
Ambient temperature (assembly)	-5 °C 85 °C



1125075

https://www.phoenixcontact.com/us/products/1125075

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27440102
	ECLASS-12.0	27440116
	ECLASS-13.0	27440116
ETIM		
	ETIM 8.0	EC002635
UNSPSC		

39121400



1125075

https://www.phoenixcontact.com/us/products/1125075

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com