

**Data sheet | Item number: 283-318**

End and intermediate plate; 4 mm thick; light gray

[www.wago.com/283-318](http://www.wago.com/283-318)



**i** Picture differs from the item.

**Color:**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	4 mm / 0.157 inches
Height	80 mm / 3.15 inches
Depth	37.5 mm / 1.476 inches

### Material Data

Note (material data)	Information on material specifications can be found here
Color	light gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.23 MJ
Weight	7.7 g

### Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332199391
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

## Required accessories

### End plate

Through terminal block		
<b>Item no.: 283-691</b>	2-conductor through terminal block; 16 mm <sup>2</sup> ; suitable for Ex e II applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 16,00 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/283-691">www.wago.com/283-691</a>
Ground terminal block		
<b>Item no.: 283-607/999-950</b>	2-conductor ground terminal block; 16 mm <sup>2</sup> ; suitable for Ex e II applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 16,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/283-607/999-950">www.wago.com/283-607/999-950</a>

## Downloads

### Documentation

#### Additional Information

	pdf 2.2 MB	Download
--	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 283-318	URL	Download
----------------------	-----	----------

### CAE data

EPLAN Data Portal 283-318	URL	Download
---------------------------	-----	----------

WSCAD Universe 283-318	URL	Download
------------------------	-----	----------

ZUKEN Portal 283-318	URL	Download
----------------------	-----	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 283-318 End and intermediate plate; 4 mm thick; light gray	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!



## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.