
# TRIPP-LITE

1000 Eaton Boulevard Cleveland, OH 44122 United States

## DataShield In-Line Surge Protector for Network and Phone Lines, 2-Line RJ11/RJ45

#### MODEL NUMBER: DTEL2





#### Highlights

- RJ11/RJ45 2-line dial-up surge protector
- Protects against the effects of electrostatic discharge

#### **Package Includes**

- DTEL2 dataline protector
- 5-in. RJ11 telephone patch cable
- Warranty information and instruction manual

Protects up to 2 network or phone lines, modems, fax machines and answering machines against damage from electrostatic discharge and ground surges.

#### Description

DTEL2 surge suppressor is designed to protect data and communications equipment against AC transients caused by electrostatic discharge and ground surges that can enter equipment from the signal lines or chassis ground. The DTEL2 features RJ45/RJ11 plugs for modems, telephone lines and answering or fax machines.

#### Features

- Protects against the effects of electrostatic discharge
- Comes with RJ11 telephone patch cable

### **Specifications**

OVERVIEW		
UPC Code	037332010865	
INPUT		
Nominal Input Voltage(s) Supported	120V AC; 230V AC	
Recommended Electrical Service	120V, 230V	
Input Plug Type	RJ11; RJ45	
Input Cord Length (ft.)	0	
Right-Angle Plug	No	
Input Cord Length (m)	0.00	
Integrated Cord Clip	No	



ОИТРИТ		
Output Receptacles	(1) Network	
Circuit Breaker (amps)	250	
Right-Angle Outlets	No	
USER INTERFACE, ALERTS & CONTROLS		
Diagnostic LED(s)	No	
SURGE / NOISE SUPPRESSION		
AC Suppression Joule Rating	0	
Automatic Shut-Off	No	
DATALINE SURGE SUPPRESSION		
Telephone/DSL Protection Details	1 line	
Cable (Coax) Protection	No	
Network (Ethernet) Protection	No	
Additional Dataline Protection	4,5 & 3,6 pairs	
Telephone/DSL Protection	Yes	
PHYSICAL		
Housing Color	Beige	
Mounting Holes or Slots	No	
Shipping Dimensions (hwd / in.)	5.20 x 3.00 x 2.10	
Shipping Dimensions (hwd / cm)	13.21 x 7.62 x 5.33	
Shipping Weight (lbs.)	0.20	
Shipping Weight (kg)	0.09	
Unit Dimensions (hwd / in.)	3.500 x 1.000 x 1.000	
Unit Weight (lbs.)	0.2	
Unit Weight (kg)	0.09	
FEATURES & SPECIFICATIONS		
Rotatable Outlets	No	
Antimicrobial	No	
STANDARDS & COMPLIANCE		
Product Compliance	RoHS	



1000 Eaton Boulevard Cleveland, OH 44122 United States

#### WARRANTY & SUPPORT

Product Warranty Period (Worldwide)

Lifetime limited warranty



© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.