

**Data sheet | Item number: 734-430**

Strain relief plate; for female and male connectors; 1 part; gray

[www.wago.com/734-430](http://www.wago.com/734-430)




**Color:**

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

## Data

### Physical data

Width	55 mm / 2.165 inches
Height	1.87 mm / 0.074 inches
Depth	37 mm / 1.457 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Mechanical Data

Suitable	for standard male and female connectors (2.5 mm; 3.5 mm; 5 mm; 7.5 mm pin spacing)
----------	--

## Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Fire load	0.11 MJ
Weight	2.6 g

## Commercial data

Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454309534
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

Subject to changes. Please also observe the further product documentation!



## Downloads

### Documentation

#### Bid Text

734-430 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
------------------------	--------------	---------------	----------

734-430 doc - Datei	2017 年4月27 日	doc 24.1 kB	Download
------------------------	--------------	----------------	----------

#### Additional Information

	2019 年4月3 日	pdf 2.0 MB	Download
--	-------------	---------------	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 734-430 Strain relief plate; for female and male connectors; 1 part; gray		URL	Download
---	--	-----	----------

## Installation Notes

### Installation



Strain relief plates for factory or in-the-field assembly

### Application

Subject to changes. Please also observe the further product documentation!




Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin spacing, light gray,

12-pole, with strain relief plate

733-112/034-000

#### Application



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin spacing, light gray,

2-pole, with strain relief plate (733-102/032-000)

Subject to changes. Please also observe the further product documentation!