

Description: Stealth blade LTE antenna

PART NUMBER: W1999

Series: Stealth blade



Features:

- Frequency 698-2700MHz
- Size 109mm radiator
- VSWR 2:1
- Gain 3 / 1 / 2 dBi
- Cable 1500mm RG-316
- Connector SMA male
- IP67

Applications:

- LTE Antenna
- Low cost stealth blade solution
- · Indoor and Outdoor usage

All dimensions are in mm / inches

Issue: 1933

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

ELECTRICAL SPECIFICATIONS

Antenna Type Dipole (Measured with 1500mm RG-316 Cable, in free space)

Frequency 698-960/1710-2170/2300-2700MHz

Nominal Impedance 50 Ω

VSWR 2:1 Max

Radiation Pattern Omni

Peak Gain (698-960) 3 dBi

Peak Gain (1710-2170) 1 dBi

Peak Gain (2300-2700) 2 dBi

Efficiency (698-960) 50%

Efficiency (1710-2170) 40%

Efficiency (2300-2700) 40%

Polarization Vertical

Power Withstanding 3W



Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

MECHANICAL SPECIFICATIONS

Overall Length 109mm
Weight 37.2g
Antenna Color / Material Black
Connector type SMA -Male
Cable type RG-316
Cable length 1500mm

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature $-40 \sim +85^{\circ}$ C Storage Temperature $10-40^{\circ}$ C Ingress Protection IP67 RoHS Compliant Yes







Description: Stealth blade LTE antenna


Series: Stealth blade

PART NUMBER: W1999

MECHANICAL DRAWING










Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

TEST SETUP






Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS








Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS








Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS





Description: Stealth blade LTE antenna


Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@698-960MHz

XY Plane








Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@698-960MHz








Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@698-960MHz






Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@1710-2170MHz



Issue: 1933






Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@1710-2170MHz



Issue: 1933

ROHS




Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@1710-2170MHz



Issue: 1933






Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@2300-2700MHz










Description: Stealth blade LTE antenna

Series: Stealth blade
PART NUMBER: W1999

CHARTS

Radiation pattern@2300-2700MHz










Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

CHARTS

Radiation pattern@2300-2700MHz



Issue: 1933

ROHS



Description: Stealth blade LTE antenna

Series: Stealth blade

PART NUMBER: W1999

PACKAGING

1 pcs/ PE Bag 200 pcs/ Box





ASSEMBLY

Assemble with adhesive 3M 4943 (95 X 24 X 1.27 mm)