



SECT. A-A
(SCALE 10 : 1)



SECT. B-B
(SCALE 10 : 1)



SECT. C-C
(SCALE 10 : 1)

ニッケル (2 μm MIN.) 下地 金 (0.35 μm MIN.) GOLD (0.35 μm MIN.) OVER NICKEL (2 μm MIN.)	有 YES	39-00-0320	I433GL	バラ端子 LOOSE
		39-00-0319	I433G	連鎖状端子 CHAIN
銅 (0.5 μm MIN.) 下地 錫 (0.9 μm MIN.) TIN (0.9 μm MIN.) OVER COPPER (0.5 μm MIN.)	無 NO	39-00-0318	I433ATL	バラ端子 LOOSE
		39-00-0317	I433AT	連鎖状端子 CHAIN
	有 YES	39-00-0316	I433TL	バラ端子 LOOSE
39-00-0315		I433T	連鎖状端子 CHAIN	
メッキ PLATING	ディンプル有無 WITH DIMPLE	EDP.NO.	ENG.NO.	形状 FORM

注記 NOTES:

1. 一般公差 : ±0.4
GENERAL TOLERANCES : ±0.4

材料 MATERIAL 黄銅 BRASS 0.264t
仕上げ FINISH //
適用電線範囲 WIRE RANGE AWG#24-#28
被覆外径 INS. RANGE Ø0.8~1.5

REVISED EC NO.: J2017-0534 DRAWINGS CHKD: APPR: MSASAO 2017/05/08 2017/05/26	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	0.25 UNDER ±	DRAWN BY H.HASEGAWA	DATE 1993/07/06	TITLE .093 DIA FEMALE TERM	
	0.25 OVER 0.5 UNDER ±	CHECKED BY H.HIRAMOTO	DATE 1993/07/06		
	0.5 OVER 1.0 UNDER ±	APPROVED BY M.FUKUSHIMA	DATE 1993/07/06		
1.0 OVER 10 UNDER ±0.3	MATERIAL NO.		DOCUMENT NO.	SHEET NO. 1 OF 1	
10 OVER 30 UNDER ±0.25	SEE CHART		SD-1433*		
30 OVER ±0.2	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
ANGULAR ±3 °	SIZE A3				