NOTE:

1. ELECTRIC PERFORMANCE

: 50 : DC-6GHz IMPEDANCE (Ω) FREQUENCY RANGE

VSW R : ≤ 1.065 (DC-3GHz) : ≤1.1 (3-6GHz)

INSERT LOSS (dB) : ≤ 0.1

PIM(dBc) : \leq -160 (2X43dBm) INSULATION RESISTANCE (M Ω) : 5000 PROOF VOLTAGE (V) :2500

CONDUCTOR RESISTANCE (m Ω): OUTER CONDUCTOR <0.2 INNER CONDUCTOR < 0.8

II. MECHANICAL PERFORMANCE NUT TORQUE N : 5Nm MECHANICAL WEAR : 500

III. MATERIAL AND PLATING
OUTER CONDUCTOR : BRASS PLATING COPPER-TIN-ZINC 2 µm
INNER CONDUCTOR : BRASS PLATING AG5 µm


: BRASS PLATING NICKEL 5 µm INSULATOR : PTFE

IV. ENVIRONMENT

TEMP RANGE : -55 °C TO +155 °C W ATERPROOF STANDARD : IP67

ROHS COMPLIANT

172369			REVISIONS			
	DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
	THIRD ANGLE PROJ. 🕀 🖯	Α	RELEASE TO MFG.	01-0ct-12		MG



SCALE 1.000

1.752 REF [44.50]	
0.748	ON HEX
——0.748 [19.00] TYP(2)	ON HEX

4	NUT	BRASS	NICKEL	1
3	INSULATOR	PTFE	NATURAL	1
2	INNER CONDUCTOR	BRASS	SILVER	1
1	OUTER CONDUCTOR	BRASS	WHITE BRONZE	1
NO	DESCRIPTION	MATERIAL	FINISH	QTY

		·				
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN GOPI M	DATE 01-0ct-12	N MALE TO N MALE	Amphenol	
NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are	- SEE NOTES	ENGINEER GOPI M	DATE 01-0ct-12	ADAPTER, LOW PIM	Connex	
confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is	REFERENCE	APPROVED	DATE		00445	
not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to		CAD FILE		DWG SIZE DRAWING	NO. 172369 REV A	
or disclosed by said drawings, specifications, or other data.					1/2JU7 A	