1977878-1 ✓ ACTIVE

AMP | AMP CPC

TE Internal #: 1977878-1

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Plug, Socket, Signal, Black, All

Plastic, AMP CPC

View on TE.com >



Connectors > Power Connectors > Circular Power > Circular Power Connectors > One-Piece Connector, Sealed, CPC Series 1











Connector Product Type: Housing

Operating Voltage: 600 VDC

Connector System: Wire-to-Wire

Number of Positions: 4

Sealable: Yes

All One-Piece Connector, Sealed, CPC Series 1 (33)

Features

Product Type Features

Connector Seal & Plug Type	Wire Entry Seal
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	Without
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4



Electrical Characteristics

Electrical Characteristics	
Operating Voltage	600 VAC
Contact Features	
Reverse Gender	No
Contact Type	Socket
Contact Protection	With
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Mating Retention Type	Threaded Coupling
Thread Size	5/8-24 UNEF-2A
Polarization Code	A
Mating Retention	With
Panel Mount Feature	Without
Housing Features	
Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon (UV Resistant)
Circular Connector Shell Size	11
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	Immersion
Operation/Application	
Circuit Application	Signal
Shielded	No
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	100
Packaging Method	Bag
Other	
Power Connectors Comment	With standard coupling.



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













TE Part # CAT-AM71-C83998K Circular Connector, Environmentally Sealed, CPC Series 6



TE Part # CAT-AM71-T98E Pin and Socket Contacts, Type III, LP



TE Part # CAT-AM71-T98D Pin and Socket Contacts, Type III, LP **EMEA**



TE Part # CAT-AM71-T98A Strip Pin and Socket Contacts, Type III,



TE Part # CAT-AM71-T98G Pin and Socket Contacts, Type III, LP, High Current



TE Part # CAT-AM71-T98 Pin and Socket Contacts, Type II



TE Part # CAT-AM71-T98B Strip Pin and Socket Contacts, Type III



TE Part # CAT-AM71-T98F Strip Pin and Socket Contacts, Type III, High Current



TE Part # CAT-AM71-C83998O Pin and Socket Contacts, CPC MIL-C-5015



TE Part # 81665-3 ECONOSEAL, FLANGE GASKET



TE Part # 91542-1 CCII TYPE III+ PIN SKT 24-22 ASSY









TE Part # 58495-1 PRO CRIMPER ASSY MULTIMATE



CCII TYPE III+ PIN SKT 24-16 ASSY



Also in the Series | AMP CPC



Circular Connector Adapters(7)



Circular Connector Caps & Covers(16)



Circular Connector Hardware(3)



Circular Connector Keying Plugs(2)





Circular Power Connectors(459)



Connector Backshells(56)



Connector Seals & Cavity Plugs(36)



Connector Strain Relief(6)



Insertion & Extraction Tools(1)



Power Contacts(6)



Sealing Sleeves(2)

Customers Also Bought



TE Part #66359-9
Strip Pin and Socket Contacts, Type III



TE Part #487526-6 007 HOUSING FFC RCPT 100CL SR



TE Part #1-66598-2 III+ SKT,18-14,TIN ,STRIP



TE Part #207489-1
FLEXIBLE CABLE BOOT, SIZE 11



TE Part #130014
/P TERM, R, PG, 22-16, M5





Documents

Product Drawings

SLD CPC PLUG ASY,11-4,STD SEX, UV RESIST

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1977878-1_A.2d_dxf.zip Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, Plug, Socket, Signal, Black, All Plastic, AMP CPC



English

Customer View Model

ENG_CVM_CVM_1977878-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1977878-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Connector, Circular Plastic

English

Product Specification

English