

ITEM	PART#	DESCRIPTION	QTY	UOM
A, B	5601230200	DuraClik ISL housing 2p	2	PC
C	5601250200	DURACLIK ISL RETAINER 2P	2	PC
D	5601240101	DURACLIK ISL crimp receptacle terminal	4	PC
E	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B2	1X0.35 SQMM PVC BARE CU BK FLRY-A	BLACK
A2	B1	1X0.35 SQMM PVC BARE CU BK FLRY-A	BLACK




TABLE			
PART NUMBER	L1	L2 (REF)	TITLE
2183221021	150±8	63	DURA-CLIK ISL R-R 2CKT 150MM DISC Sn
2183221022	300±10	138	DURA-CLIK ISL R-R 2CKT 300MM DISC Sn
2183221023	600±10	288	DURA-CLIK ISL R-R 2CKT 600MM DISC Sn

NOTES

1. Cable assembly must pass 100% for continuity and polarity.
2. Connector view shown is from mating side.
3. Label text must be 2mm max. in height with Arial font.
4. Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
24/05/2021	A	INITIAL RELEASE	ARAJU

FUNCTIONAL SYMBOLS $\frac{F}{A} = 0$ $\frac{F}{E} = 0$ $\frac{F}{P} = 0$ DIVISIONAL SYMBOLS	DIMENSION UNITS: mm SCALE: NTS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °		molex SEE TABLE
	4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±	CURRENT REV DESC: EC NO: 665457 DRWN: ARAJU 2021/05/22 CHK'D: RDESAI01 2021/05/28 APPR: RDESAI01 2021/05/28	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		INITIAL REVISION: DRWN: ARAJU 2021/05/22 APPR: RDESAI01 2021/05/28

DOCUMENT STATUS	P1	RELEASE DATE	2021/05/28	13:17:27
-----------------	----	--------------	------------	----------