



Insulated cross-connector, No. of poles: 5, Mounting type: Plug in, Width: 24.4 mm, Rated cross-section: 2.5 mm², Colour: Red

Article number	<u>3713.9</u>
Article name	ZQI 2,5/5 RD
GTIN (EAN)	4044211108557
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	2.8 g
Weight per piece (including packaging)	2.9 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	3713.8
Product description	Insulated cross-connector

Business data



Technical data

Dimensions	
Length	4.5 mm
Width	24.4 mm
Pitch size	5 mm
Ratings	
Voltage with partition, max.	800 V
Voltage without partition, max.	800 V
Rated current	24 A
Rated cross-section	2.5 mm ²
Contamination degree	3
Connection data	
No. of poles	5
Materials	
Material	Copper alloy
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	5
Environmental Product Compliance	
REACH Candidate Substance Note	No

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3569.2	ZRKD 2,5/LED2(RD)/24V DC BG	4044211059132	100 ST



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige






Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3574.2	ZRKD 2,5/D5 BG	4044211059187	100 ST







	Article number	Article name	GTIN (EAN)	Packaging unit
	3653.2	ZRKS 2,5/2A/2S BG	4044211177683	100
	•	terminal, Tension-spring connector cross-section: 2.5 mm², Width:	••••	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3652.2	ZRKS 2,5/2A/1S BG	4044211177676	100
	•	terminal, Plug-in connection, Mo , Colour: Beige	ounting type: Mounting rail	
	Article number	Article name	GTIN (EAN)	Packaging unit
	3655.2	ZRKS 2,5/2S BG	4044211177706	100
Kema eur	•	terminal, Tension-spring connect m², Width: 25.5 mm, Colour: Be Article name	• • • • •	n, Rated cross Packaging unit
	17485.2	ZST 2,5/5/1A/Q BG	4044211205249	50 ST
)()	section: 2.5 m	terminal, Tension-spring connect m ² , Width: 56.1 mm, Colour: Be	ige	n, Rated cross Packaging
)()	section: 2.5 m	m², Width: 56.1 mm, Colour: Be Article name	0,11,00	Packaging unit
)()	section: 2.5 m Article number 17491.2 Feed-through	m², Width: 56.1 mm, Colour: Be	ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir	Packaging unit 10 ST
)()	section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m	m², Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m², Width: 76.5 mm, Colour: Be	ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige	Packaging unit 10 ST n, Rated cross Packaging
)())() [[[[[[[[[[[[[[[[[[[section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m Article number <u>17495.2</u> Feed-through	m², Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m², Width: 76.5 mm, Colour: Be Article name	ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205348 ction, Mounting type: Plug ir	Packaging unit 10 ST n, Rated cross Packaging unit 10 ST
)	section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m Article number <u>17495.2</u> Feed-through	m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Be Article name ZST 2,5/15/1A/Q BG terminal, Tension-spring connect	ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205348 ction, Mounting type: Plug ir	Packaging unit 10 ST n, Rated cross Packaging unit 10 ST



	Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3650.2	ZRKS 2,5/1A/1S BG	4044211177652	100
	•	terminal, Tension-spring connection, cross-section: 2.5 mm², Width: 5.1 m		ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3651.2	ZRKS 2,5/1A/2S BG	4044211177669	100
	•	terminal, Tension-spring connection, m², Width: 45.9 mm, Colour: Beige	, Mounting type: Plug i	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
	17489.2	ZST 2,5/9/1A/Q BG	4044211205287	25 ST
<u>_</u>	•	terminal, Tension-spring connection, m², Width: 51 mm, Colour: Beige Article name	, Mounting type: Plug ii GTIN (EAN)	n, Rated cross- Packaging unit
1	17490.2	ZST 2,5/10/1A/Q BG	4044211205294	25 ST
gr	•	terminal, Tension-spring connection, m², Width: 5.1 mm, Colour: Beige	, Mounting type: Plug i	
	Article number	Article name	GTIN (EAN)	Packaging unit
Last.	3673.2	ZST 2,5/1A/Q/Z BG	4044211177843	100
	•	terminal, Tension-spring connection, m², Width: 20.4 mm, Colour: Beige	, Mounting type: Plug i	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
5 00	17484.2	ZST 2,5/4/1A/Q BG	4044211205232	50 ST
	•	terminal, Tension-spring connection, m², Width: 35.7 mm, Colour: Beige	, Mounting type: Plug i	n, Rated cross-

R	Article number	Article name	GTIN (EAN)	Packaging unit
	17487.2	ZST 2,5/7/1A/Q BG	4044211205263	25 ST



nen sonen	•	terminal, Plug-in connection, Mount , Colour: Beige	ing type: Mounting rail ⁻	FS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	3654.2	ZRKS 2,5/4S BG	4044211177690	100
GA ®	-	terminal, Tension-spring connection m², Width: 10.2 mm, Colour: Beige	n, Mounting type: Plug ir	n, Rated cross-
	Article number	Article name	GTIN (EAN)	Packaging unit
0 03	17482.2	ZST 2,5/2/1A/Q BG	4044211205218	50 ST
rnr	•	terminal, Tension-spring connection m², Width: 15.3 mm, Colour: Beige	n, Mounting type: Plug ir	n, Rated cross-
EHE	Article number	Article name	GTIN (EAN)	Packaging unit
	17483.2	ZST 2,5/3/1A/Q BG	4044211205225	50 ST
	•	terminal, Tension-spring connection m², Width: 40.8 mm, Colour: Beige	n, Mounting type: Plug ir	n, Rated cross-
KEUR	Article number	Article name	GTIN (EAN)	Packaging
KEUR	Article number	Article name ZST 2,5/8/1A/Q BG	GTIN (EAN) 4044211205270	Packaging unit 25 ST
KEWA	17488.2 Feed-through section: 2.5 mi	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige	4044211205270	unit 25 ST
KEWA	17488.2 Feed-through section: 2.5 m Article number	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 n, Mounting type: Plug ir GTIN (EAN)	unit 25 ST n, Rated cross- Packaging unit
KEUR	17488.2 Feed-through section: 2.5 mi	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige	4044211205270	unit 25 ST n, Rated cross- Packaging
KEUR	17488.2 Feed-through t section: 2.5 mi Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name	4044211205270 n, Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
KEUR	17488.2 Feed-through t section: 2.5 mi Article number 17492.2 Feed-through t	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection	4044211205270 n, Mounting type: Plug ir GTIN (EAN) 4044211205317	unit 25 ST n, Rated cross- Packaging unit 10 ST
KEWA	17488.2Feed-through section: 2.5 millionArticle number17492.2Feed-through section: 2.5 million	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in	unit 25 ST n, Rated cross- Packaging unit 10 ST n, Rated cross- Packaging
K EUR K EUR	17488.2Feed-throughsection: 2.5 millionArticle number17492.2Feed-throughsection: 2.5 millionArticle number3672.2Feed-throughFeed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100
KEWA KEWA KEWA	17488.2Feed-throughsection: 2.5 millionArticle number17492.2Feed-throughsection: 2.5 millionArticle number3672.2Feed-throughFeed-through	ZST 2,5/8/1A/Q BG terminal, Tension-spring connection m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection	4044211205270 n, Mounting type: Plug in GTIN (EAN) 4044211205317 n, Mounting type: Plug in GTIN (EAN) 4044211177836	unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100



	Ex feed-through terminal for direct mount, ATEX-certified, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 25 mm ² , Width: 51 mm, Colour: Beige			
O DIA D	Article number	Article name	GTIN (EAN)	Packaging unit
	1729.2	ZSRK 2,5/2A-D Ex BG	4044211129699	100 ST
	•	terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm², W	0	0 71
	Article number	Article name	GTIN (EAN)	Packaging unit
	3588.2	ZSRK 2,5/2A-D BG	4044211151966	100
	•	terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3638.2	ZSLN 2,5/2A-D BKYE	4044211080570	100 ST
	Feed-through terminal for direct mount, Tension-spring connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour: Black-yellow			
	Article number	Article name	GTIN (EAN)	Packaging unit
	3639.2	ZSLN 2,5/2A-RC BKYE	4044211080556	100 ST
	•	terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm², W	•	• • •
	Article number	Article name	GTIN (EAN)	Packaging unit
	3640.2	ZSLN 2,5/2A-D/F BKYE	4044211080563	50 ST
		terminal for direct mount, Tension-sp ace, Rated cross-section: 2.5 mm ² , W		
	Article number	Article name	GTIN (EAN)	Packaging unit
	3587.2	ZSRK 2,5/2A-RC BG	4044211151942	100











##INVERSE##CONTA-CONNECT



Basic terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3610.2	ZTRK 2,5/3A/OT BG	4044211059743	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17037.2	ZIKD 2,5/L-L-N BG	4044211155742	50 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3564.2	ZRKD 2,5/N/DU	4044211059088	100 ST

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

We	Article number	Article name	GTIN (EAN)	Packaging unit
	3566.2	ZRKD 2,5/N/PE	4044211059101	100 ST



Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3575.2	ZRKD 2,5/ZBA BG	4044211059194	100



Three-level initiator terminal | Multi-wire terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3591.2	ZIKD 2,5/SV BG	4044211059484	50



##INVERSE##CONTA-CONNECT

-0-0-	·		2.5 mm², Width: 5.1 mm, C	nting type: olour: Beige
	Article number	Article name	GTIN (EAN)	Packaging unit
	1707.2	ZRKD 2,5 Ex BG	4044211110949	100
		erminal, Tension-spring connect cross-section: 2.5 mm², Width: {	• • • •	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3562.2	ZRKD 2,5 BG	4044211151836	100
		erminal, Tension-spring connect cross-section: 2.5 mm², Width: {	••••	ng rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3563.2	ZRKD 2,5/SV BG	4044211059064	100
and the second		erminal, Tension-spring connect	• • • •	ng rail TS
CO-G-SIL	35/7.5, Rated	cross-section: 2.5 mm ² , Width: {	5.1 mm, Colour: Beige	
	Article number	Article name	o.1 mm, Colour: Beige GTIN (EAN)	Packaging unit
	Article number 3565.2 Double-level te	Article name	GTIN (EAN) 4044211059095 tion, Mounting type: Mountin	unit 100 ST
	Article number 3565.2 Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connect	GTIN (EAN) 4044211059095 tion, Mounting type: Mountin	unit 100 ST
	Article number 3565.2 Double-level te 35/7.5, Rated o	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connect cross-section: 2.5 mm ² , Width: 4	GTIN (EAN) 4044211059095 tion, Mounting type: Mountin 5.1 mm, Colour: Beige	unit 100 ST ng rail TS Packaging
	Article number <u>3565.2</u> Double-level te 35/7.5, Rated of Article number <u>3576.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connect cross-section: 2.5 mm ² , Width: 4 Article name	GTIN (EAN) 4044211059095 tion, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059217 tion, Mounting type: Mountin	unit 100 ST ng rail TS Packaging unit 100
	Article number <u>3565.2</u> Double-level te 35/7.5, Rated of Article number <u>3576.2</u> Double-level te	Article name ZRKD 2,5/DU/PE erminal, Tension-spring connect cross-section: 2.5 mm², Width: 4 Article name ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connect	GTIN (EAN) 4044211059095 tion, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059217 tion, Mounting type: Mountin	unit 100 ST ng rail TS Packaging unit 100

Double-level terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3578.2	ZRKD 2,5/DU/PE/ZBA	4044211059248	100 ST



	Article number	Article name	GTIN (EAN)	Packaging unit
	3579.2	ZRKD 2,5/N/PE/ZBA	4044211059255	100 ST
		gh terminal ATEX-certified, Ten TS 35/7.5, Rated cross-section:	1 0	0 71
	Article number	Article name	GTIN (EAN)	Packaging unit
	1704.2	ZRK 2,5/2A Ex BG	4044211058401	100
		terminal, Tension-spring conne cross-section: 2.5 mm ² , Width:	••••	•
	Article number	Article name	GTIN (EAN)	Packaging unit
	<u>3501.2</u> Feed-through	ZRK 2,5/3A BG	4044211151690	100
ERC	Feed-through	ZRK 2,5/3A BG terminal, Tension-spring conne cross-section: 2.5 mm ² , Width: Article name	ction, Mounting type: Mount	ing rail TS
EHC	Feed-through 35/7.5, Rated	terminal, Tension-spring conne cross-section: 2.5 mm ² , Width:	ction, Mounting type: Mount 5.1 mm, Colour: Beige	ing rail TS Packaging
EHC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section:	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	ing rail TS Packaging unit 100 Unting type: olour: Beige
EHC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN)	ing rail TS Packaging unit 100 unting type: olour: Beige Packaging unit
EAC	Feed-through 35/7.5, Rated Article number <u>1169.2</u> Ex feed-throug Mounting rail	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section:	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C	ing rail TS Packaging unit 100 Unting type: olour: Beige Packaging
ERIC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Unting type: olour: Beige Packaging unit 100 Unting type:
ERC	Feed-through 35/7.5, Rated Article number 1169.2 Ex feed-throug Mounting rail Article number 1700.2 Ex feed-throug	terminal, Tension-spring conne cross-section: 2.5 mm², Width: Article name ZSRK 2,5/2A/SAS BG gh terminal ATEX-certified, Ten TS 15/5.5, Rated cross-section: Article name ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Ten	ction, Mounting type: Mount 5.1 mm, Colour: Beige GTIN (EAN) 4044211128647 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059354 sion-spring connection, Mou	ing rail TS Packaging unit 100 Unting type: olour: Beige Packaging unit 100 Unting type:

Article number	Article name	GTIN (EAN)	Packaging unit
1705.2	ZRK 2,5/3A Ex BG	4044211110925	100



.. _ _

##INVERSE##CONTA-CONNECT

	•	cross-section: 2.5 mm ² , Width	ection, Mounting type: Mount : 5.1 mm, Colour: Beige	C
	Article number	Article name	GTIN (EAN)	Packaging unit
	3500.2	ZRK 2,5/2A BG	4044211151683	100
	•	terminal, Tension-spring conn cross-section: 2.5 mm², Width	••••	ing rail TS
	Article number	Article name	GTIN (EAN)	Packaging unit
	3583.2	ZSRK 2,5/2A BG	4044211151874	100
	•	terminal, Tension-spring conn cross-section: 2.5 mm², Width	••••	ing rail TS
<u>o e ao</u>	Antiala number	Article name	GTIN (EAN)	Packaging
	Article number	Article fiame	GTIN (EAN)	unit
	<u>3585.2</u>	ZSRK 2,5/2A/15 BG	4044211151904	unit 100
	<u>3585.2</u> Ex feed-throug		4044211151904 nsion-spring connection, Mou	100 Inting type:
	<u>3585.2</u> Ex feed-throug	ZSRK 2,5/2A/15 BG	4044211151904 nsion-spring connection, Mou	100 Inting type:
5 4 4	<u>3585.2</u> Ex feed-throug Mounting rail ⊺	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter IS 35/7.5, Rated cross-section	4044211151904 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C	100 Inting type: olour: Beige Packaging
	3585.2 Ex feed-throug Mounting rail Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name	4044211151904 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou	100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail Article number 1703.2 Ex feed-throug	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter	4044211151904 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou	100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail Article number 1703.2 Ex feed-throug Mounting rail	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section	4044211151904 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name	4044211151904 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463 ection, Mounting type: Mount	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100
	3585.2 Ex feed-throug Mounting rail T Article number 1703.2 Ex feed-throug Mounting rail T Article number 1706.2 Feed-through	ZSRK 2,5/2A/15 BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZSRK 2,5/3A Ex BG gh terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZRK 2,5/4A Ex BG terminal, Tension-spring conn	4044211151904 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059620 nsion-spring connection, Mou n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211058463 ection, Mounting type: Mount	100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100

. __

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1701.2	ZSRK 2,5/3A/15 Ex BG	4044211059590	100




##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3502.2	ZRK 2,5/4A BG	4044211151713	100



	Article number	Article name	GTIN (EAN)	Packaging unit
	3600.2	ZSRK 2,5/3A BG	4044211152031	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3645.2	ZRKD 2,5/LED(RD)/230V AC BG	4044211146733	100 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3568.2	ZRKD 2,5/LED1(RD)/24V DC BG	4044211059125	100 ST



##INVERSE##CONTA-CONNECT

CA BO		Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5.1 mm, Colour:Beige				
	Article number	Article name	GTIN (EAN)	Packaging unit		
	3570.2	ZRKD 2,5/D1 BG	4044211059149	100		

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3571.2	ZRKD 2,5/D2 BG	4044211059156	100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
3572.2	ZRKD 2,5/D3 BG	4044211059163	100