

32F072BDISCOVERY

Discovery kit for STM32F072xx microcontrollers

Data brief

Features

- STM32F072RBT6 microcontroller featuring 128 Kbytes of Flash memory, 16 Kbytes of SRAM in an LQFP64 package
- USB FS with Mini-B connector
- I3G4250D ST MEMS motion sensor 3-axis • digital output gyroscope
- One linear touch sensor or four touch keys
- Six LEDs:
 - LD1 (red/green) for USB communication
 - LD2 (red) for 3.3 V power on
 - Four user LEDs: LD3 (red), LD4 (orange), LD5 (green) and LD6 (blue)
- Two push-buttons (user and reset)
- RF EEPROM daughterboard connector
- Extension header for LQFP64 I/Os for quick ٠ connection to a prototyping board and easy probing
- On-board ST-LINK/V2 with switch to use the kit as a standalone ST-LINK/V2 (with SWD connector for programming and debugging)
- Flexible power supply options:
 - USB bus or external 5 V supply voltage
- Power supply output for external applications: 3 V and 5 V
- Comprehensive free software including a variety of examples, part of STM32CubeF0 or STM32SnippetsL0 packages or STSW-STM32139 for legacy Standard Libraries usage

Description

The 32F072BDISCOVERY Discovery kit helps users to discover the STM32F072RB, which has the full set of features available in the STM32F0 Series, and to develop their applications easily. It includes everything required for beginners and experienced users to get started quickly.

VBA PC13 . PC1 PC15 PFO 187 GND PBS PB4 NRST 0 PCC P83 PC1 a PD2 PC2 PC12 PC11 PC3 PAO PC10 PAI PA15 0 PAT 0 PA14 TM32F072B-DISCO PA3 VDDIO GN VDDA PA13 VDD 1 PA4 PA12 PAS PA11 PA PA10 1 PA9 MB1076C PC4 PAS PCS 6 PC9 P80 PC8 PB1 PC7 . PC6 PBI PB15 PB14 P811 PB12 PRIN

Picture is not contractual

Based on the STM32F072RBT6 microcontroller, it includes an ST-LINK/V2 embedded debug tool interface, an ST MEMS gyroscope, LEDs, pushbuttons, linear touch sensor, touch keys, RF EEPROM connector and a USB Mini-B connector.

March 2020

DB2102 Rev 4

For further information contact your local STMicroelectronics sales office.

1/5

1 Ordering information

To order the 32F072BDISCOVERY Discovery kit, refer to *Table 1*. For a detailed description, refer to the user manual on the product web page. Additional information is available from the datasheet and reference manual of the target STM32.

Tahlo	1	Ordering	information
Iable		Ordening	mormation

Order code	Board reference	User manual	Target STM32
STM32F072B-DISCO MB1076		UM1690	STM32F072RBT6

1.1 **Product marking**

Evaluation tools marked as "ES" or "E" are not yet qualified and are therefore not ready to be used as reference designs or in production. Any consequences arising from such usage will not be at ST's charge. In no event will ST be liable for any customer usage of these engineering sample tools as reference designs or in production.

'E' or 'ES' marking examples of location:

- on the targeted STM32 that is soldered on the board (For an illustration of STM32 marking, refer to the section 'Package information' of the STM32 datasheet at www.st.com).
- next to the evaluation tool ordering part number, that is stuck or silkscreen printed on the board

1.2 Codification

The meaning of the codification is explained in Table 2.

32XXYYZDISCOVERY	Description	Example: 32F072BDISCOVERY
32XX	MCU series in STM32 32-bit Arm Cortex MCUs	STM32F0 Series
ΥY	MCU product line in the series	STM32F072
Z	STM32 Flash memory size: – B for 128 Kbytes	128 Kbytes
DISCOVERY	Discovery kit	Discovery kit

Table 2. Codification explanation



2 Development environment

The 32F072BDISCOVERY Discovery kit features an STM32F0 Series microcontroller based on the $\rm Arm^{\it ®(a)}$ Cortex $^{\it ®}$ -M0 processor.

arm

2.1 System requirements

- Windows[®] OS (7, 8 and 10), Linux[®] 64-bit or macOS^{®(b) (c)}
- USB Type-A to Mini-B cable

2.2 Development toolchains

- IAR[™] EWARM^(d)
- Keil[®] MDK-ARM^{(d) (e)}
- STMicroelectronics STM32CubeIDE

2.3 Demonstration software

The demonstration software, included in the STM32Cube MCU Package, is preloaded in the STM32 Flash memory for easy demonstration of the device peripherals in standalone mode. The latest versions of the demonstration source code and associated documentation can be downloaded from the www.st.com/stm32f0-discovery webpage.

- d. On Windows[®] only
- e. Free MDK-ARM for Arm[®] Cortex[®]-M0/M0+ cores.



a. Arm is a registered trademark of Arm Limited (or its subsidiaries) in the US and or elsewhere.

b. $macOS^{\textcircled{B}}$ is a trademark of Apple Inc. registered in the U.S. and other countries.

c. All other trademarks are the property of their respective owners.

Revision history

Date	Revision	Changes
27-Dec-2013	1	Initial release.
11-Apr-2014	2	Added new board picture
29-Sep-2014		Updated <i>Section : Features</i> and <i>Section : Description</i> to introduce STM32CubeF0, STM32SnippetsL0 and STSW-STM32139.
	3	Updated L3GD20 feature.
		Updated Section : System requirements and Section : Development toolchains.
		Changed link to web page in <i>Section : Demonstration software</i> .
19-Mar-2020	4	Updated ST MEMS and LEDs details in <i>Features</i> . Reorganized the entire document:
		 Updated Features, Description, Ordering information, and Development toolchains Added Product marking and Codification

Table 3. Document revision history



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2020 STMicroelectronics – All rights reserved

DB2102 Rev 4

