


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		ECN-21-128048	24NOV2021	CD	MM
A1		REVISED PER ECR-21-125168	23DEC2021	SD	CD

1 MATERIALS:
 HOUSING: PBT
 GASKET: TPE
 DIMMING CONTACTS (QTY. 2/4): COPPER ALLOY
 LINE VOLTAGE CONTACTS (QTY. 3): COPPER ALLOY
 MEMBRANE VENT: PTFE


2 FINISH:
 DIMMING CONTACTS: NICKEL UNDERPLATE ENTIRE
 CONTACT 0.127 µm MIN THICK. SELECTIVE GOLD PLATE CONTACT
 MATING AREA (MATING FACE SIDE ONLY) 0.76 µm MIN THICK.
 MATTE TIN PLATE TAB ON BOTH SIDES 0.30 µm MIN THICK.
 LINE VOLTAGE CONTACTS: MATTE TIN PLATE

3 MATING INTERFACE PER ANSI C136.41-2013.


- 4. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.
- 5. MATING COVER; TE P/N: 2359615-X




2359482-1 SHOWN




2359482-2 SHOWN




2359482-3 SHOWN









2359482-4 SHOWN



2359482-5 SHOWN







2359482-6 SHOWN



WITHOUT VENT	3	2359482-6
WITH VENT	3	2359482-5
WITHOUT VENT	5	2359482-4
WITH VENT	5	2359482-3
WITHOUT VENT	7	2359482-2
WITH VENT	7	2359482-1
REMARKS	CONTACT POSITIONS	PART NO.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 18NOV2019		
		CHK J. LATORRE 18NOV2019		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD -	NAME BASE ASSEMBLY, LIGHT CONTROLLER, LUMAWISE ENDURANCE N GEN 2	RESTRICTED TO
	0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ±	PRODUCT SPEC 108-32606	SIZE A2	
MATERIAL	ANGLES ±1° FINISH	APPLICATION SPEC 114-32363	CAGE CODE -	DRAWING NO C-2359482
		WEIGHT -	SCALE 1:1	SHEET 1 OF 4 REV A1
		CUSTOMER DRAWING		

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C DAILY 18NOV2019	TE Connectivity	
		CHK J LATORRE 18NOV2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±1° FINISH		NAME BASE ASSEMBLY, LIGHT CONTROLLER, LUMAWISE ENDURANCE N GEN 2
		APVD - PRODUCT SPEC 108-32606 APPLICATION SPEC 114-32363 WEIGHT -		SIZE A2 CAGE CODE - DRAWING NO C-2359482 RESTRICTED TO -
MATERIAL 1		2		SCALE 1:1 SHEET 2 OF 4 REV A1 CUSTOMER DRAWING

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




COMPONENT KEEP OUT AREAS
2359482-1 AND 2359482-2

RECOMMENDED PCB
SCALE 3:2




COMPONENT KEEP OUT AREAS
2359482-3 AND 2359482-4

RECOMMENDED PCB
SCALE 3:2



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 18NOV2019	TE Connectivity		
		CHK J. LATORRE 18NOV2019			
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD -	NAME	BASE ASSEMBLY, LIGHT CONTROLLER, LUMAWISE ENDURANCE N GEN 2	
mm	0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ±	PRODUCT SPEC 108-32606	SIZE	CAGE CODE	DRAWING NO
	ANGLES ±1° FINISH	APPLICATION SPEC 114-32363	A2	-	C-2359482
MATERIAL		WEIGHT -	RESTRICTED TO	-	
1	2	CUSTOMER DRAWING	SCALE	SHEET	REV
			1:1	3 OF 4	A1



P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




COMPONENT KEEP OUT AREAS
2359482-5 AND 2359482-6



RECOMMENDED PCB
SCALE 3:2



COVER DETAILS
SCALE 3:2



SECTION A-A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 18NOV2019	TE Connectivity	
		CHK J. LATORRE 18NOV2019		
DIMENSIONS: mm		APVD -	NAME BASE ASSEMBLY, LIGHT CONTROLLER, LUMAWISE ENDURANCE N GEN 2	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.2 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±1° FINISH		PRODUCT SPEC 108-32606	RESTRICTED TO -	
MATERIAL 1		APPLICATION SPEC 114-32363	SIZE A2	CAGE CODE -
		WEIGHT -	DRAWING NO C-2359482	SCALE 1:1
		CUSTOMER DRAWING	SHEET 4 OF 4	REV A1