

# ARES-2 Series

Adjustable desk stands for industrial applications

## ARES-2414X




VESA 75x75 mm **MAX** ~13 kg Color Options:

### Specifications

Net Weight	1.61 Kg (3.55lbs)	
Dimension (W x H x D)	203 x 213 x 227 mm (7.99" x 8.39" x 8.94")	
Screw Type	M4	
Material	Steel/Plastic/Zinc	
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 17"
	Support Max. Weight	13kg (28.7lbs)
Cable Management	Yes	

### Ordering Information

Part No.	Color	Product Description
ARES-2414X-S150200	White	Table Stand, support ≤ 17", max. support 13 kg, 75 x 75 / 100 x100 mm
ARES-2414X-S150201	Black	Table Stand, support ≤ 17", max. support 13 kg, 75 x 75 / 100 x100 mm



## ARES-2423X




VESA 100x100 mm/ 75x75 mm **MAX** ~13 kg Color Options:

### Specifications

Net Weight	1.40 kg (3.09lbs)	
Dimension (W x H x D)	203 x 225 x 227 mm (7.99" x 8.86" x 8.94")	
Screw Type	M4	
Material	Steel/Aluminum/Plastic	
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 17"
	Support Max. Weight	13kg(28.7lbs)
Cable Management	Yes	

### Ordering Information

Part No.	Color	Product Description
ARES-2423X-S151000	White	Table Stand, support ≤ 17", max. support 13 kg, 75 x 75 / 100 x100 mm
ARES-2423X-S151001	Black	Table Stand, support ≤ 17", max. support 13 kg, 75 x 75 / 100 x100 mm



# ARES-2 Series

Adjustable desk stands for industrial applications

## ARES-2424X



100x100 mm/  
75x75 mm



15 kg

Color Options:




### Specifications

Net Weight	1.54 Kg (3.40 lbs)	
Dimension (W x H x D)	203 x 275 x 227mm (8" x 10.83" x 8.94")	
Screw Type	M4	
Material	Steel/Aluminum Alloy/Plastic	
Hinge Module	Swivel	N/A
	Tilt	-2° (down) ~ +180° (up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 21.5"
	Support Max. Weight	15kg (33.07 lbs)
Cable Management	Yes	

### Ordering Information

Part No.	Color	Product Description
ARES-2424X-S170200	White	Table Stand, support ≤ 21.5", max. support 15 kg, 75 x 75 / 100 x 100 mm
ARES-2424X-S170201	Black	Table Stand, support ≤ 21.5", max. support 15 kg, 75 x 75 / 100 x 100 mm



## ARES-2425X



100x100 mm/  
75x75 mm



~20 kg

Color Options:




### Specifications

Net Weight	2.14 Kg (4.72 lbs)	
Dimension (W x H x D)	241 x 340 x 280 mm (9.49" x 13.39" x 11.02")	
Screw Type	M4	
Material	Steel/Aluminum Alloy/Plastic	
Hinge Module	Swivel	N/A
	Tilt	-2°(down) ~ +180°(up)
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Support Max. Weight	20kg (44.09lbs)
Cable Management	Yes	

### Ordering Information

Part No.	Color	Product Description
ARES-2425X-S271000	White	Table Stand, support ≤ 27", max. support 20 kg, 75 x 75 / 100 x 100 mm
ARES-2425X-S271001	Black	Table Stand, support ≤ 27", max. support 20 kg, 75 x 75 / 100 x 100 mm



# ARES-2 Series

Adjustable desk stands for industrial applications

## ARES-2423R



## ARES-2421R



### Specifications

Net Weight	3.12 Kg (6.88lbs)	
Dimension (W x H x D)	222 x 432 x 252 mm (8.74" x 17.01" x 9.92")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Thickness	≤ 8.5cm
	Support Weight (Range)	6-12Kg (13.23-26.46 lbs)
Height Adjust	Curved panel support weight (range)	≤ 5.5Kg (12.13lbs)
	Height Adjustment Range	130mm (5.12")
Cable Management	Tension Torque Adjust	Yes
		Yes

### Specifications



Net Weight	3.12 Kg (6.88lbs)	
Dimension (W x H x D)	222 x 432 x 252 mm (8.74" x 17.01" x 9.92")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel (Hinge)	360°
	Tilt (Hinge)	-5° ~ +25°
	Pivot	360°
	User Torque Adjust	Available
Display Support	Mounting Pattern	100x100 / 75x75 mm
	Display Type	Single Monitor
	Panel Size Support	≤ 27"
	Thickness	≤ 8.5cm
	Support Weight (Range)	2-8Kg (4.41-17.64 lbs)
Height Adjust	Curved panel support weight (range)	≤ 5.5Kg (12.13lbs)
	Height Adjustment Range	130mm (5.12")
Cable Management	Tension Torque Adjust	Yes
		Yes

### Ordering Information

Part No.	Color	Product Description
ARES-2423R-A741L00	White	Table Stand, support ≤ 27", 6 - 12 kg, 75 x 75 / 100 x 100 mm
ARES-2423R-A741L01	Black	Table Stand, support ≤ 27", 6 - 12 kg, 75 x 75 / 100 x 100 mm

### Ordering Information

Part No.	Color	Product Description
ARES-2421R-HA74100	White	Table Stand, support ≤ 27", 2 - 8 kg, 75 x 75 / 100 x 100 mm



# ARES-2 Series

Adjustable desk stands for industrial applications

## ARES-2423S



100x100 mm/  
75x75 mm



4~12 kg

Color Options:




### Specifications

Net Weight	4Kg (8.82lbs)	
Dimension (W x H x D)	300 x 478 x 250 mm (11.81" x 18.82" x 9.84")	
Screw Type	M4	
Material	Steel/Plastic/Aluminum	
Hinge Module	Swivel	360°
	Tilt	-5° ~ +20°
	Pivot	360°
	User Torque Adjust	Available
	Mounting Pattern	100x100 / 75x75 mm
Display Support	Display Type	Single Monitor
	Panel Size Support	24" ~ 34"
	Support Weight (Range)	4~12Kg (8.82~26.46lbs)
	Thickness	≤ 8.5cm
	Curved Panel size support	≤ 34"
	Curved panel support weight (range)	≤ 8Kg (17.64lbs)
Height Adjust	Height Adjustment Range	130mm (5.12")
	Tension Torque Adjust	Yes
Cable Management	Yes	

### Ordering Information

Part No.	Color	Product Description
ARES-2423S-A770L00	White	Table Stand, support 24" ~ 34", 4 ~ 12 kg, 75 x 75 / 100 x 100 mm
ARES-2423S-A770L01	Black	Table Stand, support 24" ~ 34", 4 ~ 12 kg, 75 x 75 / 100 x 100 mm



# Compatible Table



Get the latest version [HERE](#)

Model Name	ARES-2414X			ARES-2423X			ARES-2424X											
Part Number	ARES-2414X-S150200			ARES-2414X-S150201			ARES-2423X-S151000			ARES-2423X-S151001			ARES-2424X-S170200			ARES-2424X-S170201		
Photo																		
Max. support weight	~ 13kg			~ 13kg			~ 13kg			~ 13kg			~ 15kg			~ 15kg		
Max. support panel size	≤ 17"			≤ 17"			≤ 17"			≤ 17"			≤ 21.5"			≤ 21.5"		
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm	75 x 75 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	
UTC-115	15.6"	2.4	100 x 100	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-120	21.5"	5.29	100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-307	7"	0.95	75 x 75	Yes	Yes	--	--	--	--	--	--	--	--	--	--	--	--	
UTC-310	10.1"	1.12	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-315	15.6"	<4	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-318	18.5"	5	100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-320	21.5"	6.5	100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-510D	10.1"	1.8	75 x 75	Yes	Yes	--	--	--	--	--	--	--	--	--	--	--	--	
UTC-510G	10.1"	1.8	75 x 75	Yes	Yes	--	--	--	--	--	--	--	--	--	--	--	--	
UTC-515	15.6"	4.85	100 x 100	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-520	21.5"	8	100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
UTC-532	31.5"	18	100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTC-542	42.5"	24.6	100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTC-722	21.5"	16	200 x 200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTC-723	31.5"	38	200 x 200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTK-615AP	15.6"	5	100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTK-615DP	15.6"	5	100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
USC-130	11.6"	2	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
USC-160	15.6"	3	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
USC-250	15"	5.1	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
USC-M3	11.6"	2	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
USC-M6	15.6"	3	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
HIT-W153	15.6"	4.7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
HIT-W183	18.5"	5.94	75 x 75 100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
HIT-507	7"	1.2	75 x 75	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
PAX-324	24"	7.6	75 x 75 100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PAX-327	27"	10.36	75 x 75 100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PAX-332	32"	12.5	75 x 75 100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
PAX-355	55"	55	600 x 400	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTK-6023	23.8"	38	200 x 200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
UTK-6031	31.5"	40	200 x 200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
POC-421	21.5"	6.29	75 x 75 100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
POC-424	23.8"	7.78	75 x 75 100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
POC-621	21.5"	6.29	75 x 75 100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
POC-624	23.8"	7.78	75 x 75 100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
POC-821	21.5"	7	75 x 75 100 x 100	--	--	--	--	--	--	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
POC-824	23.8"	8	75 x 75 100 x 100	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

# Compatible Table



Get the latest version [HERE](#)

Model Name	ARES-2425X		ARES-2423R		ARES-2421R		ARES-2423S		
Part Number	ARES-2425X-S271000	ARES-2425X-S271001	ARES-2423R-A741L00	ARES-2423R-A741L01	ARES-2421R-HA74100	ARES-2423S-A770L00	ARES-2423S-A770L01		
Photo									
Max. support weight	~ 20kg		~ 20kg		6 - 12kg		2 - 8kg		
Max. support panel size	≤ 27"		≤ 27"		≤ 27"		24" ~ 34"		
System Model	Panel size (inch)	Weight (kg)	VESA (mm)	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm	75 x 75 mm 100 x 100 mm
UTC-115	15.6"	2.4	100 x 100	Yes	Yes	--	--	--	--
UTC-120	21.5"	5.29	100 x 100	Yes	Yes	--	--	Yes	Yes
UTC-307	7"	0.95	75 x 75	--	--	--	--	--	--
UTC-310	10.1"	1.12	75 x 75	Yes	Yes	--	--	--	--
UTC-315	15.6"	<4	75 x 75	Yes	Yes	Yes	Yes	Yes	--
UTC-318	18.5"	5	100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
UTC-320	21.5"	6.5	100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
UTC-510D	10.1"	1.8	75 x 75	--	--	--	--	--	--
UTC-510G	10.1"	1.8	75 x 75	--	--	--	--	--	--
UTC-515	15.6"	4.85	100 x 100	Yes	Yes	--	--	Yes	Yes
UTC-520	21.5"	8	100 x 100	Yes	Yes	--	--	Yes	Yes
UTC-532	31.5"	18	100 x 100	--	--	--	--	--	--
UTC-542	42.5"	24.6	100 x 100	--	--	--	--	--	--
UTC-722	21.5"	16	200 x 200	--	--	--	--	--	--
UTC-723	31.5"	38	200 x 200	--	--	--	--	--	--
UTK-615AP	15.6"	5	100 x 100	Yes	Yes	--	--	Yes	Yes
UTK-615DP	15.6"	5	100 x 100	Yes	Yes	--	--	Yes	Yes
USC-130	11.6"	2	75 x 75	Yes	Yes	--	--	--	--
USC-160	15.6"	3	75 x 75	Yes	Yes	--	--	--	--
USC-250	15"	5.1	75 x 75	Yes	Yes	--	--	Yes	--
USC-M3	11.6"	2	75 x 75	Yes	Yes	--	--	--	--
USC-M6	15.6"	3	75 x 75	Yes	Yes	--	--	--	--
HIT-W153	15.6"	4.7	75 x 75 100 x 100	Yes	Yes	--	--	Yes	--
HIT-W183	18.5"	5.94	75 x 75 100 x 100	Yes	Yes	--	--	Yes	--
HIT-507	7"	1.2	75 x 75	Yes	Yes	--	--	--	--
HIT-512	11.6"	1.5	75 x 75	Yes	Yes	--	--	--	--
HIT-W101L	10.1"	1.4	75 x 75	Yes	Yes	--	--	--	--
PAX-324	24"	7.6	75 x 75 100 x 100	Yes	Yes	--	--	Yes	Yes
PAX-327	27"	10.36	75 x 75 100 x 100	Yes	Yes	--	--	Yes	Yes
PAX-332	32"	12.5	75 x 75 100 x 100	--	--	--	--	Yes	Yes
PAX-355	55"	55	600 x 400	--	--	--	--	--	--
UTK-6023	23.8"	38	200 x 200	--	--	--	--	--	--
UTK-6031	31.5"	40	200 x 200	--	--	--	--	--	--
POC-421	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	--
POC-424	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-615	15.6"	4.89	75 x 75 100 x 100	Yes	Yes	Yes	Yes	--	--
POC-621	21.5"	6.29	75 x 75 100 x 100	Yes	Yes	Yes	Yes	--	--
POC-624	23.8"	7.78	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes
POC-821	21.5"	7	75 x 75 100 x 100	Yes	Yes	Yes	Yes	--	--
POC-824	23.8"	8	75 x 75 100 x 100	Yes	Yes	Yes	Yes	Yes	Yes