



wire connector 2 cables with control wire voltage tap-off 4 units accessory for: 3VA5 250

| Model | |
|---------------------|-----------------------------|
| product brand name | SETRON |
| product designation | accessories |
| Product version | circular conductor terminal |
| Accessories | Wire connector |

| General technical data | |
|-------------------------------|-------|
| designation / of the terminal | TA2.3 |

| Connections according IEC | |
|--|--|
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum | 25 mm ² 150 mm ² 25 mm ² 150 mm ² |
| stripped length | 26 / 51 mm |
| tightening torque / when using copper cables | |
| <ul style="list-style-type: none"> stranded finely stranded | 25 - 150 mm ² : 31.1 Nm 25 - 150 mm ² : 31.1 Nm |

| Connections according UL | |
|--|--|
| permissible temperature / of connectable conductor / according to UL 486A-486B | 75 °C |
| stripped length | 1.0 / 2.0 in |
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for copper cable / finely stranded / minimum for copper cable / finely stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum | 4 AWG 300 kcmil 4 AWG 300 kcmil 4 AWG 300 kcmil |
| tightening torque / when using copper cables | |
| <ul style="list-style-type: none"> stranded finely stranded | 4 AWG - 300 kcmil: 275 lb-in 4 AWG - 300 kcmil: 275 lb-in |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9234-0JC22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9234-0JC22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9234-0JC22

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

7/5/2022 

