




Technical Data Shee



CERTIFICATIONS



ROHRFLEX PA 6-D



Aerosusa.com
service@aerosusa.com
855.393.9905

Corrugated all-plastic tubing thick-walled internally and externally corrugated.
Ideal for static, high-impact applications.

Material: Plastics PA 6

Temperature:
-40°F ... + 248°F ^ + 302°F
-40°C ... + 120°C ^ + 150°C

Flammability: V0 [UL 94]

Protection Class: IP 68 | IP 69K

Color: Black

Properties:

- high cross pressure strength
- air- and liquid-tight
- oil resistant up to 80°C
- benzine resistant
- widely resistant to acid and solvents
- free of silicone, cadmium, halogen
- highly self-extinguishing
- flame retardant
- Black excellent UV-resistant
- UL File No. E86359

"Unsurpassed in Cable Protection and Strain Relief"

2409 Herr St.
Harrisburg, PA 17103



Aerosusa.com
service@aerosusa.com
855.393.9905

Technical Data Sheet

Product #	Profile	Color	Trade Size	AD	ID x OD (in)	Dyn BR (in)	Stat BR (in)	lb/ft	PU
0237.202.006	Fine	Black	1/4"	10	0.25 x 0.39	1.38	0.51	0.0134	164 FT
0237.202.010	Fine	Black	5/16"	13	0.37 x 0.50	1.77	0.98	0.0202	164 FT
0237.202.012	Fine	Black	3/8"	15.8	0.46 x 0.61	2.17	1.38	0.0269	164 FT
0237.202.014	Fine	Black	7/16"	18.5	0.54 x 0.71	2.56	1.57	0.0403	164 FT
0237.202.016	Fine	Black	1/2"	21.2	0.63 x 0.83	2.95	1.97	0.0538	164 FT
0237.202.023	Fine	Black	3/4"	28.5	0.88 x 1.11	3.94	2.36	0.0874	164 FT
0237.202.029	Fine	Black	1"	34.5	1.12 x 1.35	4.72	2.76	0.1008	82 FT
0237.202.036	Fine	Black	1 1/4"	42.5	1.40 x 1.67	5.91	3.94	0.1344	82 FT
0237.202.048	Fine	Black	1 1/2"	54.5	1.87 x 2.14	7.48	4.33	0.1747	82 FT
0237.232.016	Coarse	Black	1/2"	21.2	0.62 x 0.83	2.95	1.97	0.0470	164 FT
0237.232.023	Coarse	Black	3/4"	28.5	0.88 x 1.12	3.94	2.36	0.0806	164 FT
0237.232.029	Coarse	Black	1"	34.5	1.11 x 1.35	4.72	2.76	0.1075	82 FT
0237.232.036	Coarse	Black	1 1/4"	42.5	1.39 x 1.67	5.91	3.94	0.1210	82 FT
0237.232.048	Coarse	Black	1 1/2"	54.5	1.87 x 2.14	7.48	4.33	0.1747	82 FT

"Unsurpassed in Cable Protection and Strain Relief"

2409 Herr St.
Harrisburg, PA 17103