


mat'l. code		surface / tolerance		projection		product family	
		ISD1302 ✓ ISD1101 ISD406				MOD JACK	
ltr ecn nodr date		tolerances unless otherwise specified		title			
F	T03-0443 WL	10/06/03	angle	0.X±0.3	mm	RJ45 DOUBLE DECK GANG JACK ASSY	
G	N05-0018 YS	01/25/05	line	0.XX±0.15	mm		
H	N08-0100 SH	09/25/08	0'±2'	0.XXX±0.05	scale 2.0		
J	N08-0273 SH MMQ	12/25/08	dr	CATHY LIN	05/26/98	dwg no sheet 1 of 2 size	
K	ELX-N-010710 SH MMQ	3/14/12	engr	TONY CHIEN	05/26/98	74633 A4	
			chr	TONY CHIEN	05/26/98	type Product Customer Drawing	
			appd	JENN TSAO	05/26/98		
sheet index	revision	nk	k				
	sheet	1	2				

PRODUCT NO.	PORT NUMBERS	DIM.A±0.35	DIM.B±0.15	PACKAGING	REMARKS	PLATING
74633-004-R 74633-004-RLF 74633-004-RHLF	4x2	58.92	53.34	USING TRAY	AVAILABLE	5u" Au + high performance lubricant
74633-304-R 74633-304-RLF 74633-304-RHLF						5u" Au + high performance lubricant
74633-504-R 74633-504-RLF 74633-504-RHLF						50 u" GXT


NOTES:

- RECOMMENDED P.C.B THICKNESS 1.60 MM
- HOUSING MAT'L: NYLON 6/6, 25% G.F.,UL 94V-0, COLOR - BLACK.
- CONTACTS: PHOS BRONZE ALLOY UNS-C51000, ϕ 0.460 ROUND WIRE, PLATING SEE TABLE.
- SHIELDING MATERIAL: 0.25MM THICK, BRASS ALLOY. SHIELDING PLATING: 30u" NICKEL PRE-PLATED AND WITH POST SOLDER DIP ON GROUNDING LEGS AS DETAIL C (IF LF P/N WITH POST PURE TIN SOLDER DIP).
- IF LF P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.60mm MINIMUM THICK CIRCUIT BOARD.
- IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.
- EQUIVALENT THICKNESS Au AND GXT PLATING HAVE SAME FUNCTION AND THEY ARE ALTERNATIVE BY THE CUSTOEMR.

LEAD FREE PRODUCT NO.
MEETS PIP PROCESS PRODUCT NO.



DETAIL C
NOTE 4



RECOMMENDED P.C.B LAYOUT
COMPONENT SIDE

mat'l. code			surface ISO1302 ✓		tolerance ISO1101 ISO406		projection ISO 1101		product family MOD JACK		
l trechn nodr date			tolerances unless other		wise specified		mm		title		
F	T03-0443	WL	10/06/03	angle	0.X±0.3				RJ45 DOUBLE DECK		
G	N05-0018	YS	01/25/05	0°±2'	0.XX±0.15				GANG JACK ASSY		
H	N08-0100	SH	09/25/08		0.XXX±0.05			scale	2.0		
J	N08-0273	SH MMD	12/25/08	chr	CATHY LIN	05/26/98					
K	ELX-N-010710	SH MMD	3/14/12	engr	TONY CHIEN	05/26/98					
				chr	TONY CHIEN	05/26/98					
				appd	JENN TSAO	05/26/98					
sheet index		revision sheet									

