





PRODUCT NR:	ROW#	CONFIGURATION																								DIM A	PCB THICKNESS
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
85869-X01LF	D																										
	C																										
	B																										
	A																										
85869-X02LF	D																										
	C																										
	B																										
	A																										
85869-X03LF	D																										
	C																										
	B																										
	A																										
85869-X04LF	D																										
	C																										
	B																										
	A																										
85869-X05LF	D																										
	C																										
	B																										
	A																										

OBSOLETE \triangle
OBSOLETE \triangle
OBSOLETE \triangle
OBSOLETE \triangle
OBSOLETE \triangle




NOTES:

1. MATERIAL : BODY : LCP UL94-V0
CONTACT : COPPER ALLOY.
2. FOR PLATING PERFORMANCE REFER DRAWING # 10159408
3. INDICATED HOLES ARE UNPLATED.
4. DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
5. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47- 0004.
6. THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
7. A \triangle SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.




REFER NOTE-2
85869-XY YLF





RECOMMENDED HOLE PATTERN, COMPONENT SIDE.

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 101		projection		product family METRAL	
ltr		ecn no		dr		date		title	
S		ELX-I-38913		MINI		2020-10-23		RA RECEPTACLE	
T		ELX-I-44059		NIRMAL		2022-03-07		SIG48mm PRESS PEG	
								dwg no 85869	
								sheet 1 of 3	
								size A3	
								type Product Customer Drawing	
sheet index		revision sheet		T		T		T	
				1		2		3	


PRODUCT NR:	ROW#	CONFIGURATION																								DIM A	PCB THICKNESS	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
85869-X20LF	D	X	X	X	-	-	-	X	X	X	X	-	-	X	X	X	X	X	X	X	X	X	X	X	X	X	2.90	1.6
	C	X	X	X	X	-	-	X	X	X	X	X	-	-	X	X	X	X	X	X	X	X	X	X	X			
	B	X	X	X	X	X	-	-	X	X	X	X	X	-	-	X	X	X	X	X	X	X	X	X	X			
	A	X	X	X	X	X	X	-	-	X	X	X	X	X	-	-	X	X	X	X	X	X	X	X	X			
85869-X21LF	D	X	X	-	X	X	-	-	X	X	-	-	X	X	-	-	X	X	X	X	X	X	X	X	X	2.90	1.6	
	C	X	X	-	X	X	-	-	X	X	-	-	X	X	-	-	X	X	X	X	X	X	X	X				
	B	X	X	-	X	X	-	-	X	X	-	-	X	X	-	-	X	X	X	X	X	X	X	X				
	A	X	X	X	X	X	X	-	-	X	X	X	X	-	-	X	X	X	X	X	X	X	X	X				
85869-X22LF	D	X	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	1.6	
	C	X	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	B	X	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	A	X	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
85869-X23LF	D	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	1.6	
	C	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	B	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	A	X	X	X	X	X	X	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
85869-X24LF	D	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	1.6	
	C	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	B	X	X	X	X	X	X	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	A	X	X	X	X	X	X	X	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-				
85869-X25LF	D	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.90	1.6	
	C	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	B	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	A	X	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				



"-" POSITION NOT LOADED
"X" POSITION LOADED




REFER NOTE-2
85869-XYLLF




RECOMMENDED HOLE PATTERN, COMPONENT SIDE.

NOTES:

- MATERIAL : BODY : LCP UL94-V0
CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408
- INDICATED HOLES ARE UNPLATED.
- SET BACK FOR PRESS BLOCK.
- TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
- DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47- 0004.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.





PRODUCT AFTER PC BOARD APPLICATION.




mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 101		projection		product family METRAL	
ltr		ecn no		dr		date		title	
S		ELX-I-38913		MINI		2020-10-23		RA RECEPTACLE	
T		ELX-I-44059		NIRMAL		2022-03-07		SIG48mm PRESS PEG	
angles		linear		.X±0.3		.XX±0.13		scale -	
0°±2°		.XXX±0.050		mm		-		dwg no	
dr		R VISSCHERS		1995-10-17		engr		sheet 2 of 3	
NIRMAL SAM		2022-03-07		chr		ALEX BABU		size A3	
2022-03-07		appd		SANOJ		2022-03-07		type	
Product		Customer		Drawing		85869		type	
sheet index		revision sheet		T		T		T	
1		2		3					

PRODUCT NR:	ROW#	CONFIGURATION																								DIM A	PCB THICKNESS
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
85869-X30LF	D	X	X	X	-	-	X	X	X	X	X	-	X	X	X	X	X	X	X	-	X	X	X	X	2.90	1.6	
	C	X	X	X	-	-	X	X	X	X	X	-	X	X	X	X	X	X	X	-	X	X	X	X			
	B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X
85869-X31LF	D	X	X	-	X	X	-	-	X	X	-	X	X	-	X	X	-	X	X	X	X	X	X	X	2.90	1.6	
	C	X	X	-	X	X	-	-	X	X	-	X	X	-	X	X	-	X	X	X	X	X	X	X			
	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
85869-X32LF	D	-	X	-	-	X	-	X	-	-	-	X	-	X	X	-	X	-	X	-	X	-	X	-	2.90	1.6	
	C	X	-	-	-	X	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-			
	B	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
85869-X33LF	D	-	X	-	X	-	X	-	X	-	-	X	-	X	X	-	X	-	X	-	X	-	X	-	2.90	1.6	
	C	X	-	-	X	X	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-			
	B	-	X	-	-	-	X	-	X	-	-	X	-	X	X	-	X	-	X	-	X	-	X	-			
85869-X34LF	D	-	X	-	X	-	X	-	X	-	-	X	-	X	X	-	X	-	X	-	X	-	X	-	2.90	1.6	
	C	X	-	X	-	X	-	X	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-			
	B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X

"-" POSITION NOT LOADED
 "X" POSITION LOADED




REFER NOTE-2
 85869-XYFLF




NOTES:

- MATERIAL : BODY : LCP UL94-V0
 : CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408
- INDICATED HOLES ARE UNPLATED.
- DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47- 0004.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



PRODUCT AFTER PC BOARD APPLICATION.



mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 101		projection		product family METRAL	
ltr		ecn no		dr		date		title	
S		ELX-I-38913		MINI		2020-10-23		RA RECEPTACLE	
T		ELX-I-44059		NIRMAL		2022-03-07		SIG48mm PRESS PEG	
								dwg no 85869	
								sheet 3 of 3	
								size A3	
								type Product Customer Drawing	
sheet index		revision sheet		T		T		T	
				1		2		3	